



Certificate of Analysis


COMPLIANCE FOR RETAIL
Sample: DA00504004-002
Harvest/Lot ID: 2020
Batch#: 0429
Sample Size Received: 5 ml
Total Amount: 0.5
Retail Product Size: 0.5
Sample Density: 1.26 g/mL
Ordered: 04/28/20
Sampled: 04/28/20
Completed: 05/07/20
Sampling Method: SOP.T.20.010.FL
PASSED
May 07, 2020 | Relegated Renegades

1267 Forest Ave Rear Suite #2
Staten Island, NY, 10302, US

Pages 1 of 1
PRODUCT IMAGE


disposable pen

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
NOT TESTED**

**Moisture
NOT TESTED**

**Terpenes
NOT TESTED**
MISC.

Cannabinoid
PASSED

Total THC
0%


/Container : 0 mg


Total CBD
0%

CBD/Container : 55.062 mg


Total Cannabinoids
0%

Total Cannabinoids/Container : 55.062 mg


Analyzed by:
1224

Weight:
0.1090g

Extraction date:
05/04/20 09:05:12

Extracted by:
965

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA012139POT

Instrument Used : DA-LC-003 CBD

Analyzed Date : N/A

Dilution : 400

Reagent : 032320.25

Consumables : 280678841; 914C4-914AK

Pipette : N/A

Reviewed On : 05/05/20 14:30:47

Batch Date : 05/04/20 09:39:29

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/07/20