



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA00504004-004
Harvest/Lot ID: 2020
Batch#: 0431
Sample Size Received: 5 ml
Total Amount: 0.5
Retail Product Size: 0.5
Sample Density: 1.26 g/mL
Ordered: 04/28/20
Sampled: 04/28/20
Completed: 05/08/20
Sampling Method: SOP.T.20.010.FL
PASSED
May 08, 2020 | Relegated Renegades

1267 Forest Ave Rear Suite #2
Staten Island, NY, 10302, US

Pages 1 of 1
PRODUCT IMAGE


disposable pen

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
NOT TESTED**

**Moisture
NOT TESTED**

**Terpenes
NOT TESTED**
MISC.

Cannabinoid
PASSED

Total THC
0%


/Container : 0 mg


Total CBD
0%

CBD/Container : 46.626 mg


Total Cannabinoids
0%

Total Cannabinoids/Container : 46.626 mg


Analyzed by:
1224

Weight:
0.1123g

Extraction date:
05/06/20 10:05:42

Extracted by:
965

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA012218POT

Instrument Used : DA-LC-003

Analyzed Date : N/A

Reviewed On : 05/07/20 12:01:44

Batch Date : 05/06/20 09:23:12

Dilution : 400

Reagent : 032320.18

Consumables : 280678841; 914C4-914AK; 929C6-929H

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/08/20