



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA00624010-005

Harvest/Lot ID: 2020

Batch#: 0622

Sample Size Received: 5.0 ml

Total Amount: 0.5 ml

Retail Product Size: 0.5

Sample Density: 1.26 g/mL

Ordered: 06/19/20

Sampled: 06/19/20

Completed: 07/03/20

Sampling Method: SOP.T.20.010.FL

PASSED

Jul 03, 2020 | Relegated Renegades

1267 Forest Ave Rear Suite #2
Staten Island, NY, 10302, US



Pages 1 of 1

PRODUCT IMAGE




Cartridge

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0%

/Container : 0 mg



Total CBD

0%


CBD/Container : 18.157 mg



Total Cannabinoids

0%

Total Cannabinoids/Container : 18.157 mg



Analyzed by:
450

Weight:
0.1135g

Extraction date:
06/25/20 11:06:52

Extracted by:
965

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA013444POT

Instrument Used : DA-LC-003

Analyzed Date : N/A

Dilution : 400

Reagent : 042120.18; 062420.R03; 062420.R02

Consumables : 280678841; 918C4-918; 914C4-914AK; 929C6-929H

Pipette : N/A

Reviewed On : 06/29/20 01:44:57

Batch Date : 06/25/20 09:54:57

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/03/20