



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA00709015-004
Harvest/Lot ID: W6RR 01-0720
Batch#: W6RR 01-0720
Sample Size Received: 15 ml
Retail Product Size: 30 ml
Sample Density: 0.96 g/mL
Ordered: 07/06/20
Sampled: 07/06/20
Completed: 07/31/20
Sampling Method: SOP.T.20.010.FL

PASSED

Jul 31, 2020 | Carolina Cannabinoids LLC.


5104 Reagan Drive
Charlotte, NC, 28206, US


Pages 1 of 1

PRODUCT IMAGE


Dropper Bottle

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED
MISC.

Cannabinoid
PASSED

Total THC
0%

/Container : 85.536 mg


Total CBD
0%

CBD/Container : 7683.86 mg


Total Cannabinoids
0%

Total Cannabinoids/Container : 8012.448 mg

	TOTAL CANNABINOIDS	TOTAL CBD	TOTAL THC	CBC	CBGA	CBG	THCV	D8-THC	CBDV	CBN	CBDA	CBD	D9-THC	THCA
%	0	0	0	0	0	0.392	0	0	0.363	0	0.723	26.046	0.297	0
mg/ml														
LOD		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
450

Weight:
0.1100g

Extraction date:
07/29/20 10:07:20

Extracted by:
965

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA014367POT

Instrument Used : DA-LC-003

Analyzed Date : N/A

Dilution : 400

Reagent : 061220.18; 072320.R14; 062220.21; 072320.R13

Consumables : 280678841; 918C4-918; 914C4-914AK; 929C6-929H

Pipette : N/A

Reviewed On : 07/30/20 17:28:32

Batch Date : 07/29/20 09:41:28

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
07/31/20