



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA01229006-001
Harvest/Lot ID: D8FP-121520
Batch#: D8FP-121520
Batch Date: 12/15/20
Sample Size Received: 3 gram
Retail Product Size: .250
Ordered: 12/21/20
Sampled: 12/21/20
Completed: 12/30/20
Sampling Method: SOP.T.20.010.FL

PASSED

Dec 30, 2020 | Volunteer Botanical's LLC

2320 Van Cleave Lane
Mursreefboro, TN, 37129, US




Pages 1 of 1

PRODUCT IMAGE



pharma packer bottle

SAFETY RESULTS

 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED
---	---	---	---	---	--	---	---

MISC.

 Terpenes NOT TESTED

Cannabinoid **PASSED**



	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	CBC	THCA	TOTAL CANNABINOIDS	TOTAL CBD	TOTAL THC
%	0	0	0	0	0	0	0	0	35.114	0	0	0	0	0
mg/g	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
LOD	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 450 Weight: 0.1013g Extraction date: 12/29/20 03:12:58 Extracted by: 574
 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA020556POT Reviewed On : 12/30/20 12:37:52
 Instrument Used : DA-LC-003 CBD Batch Date : 12/29/20 10:02:16
 Analyzed Date : 12/29/20 18:04:07
 Dilution : 400
 Reagent : 110520.52; 122420.R15; 122420.R14; 110220.54
 Consumables : 280670723; 11989-024CC-024; 76262-590; 914C4-914AK; 929C6-929H
 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director
State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
12/30/20