



# Certificate of Analysis

## COMPLIANCE FOR RETAIL


Sample: DA20208007-001  
 Harvest/Lot ID: TSNB0201202205-08  
 Batch#: TSNB0201202205-08  
 Processing Facility : Homestead Processing  
 Seed to Sale# 7094 0303 1896 0503  
 Batch Date: 02/01/22  
 Sample Size Received: 10 units  
 Total Amount: 1853 units  
 Retail Product Size: 69.0388  
 Ordered : 02/08/22  
 Sampled : 02/08/22  
 Completed: 02/11/22  
 Sampling Method: SOP.T.20.010

Feb 11, 2022 | CURALEAF FLORIDA LLC  
 19000 SW 192 STREET  
 MIAMI, FL, 33187, US




**PASSED**

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>NOT TESTED</b>	 Terpenes <b>NOT TESTED</b>

Pouch

**Cannabinoid** **PASSED**



Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA038329POT  
 Instrument Used : DA-LC-003 (Edibles)  
 Analyzed Date : 02/10/22 19:52:42

Dilution : 40  
 Reagent : 021022.R02; 121321.66; 021022.R01; 113021.91  
 Consumables : CE0123; 239146; 293017195; 61633-125C6-125E; 11945-019CD-019C  
 Pipette : N/A

Reviewed On : 02/11/22 12:48:44  
 Batch Date : 02/10/22 10:52:27

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 02/11/22