



Certificate of Analysis





COMPLIANCE FOR RETAIL


Sample: DA21113001-006
Harvest/Lot ID: TSNB1106202206-09
Batch#: TSNB1106202206-09
Cultivation Facility: Miami Cultivation
Processing Facility : Homestead Processing
Seed to Sale# 8574 2325 2912 2578
Batch Date: 11/06/22
Sample Size Received: 640 gram
Total Batch Size: 1853 units
Retail Product Size: 66.5911 gram
Ordered : 11/13/22
Sampled : 11/13/22
Completed: 11/16/22
Sampling Method: SOP.T.20.010

Nov 16, 2022 | CURALEAF FLORIDA LLC
 19000 SW 192 STREET
 MIAMI, FL, 33187, US


PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes NOT TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 0.16% Total THC/Container : 106.546 mg		Total CBD ND Total CBD/Container : 0 mg		Total Cannabinoids 0.168% Total Cannabinoids/Container : 111.873 mg
--	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.16	ND	ND	ND	ND	0.006	ND	ND	ND	ND	0.002
mg/unit	106.545	ND	ND	ND	ND	3.995	ND	ND	ND	ND	1.331
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 3404, 3112, 1665	Weight: 2.9347g	Extraction date: 11/14/22 12:37:37	Extracted by: 3112
---	---------------------------	--	------------------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA052336POT Instrument Used : DA-LC-007 Running on : 11/14/22 13:30:51	Reviewed On : 11/15/22 09:33:46 Batch Date : 11/13/22 15:57:58
---	---

Dilution : 40 Reagent : 110922.R02; 071222.48; 071222.01; 110922.R05; 100622.35 Consumables : 239146; 280670723; CE0123; 210803-059; 61633-125C6-125E; R1KB14270 Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

Sample : DA21113001-006

Harvest/Lot ID: TSNB1106202206-09

Batch# : TSNB1106202206-09 Sample Size Received : 640 gram

Sampled : 11/13/22

Ordered : 11/13/22

Total Batch Size : 1853 units

Completed : 11/16/22 Expires: 11/16/23

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROCONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	3404, 1665, 585, 53	Weight:	0.9766g	Extraction date:	11/14/22 11:10:22
DICHLORVOS	0.01	ppm	0.1	PASS	ND					Extracted by:	1665
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL			Reviewed On :	11/15/22 12:05:06
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :	DA052337PES			Batch Date :	11/13/22 16:00:43
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-004 (PES)				
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Running on :	11/14/22 13:46:28				
FENHEXAMID	0.01	ppm	3	PASS	ND	Dilution :	250				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent :	110722.R01; 110422.R18; 110722.R24; 110922.R07; 092820.59				
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Consumables :	6676024-02				
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	3404, 450, 53	Weight:	0.9766g	Extraction date:	11/14/22 11:10:22
IMAZALIL	0.01	ppm	0.1	PASS	ND					Extracted by:	1665
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method :	N/A			Reviewed On :	11/15/22 11:24:25
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch :	DA052339VOL			Batch Date :	11/13/22 16:05:24
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used :	DA-GCMS-006				
METALAXYL	0.01	ppm	3	PASS	ND	Running on :	N/A				
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution :	250				
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent :	110422.R18; 092820.59; 111022.R38; 111022.R27				
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables :	6676024-02; 14725401				
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette :	DA-080; DA-146				
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

Sample : DA21113001-006

Harvest/Lot ID: TSNB1106202206-09

Batch# : TSNB1106202206-09 Sample Size Received : 640 gram

Sampled : 11/13/22

Ordered : 11/13/22

Total Batch Size : 1853 units

Completed : 11/16/22 Expires: 11/16/23

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 N/A

 Weight:
 N/A

 Extraction date:
 N/A

 Extracted by:
 N/A

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA052370SOL
 Instrument Used : DA-GCMS-002
 Running on : 11/16/22 11:25:40

 Reviewed On : 11/16/22 11:32:49
 Batch Date : 11/14/22 15:34:06

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

Sample : DA21113001-006

Harvest/Lot ID: TSNB1106202206-09

Batch# : TSNB1106202206-09 Sample Size Received : 640 gram

Sampled : 11/13/22



Ordered : 11/13/22


Total Batch Size : 1853 units

Completed : 11/16/22 Expires: 11/16/23

Sample Method : SOP.T.20.010

Page 4 of 5

<div>Microbial</div> <div>PASSED</div>						<div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3404, 1665, 585, 53	Weight: 0.9766g	Extraction date: 11/14/22 11:10:22	Extracted by: 1665		
Analyzed by: 3404, 2682, 3390, 3621, 53			Weight: 1.1394g		Extraction date: 11/14/22 11:51:04	Extracted by: 3390		Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL			
Analysis Method : N/A			Analytical Batch : DA052360MIC		Reviewed On : 11/16/22 09:56:46 Batch Date : 11/14/22 10:22:18	Analytical Batch : DA052338MYC					
Instrument Used : DA-265 Gene-UP RTPCR			Running on : N/A			Instrument Used : DA-LCMS-004 (MYC)					
Dilution : N/A			Reagent : 100122.R04; 091422.05; 061422.29			Running on : 11/14/22 13:46:23					
Consumables : N/A			Pipette : N/A			Dilution : 250					
Pipette : N/A						Reagent : 110722.R01; 110422.R18; 110722.R24; 110922.R07; 092820.59					
						Consumables : 6676024-02					
						Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

<div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
LEAD	0.05	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
Analyzed by: 3404, 1022, 53	Weight: 0.5521g	Extraction date: 11/14/22 11:25:30	Extracted by: 1022		
Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL			Reviewed On : 11/15/22 11:12:31		
Analytical Batch : DA052351HEA			Batch Date : 11/13/22 20:06:52		
Instrument Used : DA-ICPMS-003			Running on : 11/15/22 10:04:19		
Dilution : 50			Reagent : 102122.R23; 080222.R36; 111122.R27; 111122.R30; 111122.R25; 111122.R26; 101722.R39; 101722.R38; 100622.35		
Consumables : 179436; 210508058; 210803-059			Pipette : DA-061; DA-106; DA-216		
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
--	--	--	--	--	--



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

 Sample : DA21113001-006
 Harvest/Lot ID: TSNB1106202206-09
 Batch# : TSNB1106202206-09
 Sampled : 11/13/22
 Ordered : 11/13/22

 Sample Size Received : 640 gram
 Total Batch Size : 1853 units
 Completed : 11/16/22 Expires: 11/16/23
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 20

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.5	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 1879	NA	N/A	N/A

Analysis Method : N/A	Reviewed On : 11/15/22 15:44:33 Batch Date : 11/15/22 15:14:36
Analytical Batch : DA052425FIL	
Instrument Used : Filth/Foreign Material Microscope Running on : 11/15/22 15:17:47	

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.641	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
3404, 2926, 585	3.673g	11/15/22 13:10:47	2926

Analysis Method : SOP.T.40.019	Reviewed On : 11/15/22 14:56:21 Batch Date : 11/15/22 07:34:36
Analytical Batch : DA052385WAT	
Instrument Used : DA-028 Rotronic HygroPalm Running on : 11/15/22 13:09:19	

 Dilution : N/A
 Reagent : 121421.21
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	0.94	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3404, 3335, 1665	3.219g	11/14/22 11:17:54	3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL	Reviewed On : 11/15/22 09:33:53 Batch Date : 11/14/22 08:33:10
Analytical Batch : DA052354HOM	
Instrument Used : DA-LC-006 (Homogeneity) Running on : 11/14/22 11:22:15	

 Dilution : 40
 Reagent : 071222.48; 100622.35
 Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB14270
 Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.