



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30511009-003

Harvest/Lot ID: LDWF161E-2305-20608

Batch#: GG4-1G-041123

Cultivation Facility: Gainesville Cultivation

Processing Facility: Gainesville Processing

Source Facility: Gainesville Cultivation

Seed to Sale# LDWF161E-2305-20608

Batch Date: 05/05/23

Sample Size Received: 73.5 gram

Total Amount: 5686 units

Retail Product Size: 3.5 gram

Ordered: 05/10/23

Sampled: 05/10/23

Completed: 05/13/23

Sampling Method: SOP.T.20.010

**PASSED**


May 13, 2023 | Liberty Health Sciences,  
FL

18770 N CR 225  
Gainesville, FL, 32609, US



Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**19.689%**

Total THC/Container : 689.115 mg



Total CBD

**0.038%**

Total CBD/Container : 1.33 mg



Total Cannabinoids

**22.848%**

Total Cannabinoids/Container : 799.68 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.864	21.466	ND	0.044	0.01	0.072	0.354	<0.01	0.018	ND	0.02
mg/unit	30.24	751.31	ND	1.54	0.35	2.52	12.39	<0.35	0.63	ND	0.7
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:  
1665, 3112, 585, 4044

Weight:  
0.2018g

Extraction date:  
05/11/23 10:45:23

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA060047POT  
Instrument Used : DA-LC-002 (Flower)  
Analized Date : 05/11/23 10:47:41

Reviewed On : 05/12/23 10:33:59  
Batch Date : 05/11/23 09:47:04

Dilution : 400  
Reagent : 050923.R10; 070621.18; 050923.R05  
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
05/13/23



# Certificate of Analysis

**PASSED**

Liberty Health Sciences, FL

 18770 N CR 225  
 Gainesville, FL, 32609, US  
 Telephone: (833) 254-4877  
 Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30511009-003

Harvest/Lot ID: LDWF161E-2305-20608

Batch# : GG4-1G-041123

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 73.5 gram

Total Amount : 5686 units

Completed : 05/13/23 Expires: 05/13/24

Sample Method : SOP.T.20.010

Page 2 of 5



# Certificate of Analysis

**PASSED**

Liberty Health Sciences, FL

 18770 N CR 225  
 Gainesville, FL, 32609, US  
 Telephone: (833) 254-4877  
 Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30511009-003

Harvest/Lot ID: LDWF161E-2305-20608

Batch# : GG4-1G-041123

Sampled : 05/10/23

Ordered : 05/10/23


Sample Size Received : 73.5 gram

Total Amount : 5686 units

Completed : 05/13/23 Expires: 05/13/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.9331g	05/11/23 13:01:30	3379,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060046PES			Reviewed On : 05/12/23 13:24:10		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 05/11/23 09:46:16		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/11/23 13:06:20					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9331g	05/11/23 13:01:30	3379,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060049VOL			Reviewed On : 05/12/23 10:24:48		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 05/11/23 09:49:52		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/11/23 14:00:41					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 051023.R18; 040521.11; 042723.R38; 050223.R19					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





# Certificate of Analysis




**PASSED**

Liberty Health Sciences, FL

 18770 N CR 225  
 Gainesville, FL, 32609, US  
 Telephone: (833) 254-4877  
 Email: Qualityassurance@libertyhealthsciences.com

 Sample : DA30511009-003  
 Harvest/Lot ID: LDWF161E-2305-20608  
 Batch# : GG4-1G-041123 Sample Size Received : 73.5 gram  
 Sampled : 05/10/23 Total Amount : 5686 units  
 Ordered : 05/10/23 Completed : 05/13/23 Expires: 05/13/24  
 Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3379, 585, 4044		0.9331g		05/11/23 13:01:30	Extracted by:
											3379,585
Analyzed by: 3336, 3621, 585, 4044 Weight: 1.0286g Extraction date: 05/11/23 10:50:34 Extracted by: 3336						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060037MIC						Analytical Batch : DA060048MYC Instrument Used : N/A Reviewed On : 05/12/23 13:22:06 Batch Date : 05/11/23 09:49:49					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 05/11/23 13:06:59 Dilution : 250 Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 031023.07; 092122.08; 042623.R85 Consumables : 7563002005 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	<0.1	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2249g Extraction date: 05/11/23 10:41:55 Extracted by: 1022,3807											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060040HEA						Reviewed On : 05/12/23 10:57:36 Batch Date : 05/11/23 09:25:51					
Instrument Used : DA-ICPMS-003 Analyzed Date : 05/11/23 17:43:37											
Dilution : 50 Reagent : 050923.R24; 042623.R82; 050523.R44; 051123.R01; 050523.R42; 050523.R43; 050423.R32; 050923.01; 042523.R20											
Consumables : 179436; 210508058; 12628-309CC-309 Pipette : DA-061; DA-191; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**

Liberty Health Sciences, FL

 18770 N CR 225  
 Gainesville, FL, 32609, US  
 Telephone: (833) 254-4877  
 Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30511009-003

Harvest/Lot ID: LDWF161E-2305-20608

Batch# : GG4-1G-041123

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 73.5 gram

Total Amount : 5686 units

Completed : 05/13/23 Expires: 05/13/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign  
Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.6	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date : 05/12/23 23:34:11						Analyzed by: 2926, 585, 4044 Weight: 0.501g Extraction date: 05/11/23 14:07:44 Analyzed Date : 05/11/23 12:43:34					
Analysis Method : SOP.T.40.090 Analytical Batch : DA060142FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 05/12/23 23:44:49 Batch Date : 05/12/23 18:48:15						Analysis Method : SOP.T.40.021 Analytical Batch : DA060062MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 05/11/23 14:33:12 Batch Date : 05/11/23 10:54:53					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.557	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.939g Extraction date: 05/11/23 12:17:06 Analyzed Date : 05/11/23 12:16:25					
Analysis Method : SOP.T.40.019 Analytical Batch : DA060059WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 05/11/23 13:59:33 Batch Date : 05/11/23 10:45:14					
Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.