



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30513010-001
Harvest/Lot ID: TSPR209-2305-20522
Batch#: BTP-PR-021523
Cultivation Facility: Gainesville Cultivation
Processing Facility: Gainesville Processing
Source Facility: Gainesville Cultivation
Seed to Sale#: TSPR209-2305-20522
Batch Date: 05/05/23
Sample Size Received: 31.5 gram
Total Amount: 276 units
Retail Product Size: 3.5 gram
Ordered: 05/12/23
Sampled: 05/12/23
Completed: 05/16/23
Sampling Method: SOP.T.20.010

May 16, 2023 | Liberty Health Sciences,
FL

18770 N CR 225
Gainesville, FL, 32609, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

17.348%

Total THC/Container : 607.18 mg



Total CBD

0.032%

Total CBD/Container : 1.12 mg



Total Cannabinoids

19.738%

Total Cannabinoids/Container : 690.83 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|---------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 3.937 | 15.293 | <0.01 | 0.037 | ND | 0.076 | 0.227 | 0.068 | 0.045 | ND | 0.055 |
| mg/unit | 137.795 | 535.255 | <0.35 | 1.295 | ND | 2.66 | 7.945 | 2.38 | 1.575 | ND | 1.925 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
1665, 3112, 1440

Weight:
0.1962g

Extraction date:
05/15/23 09:47:51

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA060185POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 05/15/23 09:50:17

Reviewed On : 05/16/23 08:51:30
Batch Date : 05/14/23 00:17:00

Dilution : 400
Reagent : 050923.R10; 032123.11; 050923.R05
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/16/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-001
Harvest/Lot ID: TSPR209-2305-20522

Batch# : BTP-PR-021523
Sampled : 05/12/23
Ordered : 05/12/23

Sample Size Received : 31.5 gram
Total Amount : 276 units
Completed : 05/16/23 Expires: 05/16/24
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|--------------------|---------|---------|-------|------------|---------------------|---------|---------|-------|------------|
| TOTAL TERPENES | 0.007 | 44.66 | 1.276 | | FARNESENE | 0.007 | <0.7 | <0.02 | |
| TOTAL TERPINEOL | 0.007 | 1.4 | 0.04 | | ALPHA-HUMULENE | 0.007 | 4.235 | 0.121 | |
| ALPHA-BISABOLOL | 0.007 | 3.99 | 0.114 | | VALENCENE | 0.007 | ND | ND | |
| ALPHA-PINENE | 0.007 | ND | ND | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| CAMPHENE | 0.007 | ND | ND | | TRANS-NEROLIDOL | 0.007 | 0.98 | 0.028 | |
| SABINENE | 0.007 | ND | ND | | CARYOPHYLLENE OXIDE | 0.007 | 1.785 | 0.051 | |
| BETA-PINENE | 0.007 | ND | ND | | GUAIOL | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | ND | ND | | CEDROL | 0.007 | ND | ND | |
| ALPHA-PHELLANDRENE | 0.007 | ND | ND | | | | | | |
| 3-CARENE | 0.007 | ND | ND | | | | | | |
| ALPHA-TERPINENE | 0.007 | ND | ND | | | | | | |
| LIMONENE | 0.007 | 2.17 | 0.062 | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | <0.7 | <0.02 | | | | | | |
| GAMMA-TERPINENE | 0.007 | ND | ND | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | |
| TERPINOLENE | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| LINALOOL | 0.007 | 3.955 | 0.113 | | | | | | |
| FENCHYL ALCOHOL | 0.007 | 1.54 | 0.044 | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| CAMPHOR | 0.013 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| ALPHA-CEDRENE | 0.007 | ND | ND | | | | | | |
| BETA-CARYOPHYLLENE | 0.007 | 15.33 | 0.438 | | | | | | |
| Total (%) | | | 1.276 | | | | | | |

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Instrument Batch : DA060207TER

Instrument Used : DA-GCMS-008

Analzyed Date : 05/15/23 14:58:55

Weight: 1.0031g

Extraction date: 05/15/23 14:43:30

Extracted by: 2076

Dilution : 10

Reagent : I21622.28

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

Analyzed by: 2076, 585, 1440
Weight: 1.0031g
Extraction date: 05/15/23 14:43:30
Extracted by: 2076
Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch: DA060207TER
Instrument Used: DA-GCMS-008
Analyzed Date: 05/15/23 14:58:55

Reviewed On: 05/16/23 13:47:26
Batch Date: 05/15/23 09:02:18

Dilution: 10
Reagent: 121622.28
Consumables: 210414634; MKCN9995; CE0123; R1KB14270
Pipette: N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-001

Harvest/Lot ID: TSPR209-2305-20522

Batch# : BTP-PR-021523

Sampled : 05/12/23

Ordered : 05/12/23


Sample Size Received : 31.5 gram

Total Amount : 276 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|--|---------|-------------------|---------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | CAPTAN * | 0.07 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | 3379, 1665, 585, 1440 | 0.8821g | 05/15/23 14:02:34 | 450,1665 | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA060176PES | | | Reviewed On : 05/16/23 09:12:37 | | |
| ETOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 05/13/23 12:41:46 | | |
| FENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 05/15/23 12:30:23 | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11 | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02 | | | | | |
| FLONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| HEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | 450, 585, 1440 | 0.8821g | 05/15/23 14:02:34 | 450,1665 | | |
| IMIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA060194VOL | | | Reviewed On : 05/16/23 11:07:24 | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | Instrument Used : DA-GCMS-006 | | | Batch Date : 05/14/23 13:42:19 | | |
| METALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 05/15/23 14:19:47 | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 051023.R18; 040521.11; 042723.R38; 050223.R19 | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02; 14725401 | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-001

Harvest/Lot ID: TSPR209-2305-20522

Batch# : BTP-PR-021523

Sampled : 05/12/23

Ordered : 05/12/23




Sample Size Received : 31.5 gram

Total Amount : 276 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 4 of 5

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|--|------|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ECOLI SHIGELLA | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | |
| Analyzed by: 3621, 3390, 585, 1440 Weight: 0.8727g Extraction date: 05/14/23 16:25:19 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA060166MIC Reviewed On : 05/16/23 15:03:53 Batch Date : 05/13/23 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 05/13/23 16:17:10 Dilution : N/A Reagent : 031523.02; 042623.R85; 092122.08 Consumables : 7563002016 Pipette : N/A | | | | | | Analyzed by: 3379, 1665, 585, 1440 Weight: 0.8821g Extraction date: 05/15/23 14:02:34 Extracted by: 450,1665 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060195MYC Instrument Used : N/A Analyzed Date : 05/15/23 12:30:53 Dilution : 250 Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Analyzed by: 3621, 3390, 3336, 585, 1440 Weight: 0.8727g Extraction date: N/A Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA060179TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 05/13/23 13:04:18 Dilution : 10 Reagent : 031523.02; 050923.R23 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |  Heavy Metals PASSED | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 | | | | | | |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 | | | | | | |
| Analyzed by: 1022, 585, 1440 Weight: 0.2867g Extraction date: 05/15/23 08:47:37 Extracted by: 1022,3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA060202HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 05/15/23 14:03:00 Dilution : 50 Reagent : 050923.R24; 042623.R82; 051223.R23; 051123.R01; 051223.R21; 051223.R22; 050423.R32; 050923.01; 042523.R20 Consumables : 179436; 210508058; 12628-309CC-309 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-001

Harvest/Lot ID: TSPR209-2305-20522

Batch# : BTP-PR-021523

Sampled : 05/12/23

Ordered : 05/12/23

Sample Size Received : 31.5 gram

Total Amount : 276 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-----|-------|--------|------|--------------|------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 | Moisture Content | 1 | % | 11.02 | PASS | 15 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

| | |
|---|---------------------------------|
| Analysis Method : SOP.T.40.090 | Reviewed On : 05/15/23 05:11:47 |
| Analytical Batch : DA060203FIL | Batch Date : 05/15/23 05:03:18 |
| Instrument Used : Filth/Foreign Material Microscope | |
| Analyzed Date : 05/15/23 05:04:54 | |

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

| | | | |
|---------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by: 3807, 585, 1440 | Weight: 0.476g | Extraction date: 05/15/23 19:11:51 | Extracted by: 3807 |
|---------------------------------|-------------------|---------------------------------------|-----------------------|

| | |
|--|---------------------------------|
| Analysis Method : SOP.T.40.021 | Reviewed On : 05/16/23 10:30:24 |
| Analytical Batch : DA060208MOI | Batch Date : 05/15/23 09:25:09 |
| Instrument Used : DA-003 Moisture Analyzer | |
| Analyzed Date : 05/16/23 12:47:28 | |

 Dilution : N/A
 Reagent : 101920.06; 020123.02
 Consumables : PS-14
 Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|------|-------|--------|------|--------------|
| Water Activity | 0.01 | aw | 0.603 | PASS | 0.65 |

| | | | |
|---------------------------------|-------------------|---------------------------------------|----------------------------|
| Analyzed by: 3807, 585, 1440 | Weight: 0.518g | Extraction date: 05/15/23 19:23:34 | Extracted by: 3807,2926 |
|---------------------------------|-------------------|---------------------------------------|----------------------------|

| | |
|---|---------------------------------|
| Analysis Method : SOP.T.40.019 | Reviewed On : 05/16/23 10:30:26 |
| Analytical Batch : DA060209WAT | Batch Date : 05/15/23 10:02:57 |
| Instrument Used : DA-028 Rotronic HygroPalm | |
| Analyzed Date : 05/16/23 12:12:04 | |

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.