



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30513010-002
Harvest/Lot ID: TSPR152-2305-20521
Batch#: HC-PR-020823
Cultivation Facility: Gainesville Cultivation
Processing Facility: Gainesville Processing
Source Facility: Gainesville Cultivation
Seed to Sale#: TSPR152-2305-20521
Batch Date: 05/05/23
Sample Size Received: 31.5 gram
Total Amount: 806 units
Retail Product Size: 3.5 gram
Ordered: 05/12/23
Sampled: 05/12/23
Completed: 05/16/23
Sampling Method: SOP.T.20.010

May 16, 2023 | Liberty Health Sciences,
FL
18770 N CR 225
Gainesville, FL, 32609, US



PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

 **Cannabinoid** **PASSED**

 Total THC 18.849% Total THC/Container : 659.715 mg	 Total CBD 0.039% Total CBD/Container : 1.365 mg	 Total Cannabinoids 22.562% Total Cannabinoids/Container : 789.67 mg
---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	3.893	17.054	<0.01	0.045	0.013	0.26	1.151	0.064	0.028	ND	0.054
mg/unit	136.255	596.89	<0.35	1.575	0.455	9.1	40.285	2.24	0.98	ND	1.89
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by: 1665, 3112, 1440 Weight: 0.21g Extraction date: 05/15/23 09:47:55 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 05/16/23 08:51:56
 Analytical Batch : DA060185POT Batch Date : 05/14/23 00:17:00
 Instrument Used : DA-LC-002 (Flower)
 Analyzed Date : 05/15/23 09:50:17

Dilution : 400
 Reagent : 050923.R10; 032123.11; 050923.R05
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/16/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-002
Harvest/Lot ID: TSPR152-2305-20521

Batch# : HC-PR-020823 Sample Size Received : 31.5 gram
Sampled : 05/12/23 Total Amount : 806 units
Ordered : 05/12/23 Completed : 05/16/23 Expires: 05/16/24
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	15.05 0.43		FARNESENE	0.007	1.75 0.05	
TOTAL TERPENEOL	0.007	<0.7 <0.02		ALPHA-HUMULENE	0.007	1.19 0.034	
ALPHA-BISABOLOL	0.007	<0.7 <0.02		VALENCENE	0.007	ND ND	
ALPHA-PINENE	0.007	ND ND		CIS-NEROLIDOL	0.007	<0.7 <0.02	
CAMPHENE	0.007	ND ND		TRANS-NEROLIDOL	0.007	ND ND	
SABINENE	0.007	ND ND		CARYOPHYLLENE OXIDE	0.007	<0.7 <0.02	
BETA-PINENE	0.007	ND ND		GUAIOL	0.007	ND ND	
BETA-MYRCENE	0.007	<0.7 <0.02		CEDROL	0.007	ND ND	
ALPHA-PHELLANDRENE	0.007	<0.7 <0.02		Analyzed by: 2076, 585, 1440 Weight: 1.1615g Extraction date: 05/15/23 14:43:30 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA060207TER Rechecked On : 05/16/23 13:47:28 Instrument Used : DA-GCMS-008 Batch Date : 05/15/23 09:02:18 Analyzed Date : 05/15/23 14:58:55 Dilution : 10 Reagent : 121622.28 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
3-CARENE	0.007	ND ND					
ALPHA-TERPINENE	0.007	ND ND					
LIMONENE	0.007	ND ND					
EUCALYPTOL	0.007	<0.7 <0.02					
OCIMENE	0.007	1.4 0.04					
GAMMA-TERPINENE	0.007	ND ND					
SABINENE HYDRATE	0.007	ND ND					
TERPINOLENE	0.007	2.94 0.084					
FENCHONE	0.007	ND ND					
LINALOOL	0.007	1.12 0.032					
FENCHYL ALCOHOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
CAMPHOR	0.013	ND ND					
ISOBORNEOL	0.007	ND ND					
BORNEOL	0.013	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
NEROL	0.007	ND ND					
PULEGONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
ALPHA-CEDRENE	0.007	ND ND					
BETA-CARYOPHYLLENE	0.007	4.025 0.115					
Total (%)		0.43					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
05/16/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-002
Harvest/Lot ID: TSPR152-2305-20521

Batch# : HC-PR-020823 Sample Size Received : 31.5 gram
Sampled : 05/12/23 Total Amount : 806 units
Ordered : 05/12/23 Completed : 05/16/23 Expires: 05/16/24
Sample Method : SOP.T.20.010

Page 3 of 5

Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPRICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCLYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 1665, 585, 1440	0.8319g	05/15/23 14:07:09	450,1665		
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060182PES		Reviewed On :	05/16/23 10:27:26		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	05/13/23 14:49:12		
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/15/23 12:30:20					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.8319g	05/15/23 14:07:09	450,1665		
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method :					
METALAXYL	0.01	ppm	0.1	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060198VOL		Reviewed On :	05/16/23 11:05:22		
METHOMYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006		Batch Date :	05/14/23 13:44:49		
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/15/23 14:20:09					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
NALED	0.01	ppm	0.25	PASS	ND	Reagent : 051023.R18; 040521.11; 042723.R38; 050223.R19					
						Consumables : 6697075-02; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/16/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-002
Harvest/Lot ID: TSPR152-2305-20521

Batch# : HC-PR-020823 Sample Size Received : 31.5 gram
Sampled : 05/12/23 Total Amount : 806 units
Ordered : 05/12/23 Completed : 05/16/23 Expires: 05/16/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3621, 3390, 585, 3336, 1440 **Weight:** 1.1245g **Extraction date:** 05/14/23 16:25:20 **Extracted by:** 3621
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL **Reviewed On :** 05/16/23 15:38:44
Analytical Batch : DA060166MIC **Batch Date :** 05/13/23 10:37:04
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 05/13/23 16:17:10
Dilution : N/A
Reagent : 031523.02; 042623.R85; 092122.08
Consumables : 7563002016
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 1665, 585, 1440 **Weight:** 0.8319g **Extraction date:** 05/15/23 14:07:09 **Extracted by:** 450,1665
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA060199MYC **Reviewed On :** 05/16/23 10:26:00
Instrument Used : N/A **Batch Date :** 05/14/23 13:44:54
Analyzed Date : 05/15/23 12:30:50
Dilution : 250
Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11
Consumables : 6697075-02
Pipette : DA-093; DA-094; DA-219
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2625g **Extraction date:** 05/15/23 08:47:38 **Extracted by:** 1022,3807
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA060202HEA **Reviewed On :** 05/16/23 10:20:42
Instrument Used : DA-ICPMS-003 **Batch Date :** 05/14/23 20:15:27
Analyzed Date : 05/15/23 14:03:00
Dilution : 50
Reagent : 050923.R24; 042623.R82; 051223.R23; 051123.R01; 051223.R21; 051223.R22; 050423.R32; 050923.01; 042523.R20
Consumables : 179436; 210508058; 12628-309CC-309
Pipette : DA-061; DA-191; DA-216

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2625g **Extraction date:** 05/15/23 08:47:38 **Extracted by:** 1022,3807
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA060202HEA **Reviewed On :** 05/16/23 10:20:42
Instrument Used : DA-ICPMS-003 **Batch Date :** 05/14/23 20:15:27
Analyzed Date : 05/15/23 14:03:00
Dilution : 50
Reagent : 050923.R24; 042623.R82; 051223.R23; 051123.R01; 051223.R21; 051223.R22; 050423.R32; 050923.01; 042523.R20
Consumables : 179436; 210508058; 12628-309CC-309
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/16/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : DA30513010-002
Harvest/Lot ID: TSPR152-2305-20521
Batch# : HC-PR-020823 Sample Size Received : 31.5 gram
Sampled : 05/12/23 Total Amount : 806 units
Ordered : 05/12/23 Completed : 05/16/23 Expires: 05/16/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	9.18	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3807, 585, 1440	Weight: 0.501g	Extraction date: 05/15/23 19:11:52	Extracted by: 3807		
Analysis Method : SOP.T.40.090 Analytical Batch : DA060203FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 05/15/23 05:04:54						Analysis Method : SOP.T.40.021 Analytical Batch : DA060208MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 05/16/23 12:47:28					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.545	PASS	0.65
Analyzed by: 3807, 585, 1440	Weight: 0.575g	Extraction date: 05/15/23 19:23:34	Extracted by: 3807,2926		
Analysis Method : SOP.T.40.019 Analytical Batch : DA060209WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 05/16/23 12:12:04					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

