4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Rest Live Resin Sgr 1g - Dolato
Dolato
Matrix: Derivative
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA30616002-005
Harvest/Lot ID: 8361 1657 0727 2179
Batch#: 8351 1657 0727 2179
Cultivation Facility: Indiantown
Processing Facility : Indiantown
Source Facility : Indiantown
Seed to Sale# 5343 4014 7838 3860
Batch Date: 06/07/23
Sample Size Received: 16 gram
Total Amount: 879 units
Retail Product Size: 1 gram
Ordered: 06/15/23
Sampled: 06/15/23
Completed: 06/20/23
Revision Date: 06/21/23
Sampling Method: SOP.T.20.010

Jun 21, 2023 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside®

PASSED

PRODUCT IMAGE



SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED

MISC.

Terpenes
TESTED

Cannabinoid

PASSED

Total THC
81.012%
Total THC/Container : 810.12 mg

Total CBD
0.079%
Total CBD/Container : 0.79 mg

Total Cannabinoids
92.271%
Total Cannabinoids/Container : 922.71 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	9.091	82.009	0.079	ND	ND	0.461	0.238	0.057	0.074	ND	0.262
mg/unit	90.91	820.09	0.79	ND	ND	4.61	2.38	0.57	0.74	ND	2.62
LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %

Analyzed by: 3112, 1665, 585, 1440
Weight: 0.1037g
Extraction date: 06/16/23 12:45:17
Extracted by: 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061428POT
Instrument Used : DA-LC-003
Analyzed Date : 06/16/23 12:48:44
Reviewed On : 06/17/23 15:15:18
Batch Date : 06/16/23 09:40:17

Dilution : 400
Reagent : 061523.R02; 032123.11; 061523.R04
Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/20/23

Revision: # - Clerical error.
Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Rest Live Resin Sgr 1g - Dolato
Dolato
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA30616002-005
Harvest/Lot ID: 8361 1657 0727 2179
Batch# : 8351 1657 0727 2179
Sampled : 06/15/23
Ordered : 06/15/23
Sample Size Received : 16 gram
Total Amount : 879 units
Completed : 06/20/23 **Expires:** 06/21/24
Sample Method : SOP.T.20.010

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	22.73	2.273	
TOTAL TERPINEOL	0.007	0.68	0.068	
ALPHA-BISABOLOL	0.007	1.56	0.156	
ALPHA-PINENE	0.007	0.29	0.029	
CAMPHENE	0.007	<0.2	<0.02	
SABINENE	0.007	ND	ND	
BETA-PINENE	0.007	0.43	0.043	
BETA-MYRCENE	0.007	3.14	0.314	
ALPHA-PHELLANDRENE	0.007	ND	ND	
3-CARENE	0.007	ND	ND	
ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	5.22	0.522	
EUCALYPTOL	0.007	ND	ND	
OCIMENE	0.007	<0.2	<0.02	
GAMMA-TERPINENE	0.007	ND	ND	
SABINENE HYDRATE	0.007	ND	ND	
TERPINOLENE	0.007	<0.2	<0.02	
FENCHONE	0.007	<0.4	<0.04	
LINALOOL	0.007	3.77	0.377	
FENCHYL ALCOHOL	0.007	0.81	0.081	
ISOPULEGOL	0.007	<0.2	<0.02	
CAMPHOR	0.007	ND	ND	
ISOBORNEOL	0.007	ND	ND	
BORNEOL	0.013	<0.4	<0.04	
HEXAHYDROTHYMOL	0.007	ND	ND	
NEROL	0.007	<0.2	<0.02	
PULEGONE	0.007	ND	ND	
GERANIOL	0.007	<0.2	<0.02	
GERANYL ACETATE	0.007	<0.2	<0.02	
ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	5.84	0.584	
Total (%)			**2.273**	

Terpenes	LOD (%)	mg/unit	%	Result (%)
FARNESENE		0.26	0.026	
ALPHA-HUMULENE	0.007	ND	ND	
VALENCENE	0.007	ND	ND	
CIS-NEROLIDOL	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.46	0.046	
CARYOPHYLLENE OXIDE	0.007	0.27	0.027	
GUAIOL	0.007	ND	ND	
CEDROL	0.007	<0.2	<0.02	

Analyzed by: 2076, 585, 1440
Weight: 1.0671g
Extraction date: 06/16/23 16:02:02
Extracted by: 2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA061458TER
Instrument Used : DA-GCMS-004
Analyzed Date : N/A
Reviewed On : 06/19/23 10:13:05
Batch Date : 06/16/23 11:18:22

Dilution : 10
Reagent : 121622.27
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/20/23

Revision: # - Clerical error.
Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Rest Live Resin Sgr 1g - Dolato
Dolato
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA30616002-005
Harvest/Lot ID: 8361 1657 0727 2179
Batch# : 8351 1657 0727 2179
Sampled : 06/15/23
Ordered : 06/15/23

Sample Size Received : 16 gram
Total Amount : 879 units
Completed : 06/20/23 **Expires:** 06/21/24
Sample Method : SOP.T.20.010

Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND
ETOFENPROX	0.01	ppm	0.1	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND
FENHEXAMID	0.01	ppm	0.1	PASS	ND
FENOXYCARB	0.01	ppm	0.1	PASS	ND
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND
FIPRONIL	0.01	ppm	0.1	PASS	ND
FLONICAMID	0.01	ppm	0.1	PASS	ND
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND
IMAZALIL	0.01	ppm	0.1	PASS	ND
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND
MALATHION	0.01	ppm	0.2	PASS	ND
METALAXYL	0.01	ppm	0.1	PASS	ND
METHIOCARB	0.01	ppm	0.1	PASS	ND
METHOMYL	0.01	ppm	0.1	PASS	ND
MEVINPHOS	0.01	ppm	0.1	PASS	ND
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND
NALED	0.01	ppm	0.25	PASS	ND

Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OXAMYL	0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
PHOSMET	0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
PRALLETHRIN	0.01	ppm	0.1	PASS	ND
PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
PROPOXUR	0.01	ppm	0.1	PASS	ND
PYRIDABEN	0.01	ppm	0.2	PASS	ND
SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
SPIROXAMINE	0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
THIACLOPRID	0.01	ppm	0.1	PASS	ND
THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND

Analyzed by: 3379, 585, 1440 | **Weight:** 0.218g | **Extraction date:** 06/16/23 13:08:51 | **Extracted by:** 450,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)
Analytical Batch : DA061435PES
Instrument Used : DA-LCMS-003 (PES)
Analyzed Date : 06/16/23 14:34:01
Reviewed On : 06/19/23 10:37:35
Batch Date : 06/16/23 10:27:14
Dilution : 250
Reagent : 061223.R02; 061623.R05; 061423.R23; 061223.R04; 060523.R26; 061423.R08; 040521.11
Consumables : 6697075-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440 | **Weight:** 0.218g | **Extraction date:** 06/16/23 13:08:51 | **Extracted by:** 450,585

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL
Analytical Batch : DA061437VOL
Instrument Used : DA-GCMS-001
Analyzed Date : 06/16/23 15:28:05
Reviewed On : 06/19/23 10:30:59
Batch Date : 06/16/23 10:31:50
Dilution : 250
Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24
Consumables : 6697075-02; 14725401
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/20/23

Revision: # - Clerical error.
Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Rest Live Resin Sgr 1g - Dolato
Dolato
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA30616002-005
Harvest/Lot ID: 8361 1657 0727 2179
Batch# : 8351 1657 0727 2179
Sampled : 06/15/23
Ordered : 06/15/23

Sample Size Received : 16 gram
Total Amount : 879 units
Completed : 06/20/23 **Expires:** 06/21/24
Sample Method : SOP.T.20.010

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0248g

Extraction date:
06/17/23 12:10:09

Extracted by:
3605,850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA061460SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 06/20/23 07:06:49

Reviewed On : 06/20/23 11:21:49
Batch Date : 06/16/23 16:15:25

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/20/23

Revision: # - Clerical error.
Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Rest Live Resin Sgr 1g - Dolato
Dolato
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA30616002-005
Harvest/Lot ID: 8361 1657 0727 2179
Batch# : 8351 1657 0727 2179
Sampled : 06/15/23
Ordered : 06/15/23

Sample Size Received : 16 gram
Total Amount : 879 units
Completed : 06/20/23 **Expires:** 06/21/24
Sample Method : SOP.T.20.010

Microbial — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3621, 3390, 585, 1440 **Weight:** 0.9138g **Extraction date:** 06/16/23 11:26:17 **Extracted by:** 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA061424MIC
Reviewed On : 06/20/23 13:18:14
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021,APPLIED BIOSYSTEMS THERMOCYCLER DA-254
Batch Date : 06/16/23 08:31:36
Analyzed Date : 06/17/23 17:09:26

Dilution : N/A
Reagent : 031523.16; 052323.R22; 020823.16; 092122.09
Consumables : 7562002075
Pipette : N/A

Analyzed by: 3621, 3963, 585, 1440 **Weight:** 0.9138g **Extraction date:** N/A **Extracted by:** 3621,3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA061451TYM
Reviewed On : 06/19/23 10:13:07
Instrument Used : Incubator (25-27C) DA-096
Batch Date : 06/16/23 10:51:54
Analyzed Date : 06/17/23 08:58:20

Dilution : 10
Reagent : 031523.16; 060723.R45
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 0.218g **Extraction date:** 06/16/23 13:08:51 **Extracted by:** 450,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA061436MYC
Reviewed On : 06/19/23 10:18:49
Instrument Used : N/A
Batch Date : 06/16/23 10:31:47
Analyzed Date : 06/16/23 14:34:11

Dilution : 250
Reagent : 061223.R02; 061623.R05; 061423.R23; 061223.R04; 060523.R26; 061423.R08; 040521.11
Consumables : 6697075-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Heavy Metals — PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2766g **Extraction date:** 06/16/23 12:24:09 **Extracted by:** 1022,3619

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA061441HEA
Reviewed On : 06/17/23 13:49:09
Instrument Used : DA-ICPMS-003
Batch Date : 06/16/23 10:34:28
Analyzed Date : 06/16/23 16:08:03

Dilution : 50
Reagent : 061523.R17; 042623.R82; 060923.R13; 060823.R04; 060923.R11; 060923.R12; 052523.R15; 061423.R46
Consumables : 179436; 15021042; 210508058
Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/20/23

Revision: # - Clerical error.
Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Rest Live Resin Sgr 1g - Dolato
Dolato
Matrix : Derivative
Type: Live Resin

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA30616002-005
Harvest/Lot ID: 8361 1657 0727 2179
Batch# : 8351 1657 0727 2179
Sampled : 06/15/23
Ordered : 06/15/23

Sample Size Received : 16 gram
Total Amount : 879 units
Completed : 06/20/23 **Expires:** 06/21/24
Sample Method : SOP.T.20.010

Filth/Foreign Material — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440 | **Weight:** NA | **Extraction date:** N/A | **Extracted by:** N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA061462FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 06/17/23 18:19:17
Reviewed On : 06/17/23 18:28:54
Batch Date : 06/16/23 21:28:10

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Water Activity — PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.639	PASS	0.85

Analyzed by: 4056, 585, 1440 | **Weight:** 0.546g | **Extraction date:** 06/17/23 14:38:45 | **Extracted by:** 4056

Analysis Method : SOP.T.40.019
Analytical Batch : DA061455WAT
Instrument Used : DA-028 Rotronic Hygropalm
Analyzed Date : N/A
Reviewed On : 06/17/23 15:36:55
Batch Date : 06/16/23 11:10:18

Dilution : N/A
Reagent : 050923.03
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/20/23

Revision: # - Clerical error.
Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.