



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30721003-012
 Harvest/Lot ID: 9047 2574 5646 4974
 Batch#: 9047 2574 5646 4974
 Cultivation Facility: Indiantown
 Processing Facility: Indiantown
 Source Facility: Indiantown
 Seed to Sale#: 6068 6130 3546 7534
 Batch Date: 07/12/23
 Sample Size Received: 451 gram
 Total Amount: 1975 units
 Retail Product Size: 41.8824 gram
 Ordered: 07/20/23
 Sampled: 07/20/23
 Completed: 07/24/23
 Sampling Method: SOP.T.20.010

Jul 24, 2023 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US


Sunnyside*

PASSED

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes NOT TESTED

Cannabidiol **PASSED**



Analyzed by: 3335, 3112, 1665, 585, 1440 Weight: 3.0213g Extraction date: 07/21/23 14:08:54 Extracted by: 3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 07/24/23 11:30:51

Analytical Batch : DA062552POT Batch Date : 07/21/23 10:37:01

Instrument Used : DA-LC-007

Analyzed Date : 07/21/23 14:15:32

Dilution : 400

Reagent : 071023.01; 071923.R30; 060723.50; 060723.24; 071923.R27

Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 07/24/23