



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30922001-007
Harvest/Lot ID: 9991 1086 3098 7792
Batch#: 9991 1086 3098 7792
Cultivation Facility: Indiantown
Processing Facility: Indiantown
Source Facility: Indiantown
Seed to Sale#: 1315 8062 4865 7353
Batch Date: 09/13/23
Sample Size Received: 16 gram
Total Amount: 362 units
Retail Product Size: 1 gram
Ordered: 09/21/23
Sampled: 09/21/23
Completed: 09/25/23
Revision Date: 09/26/23
Sampling Method: SOP.T.20.010

Sep 26, 2023 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

82.518%

Total THC/Container : 825.18 mg



Total CBD

0.704%

Total CBD/Container : 7.04 mg



Total Cannabinoids

87.851%

Total Cannabinoids/Container : 878.51 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.518	ND	0.704	ND	0.130	1.997	ND	0.767	0.633	ND	1.102
mg/unit	825.18	ND	7.04	ND	1.30	19.97	ND	7.67	6.33	ND	11.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1078g

Extraction date:
09/22/23 12:57:21

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064650POT

Instrument Used : DA-LC-003

Analyzed Date : 09/22/23 13:09:00

Reviewed On : 09/25/23 10:19:53

Batch Date : 09/22/23 10:06:19

Dilution : 400

Reagent : 092223.R06; 060723.24; 092023.R27

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
09/25/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Brunch Vape Cartridge - 1g
Brunch
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA30922001-007

Harvest/Lot ID: 9991 1086 3098 7792

Batch# : 9991 1086 3098 7792

Sampled : 09/21/23

Ordered : 09/21/23

Sample Size Received : 16 gram

Total Amount : 362 units

Completed : 09/25/23 Expires: 09/26/24

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	50.34	5.034		FARNESENE	0.001	ND	ND	
TOTAL TERPINEOL	0.007	1.34	0.134		ALPHA-HUMULENE	0.007	1.09	0.109	
ALPHA-BISABOLOL	0.007	4.68	0.468		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.39	0.139		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.47	0.047		TRANS-NEROLIDOL	0.007	0.37	0.037	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	1.42	0.142	
BETA-PINENE	0.007	2.01	0.201		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	6.27	0.627		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA064648TER				
LIMONENE	0.007	13.58	1.358		Instrument Used : DA-GCMS-008				
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 09/25/23 07:52:33				
OCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.26				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	0.29	0.029		Pipette : N/A				
FENCHONE	0.007	<0.40	<0.040		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	4.22	0.422						
FENCHYL ALCOHOL	0.007	1.88	0.188						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	0.48	0.048						
PULEGONE	0.007	<0.20	<0.020						
GERANIOL	0.007	0.25	0.025						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.20	<0.020						
BETA-CARYOPHYLLENE	0.007	10.60	1.060						
Total (%)			5.034						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
09/25/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.