



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31007012-006

Harvest/Lot ID: 0518 5637 9106 9125

Batch#: 0518 5637 9106 9125

Cultivation Facility: FL - Indiantown (3734)

Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734)

Seed to Sale# 1000 0000 0000 0860

Batch Date: 10/04/23

Sample Size Received: 16 gram

Total Amount: 525 units

Retail Product Size: 1 gram

Ordered: 10/07/23

Sampled: 10/07/23

Completed: 10/10/23

Revision Date: 10/16/23

Sampling Method: SOP.T.20.010

Oct 16, 2023 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

86.229%

Total THC/Container : 862.29 mg



Total CBD

0.287%

Total CBD/Container : 2.87 mg



Total Cannabinoids

91.531%

Total Cannabinoids/Container : 915.31 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.229	ND	0.287	ND	0.342	2.456	ND	0.708	0.528	ND	0.981
mg/unit	862.29	ND	2.87	ND	3.42	24.56	ND	7.08	5.28	ND	9.81
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 585, 4044

Weight:
0.1039g

Extraction date:
10/09/23 13:13:15

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065187POT

Instrument Used : DA-LC-003

Analyzed Date : 10/09/23 13:14:57

Reviewed On : 10/10/23 13:30:42

Batch Date : 10/08/23 18:26:23

Dilution : 400

Reagent : 100423.R30; 061623.02; 100423.R33

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
10/10/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g Indica - Cali Rsns x Jealousy
Blend Cali Raisins, Jealousy
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA31007012-006

Harvest/Lot ID: 0518 5637 9106 9125

Batch# : 0518 5637 9106
9125

Sampled : 10/07/23
Ordered : 10/07/23

Sample Size Received : 16 gram

Total Amount : 525 units

Completed : 10/10/23 Expires: 10/16/24

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	24.70	2.470		SABINENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	0.56	0.056		GUAJOL	0.007	0.81	0.081	
BETA-CARYOPHYLLENE	0.007	7.53	0.753		FENCHYL ALCOHOL	0.007	0.57	0.057	
ALPHA-HUMULENE	0.007	2.48	0.248		BORNEOL	0.013	<0.40	<0.040	
BETA-MYRCENE	0.007	1.66	0.166		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	5.64	0.564		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.48	0.248		ALPHA-PINENE	0.007	<0.20	<0.020	
LINALOOL	0.007	2.00	0.200		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	<0.20	<0.020						
VALENCENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.9241g	Extraction date:	10/08/23 16:35:08
PULEGONE	0.007	ND	ND		Analytical Batch : DA06S174TER	Extracted by:	1879		
ISOPULEGOL	0.007	ND	ND		Instrument Used : DA-GCMS-009	Reviewed On : 10/10/23 16:45:21			
GERANYL ACETATE	0.007	ND	ND		Analyzed Date : 10/08/23 10:13:52	Batch Date : 10/08/23 10:13:15			
ALPHA-CEDRENE	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 083123.51				
ALPHA-PHELLANDRENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
GAMMA-TERPINENE	0.007	ND	ND		Pipette : N/A				
TRANS-NEROLIDOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
OCIMENE	0.007	<0.20	<0.020						
ALPHA-TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	<0.40	<0.040						
FARNESENE	0.001	0.97	0.097						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						

Total (%) 2.470

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/10/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.