



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31007013-011
 Harvest/Lot ID: TLST1006202309HS
 Batch#: TLST1006202309HS
 Cultivation Facility: Mt. Dora Cultivation
 Processing Facility: Homestead Processing
 Source Facility: Homestead Processing
 Seed to Sale# 8386 9783 5204 0592
 Batch Date: 10/06/23
 Sample Size Received: 56 gram
 Total Amount: 194 units
 Retail Product Size: 14 gram
 Ordered: 10/07/23
 Sampled: 10/07/23
 Completed: 10/10/23
 Sampling Method: SOP.T.20.010

Oct 10, 2023 | CURALEAF FLORIDA LLC
 19000 SW 192 STREET
 MIAMI, FL, 33187, US



PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

 **Cannabinoid** **PASSED**

 Total THC 13.315% Total THC/Container : 1864.10 mg	 Total CBD 0.044% Total CBD/Container : 6.16 mg	 Total Cannabinoids 15.478% Total Cannabinoids/Container : 2166.92 mg
--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.521	14.589	ND	0.051	0.018	0.090	0.178	<0.010	ND	ND	0.031
mg/unit	72.94	2042.46	ND	7.14	2.52	12.60	24.92	<1.40	ND	ND	4.34
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 4044 Weight: 0.2033g Extraction date: 10/09/23 12:46:20 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 10/10/23 13:39:35
 Analytical Batch : DA065182POT Batch Date : 10/08/23 18:18:24
 Instrument Used : DA-LC-002
 Analyzed Date : 10/09/23 12:48:50

Dilution : 400
 Reagent : 100423.R31; 060723.24; 100423.R34
 Consumables : 947.109; 1852142; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 10/10/23



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31007013-011
Harvest/Lot ID : TLST1006202309HS

Batch# : TLST1006202309HS Sample Size Received : 56 gram
Sampled : 10/07/23 Total Amount : 194 units
Ordered : 10/07/23 Completed : 10/10/23 Expires: 10/10/24
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	87.64	0.626	SABINENE	0.007	ND	ND
TOTAL TERPINEOL	0.007	<2.80	<-0.020	GUAIOL	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	31.36	0.224	FENCHYL ALCOHOL	0.007	<2.80	<-0.020
ALPHA-HUMULENE	0.007	10.78	0.077	BORNEOL	0.013	ND	ND
BETA-MYRCENE	0.007	<2.80	<-0.020	CIS-NEROLIDOL	0.007	ND	ND
LIMONENE	0.007	11.48	0.082	3-CARENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	7.14	0.051	ALPHA-PINENE	0.007	ND	ND
LINALOOL	0.007	8.82	0.063	CEDROL	0.007	ND	ND
BETA-PINENE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
GERANYL ACETATE	0.007	<2.80	<-0.020				
ALPHA-CEDRENE	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
CAMPHENE	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND				
GAMMA-TERPINENE	0.007	ND	ND				
TRANS-NEROLIDOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
ALPHA-TERPINOLENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
FARNESENE	0.001	7.98	0.057				
ALPHA-TERPINENE	0.007	ND	ND				
NEROL	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
Total (%)		0.626					

Analyzed by: 2076, 585, 4044 Weight: 0.9988g Extraction date: 10/08/23 13:04:25 Extracted by: 1879
 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch: DA065172TER Reviewed On: 10/10/23 13:39:38
 Instrument Used: DA-GCMS-009 Batch Date: 10/08/23 10:12:02
 Analyzed Date: 10/09/23 13:09:21
 Dilution: 10
 Reagent: 083123.51
 Consumables: 210414634; MKCN9995; CE0123; R1KB14270
 Pipette: N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31007013-011
Harvest/Lot ID: TLST1006202309HS

Batch# : TLST1006202309HS Sample Size Received : 56 gram
Sampled : 10/07/23 Total Amount : 194 units
Ordered : 10/07/23 Completed : 10/10/23 Expires: 10/10/24
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044 Weight: 1.1007g Extraction date: 10/09/23 15:54:38 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA065193PES Reviewed On : 10/10/23 13:40:52 Instrument Used : DA-LCMS-004 (PES) Batch Date : 10/08/23 20:04:28 Analyzed Date : 10/09/23 14:07:53 Dilution : 250 Reagent : 100823.R03; 100523.R14; 090623.R01; 100423.R02; 040521.11; 100223.R02; 092123.R15 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044 Weight: 1.1007g Extraction date: 10/09/23 15:54:38 Extracted by: 3379,450 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA065195VOL Reviewed On : 10/10/23 11:47:22 Instrument Used : DA-GCMS-010 Batch Date : 10/08/23 20:07:37 Analyzed Date : 10/09/23 16:17:03 Dilution : 250 Reagent : 100523.R14; 040521.11; 092523.R21; 092523.R22 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
10/10/23



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31007013-011
Harvest/Lot ID: TLST1006202309HS

Batch# : TLST1006202309HS Sample Size Received : 56 gram
Sampled : 10/07/23 Total Amount : 194 units
Ordered : 10/07/23 Completed : 10/10/23 Expires: 10/10/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	430	PASS	100000
Analyzed by: 3390, 585, 4044	Weight: 0.9386g	Extraction date: 10/08/23 12:37:47	Extracted by: 3963,3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 10/10/23 16:46:35		
Analytical Batch : DA065177MIC			Batch Date : 10/08/23 11:04:50		
Instrument Used : Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 10/10/23 14:47:39					
Dilution : N/A					
Reagent : 083123.162; 092123.R20; 081023.05					
Consumables : 7565004026					
Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 4044	Weight: 1.1007g	Extraction date: 10/09/23 15:54:38	Extracted by: 3379,450		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA065194MYC			Reviewed On : 10/10/23 11:56:03		
Instrument Used : N/A			Batch Date : 10/08/23 20:07:34		
Analyzed Date : 10/09/23 14:08:27					
Dilution : 250					
Reagent : 100823.R03; 100523.R14; 090623.R01; 100423.R02; 040521.11; 100223.R02; 092123.R15					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	<0.400	PASS	1.1
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	0.104	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2476g	Extraction date: 10/08/23 15:54:27	Extracted by: 4306,1022		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA065178TYM			Reviewed On : 10/10/23 15:00:04		
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 10/08/23 11:09:16		
Analyzed Date : 10/09/23 11:40:37					
Dilution : 10					
Reagent : 083123.162; 092123.R18					
Consumables : N/A					
Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	0.104	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2476g	Extraction date: 10/08/23 15:54:27	Extracted by: 4306,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065162HEA			Reviewed On : 10/10/23 13:39:03		
Instrument Used : DA-ICPMS-004			Batch Date : 10/08/23 09:43:00		
Analyzed Date : 10/09/23 16:40:20					
Dilution : 50					
Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04					
Consumables : 179436; 1852142; 210508058					
Pipette : DA-061; DA-191; DA-216					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	<0.400	PASS	1.1
ARSENIC	0.020	ppm	<0.100	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	0.104	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2476g	Extraction date: 10/08/23 15:54:27	Extracted by: 4306,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065162HEA			Reviewed On : 10/10/23 13:39:03		
Instrument Used : DA-ICPMS-004			Batch Date : 10/08/23 09:43:00		
Analyzed Date : 10/09/23 16:40:20					
Dilution : 50					
Reagent : 092123.R14; 100923.R05; 100923.R02; 100923.R03; 100923.R04					
Consumables : 179436; 1852142; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31007013-011
Harvest/Lot ID: TLST1006202309HS

Batch# : TLST1006202309HS Sample Size Received : 56 gram
Sampled : 10/07/23 Total Amount : 194 units
Ordered : 10/07/23 Completed : 10/10/23 Expires: 10/10/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.53	PASS	15
Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 4044	Weight: 0.529g	Extraction date: 10/08/23 17:19:12	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA065180FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/08/23 23:32:36						Analysis Method : SOP.T.40.021 Analytical Batch : DA065163MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 10/08/23 16:31:22					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.521	PASS	0.65
Analyzed by: 4056, 585, 4044	Weight: 0.547g	Extraction date: 10/08/23 16:34:40	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA065165WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 10/08/23 16:30:44					
Dilution : N/A Reagent : 113021.10 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.