



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31009006-009
Harvest/Lot ID: 0933 8459 4390 8000
Batch#: 0933 8459 4390 8000
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 1000 0000 0000 0254
Batch Date: 10/02/23
Sample Size Received: 15.5 gram
Total Amount: 3666 units
Retail Product Size: 0.5 gram
Ordered: 10/09/23
Sampled: 10/09/23
Completed: 10/12/23
Revision Date: 10/16/23
Sampling Method: SOP.T.20.010

Oct 16, 2023 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

84.447%

Total THC/Container : 422.24 mg



Total CBD

0.282%

Total CBD/Container : 1.41 mg



Total Cannabinoids

89.828%

Total Cannabinoids/Container : 449.14 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.447	ND	0.282	ND	0.400	2.247	ND	0.973	0.487	ND	0.992
mg/unit	422.24	ND	1.41	ND	2.00	11.24	ND	4.87	2.44	ND	4.96
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3335, 585, 1440

Weight:
0.0868g

Extraction date:
10/10/23 14:20:33

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065229POT

Instrument Used : DA-LC-003

Analyzed Date : 10/10/23 14:23:24

Reviewed On : 10/11/23 12:11:48

Batch Date : 10/10/23 10:25:31

Dilution : 400

Reagent : 100423.R30; 030923.08; 100423.R33

Consumables : 947.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
10/12/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg Indica - Tye Dye x Jealousy
Tye Dye x Jealousy
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA31009006-009

Harvest/Lot ID: 0933 8459 4390 8000

Batch# : 0933 8459 4390
8000

Sampled : 10/09/23

Ordered : 10/09/23

Sample Size Received : 15.5 gram

Total Amount : 3666 units

Completed : 10/12/23 Expires: 10/16/24

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.40	2.680		SABINENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	0.30	0.060		GUAJOL	0.007	0.47	0.093	
BETA-CARYOPHYLLENE	0.007	4.19	0.837		FENCHYL ALCOHOL	0.007	0.31	0.062	
ALPHA-HUMULENE	0.007	ND	ND		BORNEOL	0.013	<0.20	<0.040	
BETA-MYRCENE	0.007	1.65	0.329		CIS-NEROLIDOL	0.007	ND	ND	
LIMONENE	0.007	2.47	0.493		3-CARENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.38	0.276		ALPHA-PINENE	0.007	<0.10	<0.020	
LINALOOL	0.007	1.54	0.307		CEDROL	0.007	ND	ND	
BETA-PINENE	0.007	0.10	0.020						
VALENCENE	0.007	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
PULEGONE	0.007	ND	ND		2076, 585, 1440	1.1481g	10/11/23 09:46:46	2076	
ISOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANYL ACETATE	0.007	ND	ND		Analytical Batch : DA06S219TER			Reviewed On : 10/12/23 11:31:08	
ALPHA-CEDRENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 10/10/23 09:14:48	
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 10/11/23 09:52:50				
CAMPHENE	0.007	ND	ND		Dilution : 10				
ALPHA-PHELLANDRENE	0.007	ND	ND		Reagent : 083123.51				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TRANS-NEROLIDOL	0.007	0.40	0.080		Pipette : N/A				
ISOBORNEOL	0.007	0.14	0.028						
OCIMENE	0.007	<0.10	<0.020						
ALPHA-TERPINOLENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
FENCHONE	0.007	<0.20	<0.040						
FARNESENE	0.001	0.48	0.095						
ALPHA-TERPINENE	0.007	ND	ND						
NEROL	0.007	ND	ND						
CAMPHOR	0.007	<0.30	<0.060						
GERANIOL	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
Total (%)			2.680						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/12/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.