



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA31023009-002
Harvest/Lot ID: TVF1011202302
Batch#: TVF1011202302
Cultivation Facility: Homestead Cultivation
Processing Facility: Homestead Processing
Source Facility: Homestead Processing
Seed to Sale# 4973 8523 2074 2819
Batch Date: 10/11/23
Sample Size Received: 16 gram
Total Amount: 2630 units
Retail Product Size: 2 gram
Ordered: 10/23/23
Sampled: 10/23/23
Completed: 10/26/23
Sampling Method: SOP.T.20.010

Oct 26, 2023 | CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
85.003%

Total THC/Container : 1700.06 mg


Total CBD
0.222%

Total CBD/Container : 4.44 mg


Total Cannabinoids
90.335%

Total Cannabinoids/Container : 1806.70 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.911	0.105	0.222	ND	0.440	2.590	0.037	0.379	0.460	ND	1.191
mg/unit	1698.22	2.10	4.44	ND	8.80	51.80	0.74	7.58	9.20	ND	23.82
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 585, 4351

Weight:
0.1053g

Extraction date:
10/24/23 14:46:28

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065678POT

Instrument Used : DA-LC-003

Analyzed Date : 10/24/23 15:05:50

Reviewed On : 10/25/23 08:20:24

Batch Date : 10/24/23 10:04:57

Dilution : 400

Reagent : 100423.R30; 060723.24; 100423.R33

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/26/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, GAP, Briq, 2.0g

Grape Ape

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31023009-002

Harvest/Lot ID: TVF1011202302

Batch# : TVF1011202302

Sampled : 10/23/23

Ordered : 10/23/23

Sample Size Received : 16 gram

Total Amount : 2630 units

Completed : 10/26/23 Expires: 10/26/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	107.48	5.374		FENCHONE	0.007	ND	ND	
BETA-MYRCENE	0.007	26.24	1.312		ISOBORNEOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	13.90	0.695		ISOPULEGOL	0.007	ND	ND	
ALPHA-PINENE	0.007	13.82	0.691		PULEGONE	0.007	ND	ND	
FARNESENE	0.001	10.42	0.521		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	7.42	0.371		ALPHA-TERPINENE	0.007	ND	ND	
VALENCENE	0.007	5.92	0.296		CIS-NEROLIDOL	0.007	ND	ND	
BETA-PINENE	0.007	5.46	0.273		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	4.60	0.230						
ALPHA-BISABOLOL	0.007	3.92	0.196		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-HUMULENE	0.007	2.84	0.142		2076, 585, 4351	1.1087g	10/24/23 15:54:37	2076	
OCIMENE	0.007	2.74	0.137		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PHELLANDRENE	0.007	1.62	0.081		Analytical Batch : DA065679TER			Reviewed On : 10/26/23 14:34:03	
TRANS-NEROLIDOL	0.007	1.52	0.076		Instrument Used : DA-GCMS-008			Batch Date : 10/24/23 10:07:01	
CARYOPHYLLENE OXIDE	0.007	1.12	0.056		Analyzed Date : 10/26/23 13:13:40				
GUAJOL	0.007	1.00	0.050		Dilution : 10				
FENCHYL ALCOHOL	0.007	0.82	0.041		Reagent : 121622.26				
GERANIOL	0.007	0.80	0.040		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
GERANYL ACETATE	0.007	0.72	0.036		Pipette : N/A				
TOTAL TERPINEOL	0.007	0.62	0.031						
NEROL	0.007	0.60	0.030						
3-CARENE	0.007	0.48	0.024						
ALPHA-CEDRENE	0.007	0.48	0.024						
HEXAHYDROTHYMOL	0.007	0.42	0.021						
BORNEOL	0.013	<0.80	<0.040						
SABINENE	0.007	<0.40	<0.020						
ALPHA-TERPINOLENE	0.007	<0.40	<0.020						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
Total (%)			5.374						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/26/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, GAP, Briq, 2.0g

Grape Ape

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31023009-002
Harvest/Lot ID: TVF1011202302

Batch# : TVF1011202302 Sample Size Received : 16 gram
Sampled : 10/23/23 Total Amount : 2630 units
Ordered : 10/23/23 Completed : 10/26/23 Expires: 10/26/24
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2965g	Extraction date: 10/25/23 11:06:16	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA065690PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 10/26/23 14:18:53		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/24/23 17:34:53			Batch Date : 10/24/23 13:21:18		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 101823.R35; 102323.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.2965g	Extraction date: 10/25/23 11:06:16	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA065692VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 10/26/23 14:09:19		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/25/23 08:42:27			Batch Date : 10/24/23 13:23:17		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 101823.R35; 102323.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/26/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, GAP, Briq, 2.0g

Grape Ape

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31023009-002

Harvest/Lot ID: TVF1011202302

Batch# : TVF1011202302

Sampled : 10/23/23

Ordered : 10/23/23

Sample Size Received : 16 gram

Total Amount : 2630 units

Completed : 10/26/23 Expires: 10/26/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4351

Weight:
0.0194g

Extraction date:
10/25/23 13:40:32

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA06570350L
Instrument Used : DA-GCMS-002
Analyzed Date : 10/24/23 16:29:09

Reviewed On : 10/25/23 14:19:34
Batch Date : 10/24/23 16:25:32

Dilution : 1
Reagent : 030420.09
Consumables : R2017.099; 172723
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/26/23



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

 Sample : DA31023009-002
 Harvest/Lot ID: TVF1011202302

 Batch# : TVF1011202302 Sample Size Received : 16 gram
 Sampled : 10/23/23 Total Amount : 2630 units
 Ordered : 10/23/23 Completed : 10/26/23 Expires: 10/26/24
 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 585, 4351 Weight: 1.05g Extraction date: 10/24/23 14:01:26 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065672MIC Reviewed On : 10/26/23 12:24:57 Batch Date : 10/24/23 09:26:01 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/24/23 15:49:44 Dilution : N/A Reagent : 083123.166; 100423.R39; 081023.03 Consumables : 7566004011 Pipette : N/A						Analyzed by: 3379, 585, 4351 Weight: 0.2965g Extraction date: 10/25/23 11:06:16 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065691MYC Instrument Used : N/A Analyzed Date : 10/24/23 17:34:57 Dilution : 250 Reagent : 101823.R35; 102323.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 4351 Weight: 1.05g Extraction date: N/A Extracted by: 3621, 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065685TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 10/24/23 14:43:11 Dilution : 10 Reagent : 083123.166; 101723.R10 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4351 Weight: 0.2753g Extraction date: 10/24/23 13:05:56 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065682HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 10/24/23 18:15:40 Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, GAP, Briq, 2.0g

Grape Ape

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31023009-002

Harvest/Lot ID: TVF1011202302

Batch# : TVF1011202302

Sampled : 10/23/23

Ordered : 10/23/23

Sample Size Received : 16 gram

Total Amount : 2630 units

Completed : 10/26/23 Expires: 10/26/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065724FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/25/23 12:26:48

Reviewed On : 10/25/23 12:43:23

Batch Date : 10/25/23 12:23:26

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.426	PASS	0.85

Analyzed by: 795, 585, 4351	Weight: 0.3831g	Extraction date: 10/24/23 22:13:44	Extracted by: 795
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065706WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 10/25/23 08:20:25

Batch Date : 10/24/23 21:15:38

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/26/23