



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA31023009-004
 Harvest/Lot ID: TPR1019202301HS
 Batch#: TPR1019202301HS
 Cultivation Facility: Homestead Cultivation
 Processing Facility : Homestead Processing
 Source Facility : Homestead Processing
 Seed to Sale# 9408 1566 1974 3278
 Batch Date: 10/19/23
 Sample Size Received: 38 gram
 Total Amount: 2144 units
 Retail Product Size: 2 gram
 Ordered: 10/23/23
 Sampled: 10/23/23
 Completed: 10/27/23
 Sampling Method: SOP.T.20.010

Oct 27, 2023 | CURALEAF FLORIDA LLC
 19000 SW 192 STREET
 MIAMI, FL, 33187, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

29.766%

Total THC/Container : 595.32 mg



Total CBD

0.085%

Total CBD/Container : 1.70 mg



Total Cannabinoids

34.772%

Total Cannabinoids/Container : 695.44 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.218	32.552	ND	0.097	0.035	0.193	0.626	<0.010	<0.010	ND	0.051
mg/unit	24.36	651.04	ND	1.94	0.70	3.86	12.52	<0.20	<0.20	ND	1.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
 3335, 585, 4351

Weight:
 0.21g

Extraction date:
 10/24/23 14:52:10

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA065687POT
 Instrument Used : DA-LC-002
 Analyzed Date : 10/24/23 14:53:56

Reviewed On : 10/25/23 09:24:15
 Batch Date : 10/24/23 11:55:56

Dilution : 400
 Reagent : 100423.R31; 060723.24; 100423.R34
 Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 10/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

GR,Pre-Roll FL,FLM,,THC,0.07oz

Florida Man

Matrix : Flower

Type: Preroll



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31023009-004

Harvest/Lot ID: TPR1019202301HS

Batch# : TPR1019202301HS

Sampled : 10/23/23

Ordered : 10/23/23

Sample Size Received : 38 gram

Total Amount : 2144 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	21.16	1.058		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.42	0.371		ALPHA-PINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.72	0.136		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	2.18	0.109		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	1.58	0.079		BETA-PINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.32	0.066		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.06	0.053		GAMMA-TERPINENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	0.90	0.045		TRANS-NEROLIDOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.64	0.032						
GERANIOL	0.007	0.54	0.027		Analized by:	Weight:	Extraction date:	Extracted by:	
BORNEOL	0.013	<0.80	<0.040		2076, 585, 4351	0.8916g	10/24/23 17:50:36	2076	
CARYOPHYLLENE OXIDE	0.007	<0.40	<0.020		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FARNESENE	0.001	<0.18	<0.009		Analytical Batch : DA065680TER			Reviewed On : 10/26/23 11:50:42	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 10/24/23 10:07:33	
CAMPHENE	0.007	ND	ND		Analized Date : 10/24/23 18:55:17				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 121622.26				
EUCALYPTOL	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.007	ND	ND		Pipette : N/A				
GERANYL ACETATE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
Total (%)			1.058						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

GR,Pre-Roll FL,FLM,,THC,0.07oz

Florida Man

Matrix : Flower

Type: Preroll



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31023009-004

Harvest/Lot ID: TPR1019202301HS

Batch# : TPR1019202301HS

Sampled : 10/23/23

Ordered : 10/23/23

Sample Size Received : 38 gram

Total Amount : 2144 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 4351	Weight: 1.0847g	Extraction date: 10/25/23 11:04:56	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065693PES		Reviewed On : 10/25/23 15:18:36			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/24/23 13:24:30			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/24/23 17:35:44					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 101823.R35; 102323.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 585, 450, 4351	Weight: 1.0847g	Extraction date: 10/25/23 11:04:56	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065695VOL		Reviewed On : 10/25/23 15:16:35			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/24/23 13:25:56			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/25/23 08:42:32					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 101823.R35; 102323.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

Sample : DA31023009-004

Harvest/Lot ID: TPR1019202301HS

Batch# : TPR1019202301HS

Sampled : 10/23/23

Ordered : 10/23/23

Sample Size Received : 38 gram

Total Amount : 2144 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	5000	PASS	100000						
Analyzed by: 3336, 3390, 3621, 585, 4351 Weight: 0.9114g Extraction date: 10/24/23 14:01:26 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065672MIC Reviewed On : 10/27/23 11:47:59 Batch Date : 10/24/23 09:26:01 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/24/23 15:49:44 Dilution : N/A Reagent : 083123.166; 100423.R39; 081023.03 Consumables : 7566004011 Pipette : N/A						Analyzed by: 3379, 585, 4351 Weight: 1.0847g Extraction date: 10/25/23 11:04:56 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065694MYC Instrument Used : N/A Analyzed Date : 10/24/23 17:34:58 Reviewed On : 10/25/23 13:14:29 Batch Date : 10/24/23 13:25:54 Dilution : 250 Reagent : 101823.R35; 102323.R01; 101723.R11; 101623.R12; 101023.R01; 101823.R05; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 4351 Weight: 0.9114g Extraction date: N/A Extracted by: 3621,3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA065685TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 10/24/23 14:43:11 Reviewed On : 10/26/23 14:22:59 Batch Date : 10/24/23 10:42:48 Dilution : 1000 Reagent : 083123.166; 101723.R10 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4351 Weight: 0.2558g Extraction date: 10/24/23 14:17:09 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065683HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 10/24/23 18:23:20 Reviewed On : 10/25/23 13:13:42 Batch Date : 10/24/23 10:16:30 Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

GR,Pre-Roll FL,FLM,,THC,0.07oz

Florida Man

Matrix : Flower

Type: Preroll



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31023009-004

Harvest/Lot ID: TPR1019202301HS

Batch# : TPR1019202301HS

Sampled : 10/23/23

Ordered : 10/23/23

Sample Size Received : 38 gram

Total Amount : 2144 units

Completed : 10/27/23 Expires: 10/27/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.27	PASS	15
Analyzed by: 1879, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 4351	Weight: 0.535g	Extraction date: 10/25/23 16:25:11	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA065724FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 10/25/23 12:26:48						Analysis Method : SOP.T.40.021 Analytical Batch : DA065717MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 10/25/23 13:24:10					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.555	PASS	0.65
Analyzed by: 795, 585, 4351	Weight: 0.2517g	Extraction date: 10/24/23 22:13:45	Extracted by: 795		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA065706WAT			Reviewed On : 10/25/23 08:20:29		
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 10/24/23 21:15:38		
Analyzed Date : N/A					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/27/23