



Certificate of Analysis

COMPLIANCE FOR RETAIL


Sample:DA31025009-002
 Harvest/Lot ID: TVF1012202303
 Batch#: TVF1012202303
 Cultivation Facility: Homestead Cultivation
 Processing Facility : Homestead Processing
 Source Facility : Homestead Processing
 Seed to Sale# 3892 3798 3466 7928
 Batch Date: 10/12/23
 Sample Size Received: 15 gram
 Total Amount: 2070 units
 Retail Product Size: 1 gram
 Ordered: 10/25/23
 Sampled: 10/25/23
 Completed: 10/28/23
 Sampling Method: SOP.T.20.010

Oct 28, 2023 | CURALEAF FLORIDA LLC
 19000 SW 192 STREET
 MIAMI, FL, 33187, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3335, 585, 1665, 3963 Weight: 0.0999g Extraction date: 10/26/23 13:59:24 Extracted by: 3335
 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA065745POT Reviewed On : 10/28/23 18:23:53
 Instrument Used : DA-LC-003 Batch Date : 10/26/23 10:59:04
 Analyzed Date : 10/26/23 13:59:42

Dilution : 400
 Reagent : 100423.R30; 060723.24; 100423.R33
 Consumables : 947.109; CE123; 12594-247CD-247C; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 10/28/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....SEL,Essentials VapeCart,GAP,,,1.0g
Grape Ape
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31025009-002
Harvest/Lot ID: TVF1012202303

Batch# : TVF1012202303
Sampled : 10/25/23
Ordered : 10/25/23

Sample Size Received : 15 gram
Total Amount : 2070 units
Completed : 10/28/23 Expires: 10/28/24
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	82.90	8.290		ISOPULEGOL	0.007	ND	ND	
BETA-MYRCENE	0.007	24.95	2.495		PULEGONE	0.007	ND	ND	
ALPHA-PINENE	0.007	12.90	1.290		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.94	0.894		SABINENE HYDRATE	0.007	ND	ND	
LIMONENE	0.007	6.38	0.638		ALPHA-TERPINENE	0.007	ND	ND	
BETA-PINENE	0.007	4.95	0.495		ALPHA-TERPINOLENE	0.007	ND	ND	
VALENCENE	0.007	4.75	0.475		CIS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	3.86	0.386		GAMMA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	2.62	0.262						
ALPHA-HUMULENE	0.007	2.19	0.219		Analysis by:	Weight:	Extraction date:	Extracted by:	
FARNESENE	0.001	2.03	0.203		2076, 585, 3963	0.9533g	10/26/23 17:00:36	2076	
ALPHA-BISABOLOL	0.007	2.01	0.201		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PHELLANDRENE	0.007	1.49	0.149		Analytical Batch : DA06S739TER			Reviewed On : 10/28/23 22:07:13	
GERANIOL	0.007	1.33	0.133		Instrument Used : DA-GCMS-009			Batch Date : 10/26/23 10:17:10	
NEROL	0.007	0.96	0.096		Analyzed Date : 10/27/23 10:45:05				
TRANS-NEROLIDOL	0.007	0.96	0.096		Dilution : 10				
GERANYL ACETATE	0.007	0.73	0.073		Reagent : 121622.26				
CARYOPHYLLENE OXIDE	0.007	0.51	0.051		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TOTAL TERPINEOL	0.007	0.41	0.041		Pipette : N/A				
FENCHYL ALCOHOL	0.007	0.39	0.039		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
HEXAHYDROTHYMOL	0.007	0.34	0.034						
CAMPENE	0.007	0.20	0.020						
3-CARENE	0.007	<0.20	<0.020						
BORNEOL	0.013	<0.40	<0.040						
CAMPHOR	0.007	<0.60	<0.060						
GUAJOL	0.007	<0.20	<0.020						
ALPHA-CEDRENE	0.007	<0.20	<0.020						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						

Total (%) 8.290

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Essentials VapeCart,GAP,,,1.0g
Grape Ape
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31025009-002
Harvest/Lot ID: TVF1012202303

Batch# : TVF1012202303 Sample Size Received : 15 gram
Sampled : 10/25/23 Total Amount : 2070 units
Ordered : 10/25/23 Completed : 10/28/23 Expires: 10/28/24
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2178g	Extraction date: 10/27/23 08:32:04	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065761PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 10/27/23 16:10:06		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 10/26/23 16:47:20			Batch Date : 10/26/23 12:10:03		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2178g	Extraction date: 10/27/23 08:32:04	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065763VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 10/27/23 15:51:11		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : N/A			Batch Date : 10/26/23 12:13:56		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Essentials VapeCart,GAP,,,1.0g
Grape Ape
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31025009-002
Harvest/Lot ID: TVF1012202303

Batch# : TVF1012202303
Sampled : 10/25/23
Ordered : 10/25/23

Sample Size Received : 15 gram
Total Amount : 2070 units
Completed : 10/28/23 Expires: 10/28/24
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 3963

Weight:
0.0199g

Extraction date:
10/27/23 14:57:32

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA06577550L
Instrument Used : DA-GCMS-002
Analyzed Date : 10/26/23 16:55:46

Reviewed On : 10/27/23 16:14:27
Batch Date : 10/26/23 16:37:00

Dilution : 1
Reagent : 030420.09
Consumables : R2017.099; 172723
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

 Sample : DA31025009-002
 Harvest/Lot ID: TVF1012202303

 Batch# : TVF1012202303 Sample Size Received : 15 gram
 Sampled : 10/25/23 Total Amount : 2070 units
 Ordered : 10/25/23 Completed : 10/28/23 Expires: 10/28/24
 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3621, 585, 3963 Weight: 0.802g Extraction date: 10/26/23 11:21:29 Extracted by: 3621						Analyzed by: 3379, 585, 3963 Weight: 0.2178g Extraction date: 10/27/23 08:32:04 Extracted by: 3379					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065737MIC Reviewed On : 10/27/23 11:53:21 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 10/26/23 09:33:52 Analyzed Date : 10/26/23 14:24:51						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065762MYC Reviewed On : 10/27/23 09:57:32 Instrument Used : N/A Batch Date : 10/26/23 12:13:53 Analyzed Date : 10/26/23 16:48:25					
Dilution : N/A Reagent : 083123.171; 100423.R39; 081023.03 Consumables : 7566004003 Pipette : N/A						Dilution : 250 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

 Heavy Metals PASSED			
Metal	LOD	Units	Result
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND
ARSENIC	0.020	ppm	ND
CADMIUM	0.020	ppm	ND
MERCURY	0.020	ppm	ND
LEAD	0.020	ppm	ND
Analyzed by: 1022, 585, 3963 Weight: 0.2612g Extraction date: 10/26/23 11:46:21 Extracted by: 1022			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065743HEA Reviewed On : 10/27/23 10:28:16 Instrument Used : DA-ICPMS-004 Batch Date : 10/26/23 10:47:05 Analyzed Date : 10/26/23 15:56:43			
Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216			

 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963 Weight: 0.2612g Extraction date: 10/26/23 11:46:21 Extracted by: 1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065743HEA Reviewed On : 10/27/23 10:28:16 Instrument Used : DA-ICPMS-004 Batch Date : 10/26/23 10:47:05 Analyzed Date : 10/26/23 15:56:43					
Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, GAP,,,1.0g
Grape Ape
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31025009-002

Harvest/Lot ID: TVF1012202303

Batch# : TVF1012202303

Sampled : 10/25/23

Ordered : 10/25/23

Sample Size Received : 15 gram

Total Amount : 2070 units

Completed : 10/28/23 Expires: 10/28/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065774FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/26/23 19:03:19

Reviewed On : 10/26/23 19:12:23

Batch Date : 10/26/23 15:49:24

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.417	PASS	0.85

Analyzed by: 4056, 585, 3963	Weight: 0.405g	Extraction date: 10/26/23 15:15:11	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065753WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 10/26/23 15:07:08

Reviewed On : 10/26/23 17:01:34

Batch Date : 10/26/23 11:33:21

Dilution : N/A

Reagent : 113021.10

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
10/28/23