



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31026011-009

Harvest/Lot ID: TVF1016202307

Batch#: TVF1016202307

Cultivation Facility: Homestead Cultivation

Processing Facility: Homestead Processing

Source Facility: Homestead Processing

Seed to Sale# 8352 4178 4782 0410

Batch Date: 10/16/23

Sample Size Received: 16 gram

Total Amount: 2653 units

Retail Product Size: 2 gram

Ordered: 10/26/23

Sampled: 10/26/23

Completed: 10/30/23

Revision Date: 11/01/23

Sampling Method: SOP.T.20.010

Nov 01, 2023 | CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

85.352%

Total THC/Container : 1707.04 mg



Total CBD

0.218%

Total CBD/Container : 4.36 mg



Total Cannabinoids

89.556%

Total Cannabinoids/Container : 1791.12 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.352	ND	0.218	ND	0.305	1.851	ND	0.327	0.496	ND	1.007
mg/unit	1707.04	ND	4.36	ND	6.10	37.02	ND	6.54	9.92	ND	20.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4306

Weight:
0.1025g

Extraction date:
10/27/23 13:33:53

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA065794POT
Instrument Used : DA-LC-003
Analyzed Date : 10/27/23 13:35:28

Reviewed On : 10/30/23 09:44:26
Batch Date : 10/27/23 11:06:51

Dilution : 400
Reagent : 100423.R30; 060723.24; 100423.R33
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
10/30/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Essentials VapeCart,TTH,Briq,2.0g
Tropic Thunder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31026011-009
Harvest/Lot ID: TVF1016202307

Batch# : TVF1016202307 Sample Size Received : 16 gram
Sampled : 10/26/23 Total Amount : 2653 units
Ordered : 10/26/23 Completed : 10/30/23 Expires: 11/01/24
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	110.04	5.502		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	30.16	1.508		SABINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	16.66	0.833		SABINENE HYDRATE	0.007	ND	ND	
FARNESENE	0.001	16.30	0.815		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	13.44	0.672		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	8.30	0.415		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	7.36	0.368		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.34	0.217		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.24	0.212						
LINALOOL	0.007	2.18	0.109		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
VALENCENE	0.007	1.72	0.086		Analytical Batch : DA063795TER				
CARYOPHYLLENE OXIDE	0.007	1.24	0.062		Instrument Used : DA-GCMS-008				
FENCHYL ALCOHOL	0.007	0.84	0.042		Reviewed On : 10/30/23 09:43:36				
CAMPHENE	0.007	0.80	0.040		Batch Date : 10/27/23 11:13:54				
TRANS-NEROLIDOL	0.007	0.72	0.036		Dilution : 10				
TOTAL TERPINEOL	0.007	0.60	0.030		Reagent : 121622.26				
ALPHA-CEDRENE	0.007	0.58	0.029		Consumables : 210414634; MCKN9995; CE0123; R1KB14270				
HEXAHYDROTHYMOL	0.007	0.56	0.028		Pipette : N/A				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CECROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			5.502						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/30/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Essentials VapeCart,TTH,Briq,2.0g
Tropic Thunder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31026011-009
Harvest/Lot ID: TVF1016202307

Batch# : TVF1016202307 Sample Size Received : 16 gram
Sampled : 10/26/23 Total Amount : 2653 units
Ordered : 10/26/23 Completed : 10/30/23 Expires: 11/01/24
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4306	Weight: 0.2812g	Extraction date: 10/30/23 08:57:29	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065805PES		Reviewed On : 10/30/23 13:50:49			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 10/27/23 12:39:51			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 10/27/23 16:28:39					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4306	Weight: 0.2812g	Extraction date: 10/30/23 08:57:29	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065807VOL		Reviewed On : 10/30/23 13:49:23			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 10/27/23 12:42:40			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 10/30/23 13:39:39					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/30/23

Revision: #1 - Clerical error.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, TTH, Briq, 2.0g
Tropic Thunder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31026011-009

Harvest/Lot ID: TVF1016202307

Batch# : TVF1016202307

Sampled : 10/26/23

Ordered : 10/26/23

Sample Size Received : 16 gram

Total Amount : 2653 units

Completed : 10/30/23 Expires: 11/01/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4306

Weight:
0.0232g

Extraction date:
10/30/23 12:23:41

Extracted by:
850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA065815SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 10/30/23 12:30:16

Reviewed On : 10/30/23 13:15:46

Batch Date : 10/27/23 16:24:58

Dilution : 1

Reagent : 030420.09

Consumables : R2017.099; 172723

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/30/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

Sample : DA31026011-009

Harvest/Lot ID: TVF1016202307

Batch# : TVF1016202307

Sampled : 10/26/23

Ordered : 10/26/23

Sample Size Received : 16 gram

Total Amount : 2653 units

Completed : 10/30/23 Expires: 11/01/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 585, 4306 Weight: 0.81g Extraction date: 10/27/23 10:36:09 Extracted by: 3336						Analyzed by: 3379, 585, 4306 Weight: 0.2812g Extraction date: 10/30/23 08:57:29 Extracted by: 3379					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA065781MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 10/27/23 13:09:22						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA065806MYC Instrument Used : N/A Analyzed Date : 10/27/23 16:28:55 Dilution : 250 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 083123.171; 100423.R39; 081023.03 Consumables : 7566004003 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	<0.100	PASS	0.5						
Analyzed by: 1022, 585, 4306 Weight: 0.2907g Extraction date: 10/27/23 12:52:56 Extracted by: 1022, 4306											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA065788HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 10/27/23 16:52:28						Reviewed On : 10/30/23 09:34:33 Batch Date : 10/27/23 10:25:14					
Dilution : 50 Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, TTH, Briq, 2.0g
Tropic Thunder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31026011-009
Harvest/Lot ID: TVF1016202307

Batch# : TVF1016202307 Sample Size Received : 16 gram
Sampled : 10/26/23 Total Amount : 2653 units
Ordered : 10/26/23 Completed : 10/30/23 Expires: 11/01/24
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4306	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA065826FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 10/28/23 13:03:02
Reviewed On : 10/28/23 21:30:41
Batch Date : 10/28/23 10:17:39

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.611	PASS	0.85

Analyzed by: 4056, 585, 4306	Weight: 0.548g	Extraction date: 10/27/23 14:48:38	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA065801WAT
Reviewed On : 10/27/23 14:59:26
Batch Date : 10/27/23 11:48:11
Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe)
Analyzed Date : 10/27/23 14:40:13

Dilution : N/A
Reagent : 113021.09
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/30/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.