



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31026011-009

Harvest/Lot ID: TVF1016202307

Batch#: TVF1016202307

Cultivation Facility: Homestead Cultivation

Processing Facility: Homestead Processing

Source Facility: Homestead Processing

Seed to Sale# 8352 4178 4782 0410

Batch Date: 10/16/23

Sample Size Received: 16 gram

Total Amount: 2653 units

Retail Product Size: 2 gram

Ordered: 10/26/23

Sampled: 10/26/23

Completed: 10/30/23

Revision Date: 11/01/23

Sampling Method: SOP.T.20.010

Nov 01, 2023 | CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US



PASSED

Pages 1 of 2


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

85.352%

Total THC/Container : 1707.04 mg



Total CBD

0.218%

Total CBD/Container : 4.36 mg



Total Cannabinoids

89.556%

Total Cannabinoids/Container : 1791.12 mg

%

mg/unit

LOD

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.352	ND	0.218	ND	0.305	1.851	ND	0.327	0.496	ND	1.007
mg/unit	1707.04	ND	4.36	ND	6.10	37.02	ND	6.54	9.92	ND	20.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analized by:
3335, 1665, 585, 4306

Weight:
0.1025g

Extraction date:
10/27/23 13:33:53

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065794POT

Instrument Used : DA-LC-003

Analyzed Date : 10/27/23 13:35:28

Reviewed On : 10/30/23 09:44:26

Batch Date : 10/27/23 11:06:51

Dilution : 400

Reagent : 100423.R30; 060723.24; 100423.R33

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
10/30/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Essentials VapeCart, TTH, Briq, 2.0g
Tropic Thunder
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31026011-009
Harvest/Lot ID: TVF1016202307

Batch# : TVF1016202307 Sample Size Received : 16 gram
Sampled : 10/26/23 Total Amount : 2653 units
Ordered : 10/26/23 Completed : 10/30/23 Expires: 11/01/24
Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	110.04	5.502		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	30.16	1.508		SABINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	16.66	0.833		SABINENE HYDRATE	0.007	ND	ND	
FARNESENE	0.001	16.30	0.815		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	13.44	0.672		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	8.30	0.415		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	7.36	0.368		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.34	0.217		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.24	0.212						
LINALOOL	0.007	2.18	0.109		Analyzed by:	Weight:	Extraction date:	Extracted by:	
VALENCENE	0.007	1.72	0.086		2076, 585, 4306	1.0317g	10/27/23 16:35:22	2076	
CARYOPHYLLENE OXIDE	0.007	1.24	0.062		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
FENCHYL ALCOHOL	0.007	0.84	0.042		Analytical Batch : DA063795TER			Reviewed On : 10/30/23 09:43:36	
CAMPHENE	0.007	0.80	0.040		Instrument Used : DA-GCMS-008			Batch Date : 10/27/23 11:13:54	
TRANS-NEROLIDOL	0.007	0.72	0.036		Analyzed Date : 10/27/23 16:49:01				
TOTAL TERPINEOL	0.007	0.60	0.030		Dilution : 10				
ALPHA-CEDRENE	0.007	0.58	0.029		Reagent : 121622.26				
HEXAHYDROTHYMOL	0.007	0.56	0.028		Consumables : 210414634; MCKN9995; CE0123; R1KB14270				
3-CARENE	0.007	ND	ND		Pipette : N/A				
BORNEOL	0.013	ND	ND						
CAMPHOR	0.007	ND	ND						
CECROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			5.502						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/30/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.