



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample:DA31027004-003
Harvest/Lot ID: E06DRT0004242023
Batch#: TKF1023202301
Cultivation Facility: Mt. Dora Cultivation
Processing Facility : Mt. Dora Processing
Source Facility : Mt. Dora Cultivation
Seed to Sale# 7432 8288 3561 5580
Batch Date: 10/23/23
Sample Size Received: 15 gram
Total Amount: 1487 units
Retail Product Size: 1 gram
Ordered: 10/26/23
Sampled: 10/27/23
Completed: 10/31/23
Revision Date: 11/01/23
Sampling Method: SOP.T.20.010

Nov 01, 2023 | CURALEAF FLORIDA LLC


19000 SW 192 STREET
MIAMI, FL, 33187, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
46.388%
Total THC/Container : 463.88 mg

Total CBD
0.131%
Total CBD/Container : 1.31 mg

Total Cannabinoids
53.407%
Total Cannabinoids/Container : 534.07 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	5.133	47.042	0.032	0.114	0.099	0.223	0.343	0.098	0.073	ND	0.250
mg/unit	51.33	470.42	0.32	1.14	0.99	2.23	3.43	0.98	0.73	ND	2.50
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 1879

Weight:
0.2036g

Extraction date:
10/27/23 13:33:55

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065794POT

Instrument Used : DA-LC-003

Analyzed Date : 10/27/23 13:35:28

Reviewed On : 10/30/23 21:18:28

Batch Date : 10/27/23 11:06:51

Dilution : 400

Reagent : 100423.R30; 060723.24; 100423.R33

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/31/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

CUR,Kief,DRT,,THC,0.035oz
Durban Thai
Matrix : Derivative
Type: Kief



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31027004-003
Harvest/Lot ID: E06DRT0004242023

Batch# : TKF1023202301 Sample Size Received : 15 gram
Sampled : 10/27/23 Total Amount : 1487 units
Ordered : 10/27/23 Completed : 10/31/23 Expires: 11/01/24
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.23	0.723		OCIMENE	0.007	ND	ND	
FARNESENE	0.001	1.80	0.180		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.13	0.113		SABINENE HYDRATE	0.007	ND	ND	
GUAIOL	0.007	1.10	0.110		TOTAL TERPINEOL	0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	0.90	0.090		VALENCENE	0.007	ND	ND	
CARYOPHYLLENE OXIDE	0.007	0.41	0.041		ALPHA-BISABOOL	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.41	0.041		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	0.38	0.038		CIS-NEROLIDOL	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.34	0.034						
BETA-PINENE	0.007	0.31	0.031		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.24	0.024		2076, 585, 1879	0.9515g	10/27/23 16:36:03	2076	
GAMMA-TERPINENE	0.007	0.21	0.021		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	<0.20	<0.020		Analytical Batch : DA063795TER			Reviewed On : 10/31/23 06:54:43	
CAMPHOR	0.007	<0.60	<0.060		Instrument Used : DA-GCMS-008			Batch Date : 10/27/23 11:13:54	
SABINENE	0.007	<0.20	<0.020		Analyzed Date : 10/27/23 16:49:01				
ALPHA-PHELLANDRENE	0.007	<0.20	<0.020		Dilution : 10				
ALPHA-TERPINENE	0.007	<0.20	<0.020		Reagent : 121622.26				
BETA-MYRCENE	0.007	<0.20	<0.020		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
BORNEOL	0.013	ND	ND		Pipette : N/A				
CAMPHENE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						

Total (%) 0.723

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/31/23

Revision: #1 - Clerical error.



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

Sample : DA31027004-003

Harvest/Lot ID: E06DRT0004242023

Batch #: TKF1023202301

Sampled : 10/27/23

Ordered : 10/27/23

Sample Size Received : 15 gram

Total Amount : 1487 units

Completed : 10/31/23 Expires: 11/01/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1879Weight: 0.2931gExtraction date: 10/30/23 08:51:42Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA065808PESInstrument Used : DA-LCMS-003 (PES)Reviewed On : 10/30/23 11:37:16Batch Date : 10/27/23 12:43:48 Analyzed Date : 10/27/23 16:31:56 Dilution : 250 Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
CUR,Kief,DRT,,THC,0.035oz
Durban Thai
Matrix : Derivative
Type: Kief



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31027004-003

Harvest/Lot ID: E06DRT0004242023

Batch# : TKF1023202301

Sampled : 10/27/23

Ordered : 10/27/23

Sample Size Received : 15 gram

Total Amount : 1487 units

Completed : 10/31/23 Expires: 11/01/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	<375.000
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	<125.000
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1879	Weight: 0.0241g	Extraction date: 10/30/23 13:48:41	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA065816SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 10/30/23 12:30:21

Reviewed On : 10/30/23 15:32:39
Batch Date : 10/27/23 16:38:31

Dilution : 1
Reagent : 030420.09
Consumables : R2017.099; 172723
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/31/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US
 Telephone: (877) 303-0741
 Email: Info.FL@Curaleaf.com

Sample : DA31027004-003

Harvest/Lot ID: E06DRT0004242023

Batch# : TKF1023202301

Sampled : 10/27/23

Ordered : 10/27/23

Sample Size Received : 15 gram

Total Amount : 1487 units

Completed : 10/31/23 Expires: 11/01/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	790	PASS	100000	Analyzed by: 3379, 585, 1879	Weight: 0.2931g	Extraction date: 10/30/23 08:51:42	Extracted by: 3379		
Analyzed by: 3336, 585, 1879	Weight: 1.0328g	Extraction date: 10/27/23 14:02:23	Extracted by: 3336,3390	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA065809MYC							
Analytical Batch : DA065783MIC				Reviewed On : 10/30/23 10:40:51							
				Batch Date : 10/27/23 12:47:06							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021				Dilution : 250							
Analyzed Date : 10/27/23 13:09:21				Reagent : 102523.R08; 102323.R01; 102523.R11; 102523.R09; 101023.R01; 102523.R12; 040521.11							
				Consumables : 326250IW							
				Pipette : DA-093; DA-094; DA-219							
Dilution : N/A				Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Reagent : 083123.171; 100423.R39; 081023.03											
Consumables : 7566004003											
Pipette : N/A											
Analyzed by: 3336, 3963, 585, 1879	Weight: 1.0328g	Extraction date: N/A	Extracted by: 3336,3390	 Heavy Metals PASSED							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA065793TYM				Reviewed On : 10/30/23 10:52:37							
Instrument Used : Incubator (25-27C) DA-097				Batch Date : 10/27/23 11:06:32							
Analyzed Date : 10/27/23 13:10:29											
Dilution : 10											
Reagent : 083123.171; 101723.R10											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	<0.400	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	0.184	PASS	0.5
Analyzed by: 1022, 585, 1879	Weight: 0.2452g	Extraction date: 10/27/23 13:16:29	Extracted by: 1022,4306		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065788HEA					
Instrument Used : DA-ICPMS-004					
Analyzed Date : 10/27/23 16:52:28					
Dilution : 50					
Reagent : 092123.R14; 101123.R29; 102023.R13; 101823.R29; 102023.R11; 102023.R12; 101123.R28; 101123.R27					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
CUR,Kief,DRT,,THC,0.035oz
Durban Thai
Matrix : Derivative
Type: Kief



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31027004-003

Harvest/Lot ID: E06DRT0004242023

Batch# : TKF1023202301

Sampled : 10/27/23

Ordered : 10/27/23

Sample Size Received : 15 gram

Total Amount : 1487 units

Completed : 10/31/23 Expires: 11/01/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA065826FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 10/28/23 13:03:02

Reviewed On : 10/28/23 21:30:15

Batch Date : 10/28/23 10:17:39

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.431	PASS	0.85

Analyzed by: 4056, 585, 1879	Weight: 0.242g	Extraction date: 10/27/23 14:48:42	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065801WAT

Reviewed On : 10/27/23

15:04:55

Instrument Used : DA-324 Rotronic Hygropalm HC2-AW

(Probe),DA-325 Rotronic Hygropalm HC2-AW (Probe),DA-326

Rotronic Hygropalm HC2-AW (Probe),DA-327 Rotronic Hygropalm

HC2-AW (Probe)

Analyzed Date : 10/27/23 14:40:13

Batch Date : 10/27/23

11:48:11

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
10/31/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.