



# Certificate of Analysis

## COMPLIANCE FOR RETAIL


Sample: DA31027006-006  
Harvest/Lot ID: 3855 3043 8840 3029  
Batch#: 3855 3043 8840 3029  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility : FL - Indiantown (3734)  
Source Facility : FL - Indiantown (3734)  
Seed to Sale# 3855 3043 8840 7297  
Batch Date: 10/18/23  
Sample Size Received: 492 gram  
Total Amount: 2194 units  
Retail Product Size: 42.5165 gram  
Ordered: 10/26/23  
Sampled: 10/27/23  
Completed: 10/30/23  
Sampling Method: SOP.T.20.010

Oct 30, 2023 | Sunnyside  
22205 Sw Martin Hwy  
indiantown, FL, 34956, US


Sunnyside\*

PASSED

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes NOT TESTED

### Cannabinoid PASSED



Analyzed by: 3335, 1665, 585, 4044      Weight: 3.0818g      Extraction date: 10/27/23 13:40:44      Reviewed On: 10/30/23 11:13:34  
 Analysis Method : SOP.T.40.031, SOP.T.30.031      Batch Date: 10/27/23 12:21:15  
 Analytical Batch : DA065802POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 10/27/23 13:43:51  
 Dilution : 400  
 Reagent : 100423.R32; 060723.24; 100423.R35  
 Consumables : 947.109; CE123; 12594-247CD-247C; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

  
Signature  
10/30/23