



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA31101004-003  
**Harvest/Lot ID:** F04MFF0009182023  
**Batch#:** TLF1030202301  
**Cultivation Facility:** Mt. Dora Cultivation  
**Processing Facility :** Mt. Dora Processing  
**Source Facility :** Mt. Dora Cultivation  
**Seed to Sale#** 5201 8521 4430 4215  
**Batch Date:** 10/30/23  
**Sample Size Received:** 115.5 gram  
**Total Amount:** 8536 units  
**Retail Product Size:** 3.5 gram  
**Ordered:** 10/31/23  
**Sampled:** 11/01/23  
**Completed:** 11/03/23  
**Sampling Method:** SOP.T.20.010

Nov 03, 2023 | CURALEAF FLORIDA LLC

 19000 SW 192 STREET  
 MIAMI, FL, 33187, US

**PASSED**

Pages 1 of 5

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**NOT TESTED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**PASSED**

 Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**27.682%**

Total THC/Container : 968.87 mg


**Total CBD**
**0.060%**

Total CBD/Container : 2.10 mg


**Total Cannabinoids**
**32.216%**

Total Cannabinoids/Container : 1127.56 mg

|         | D9-THC | THCA    | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|---------|--------|---------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %       | 0.237  | 31.295  | ND    | 0.069 | 0.035  | 0.073 | 0.408 | ND    | 0.015 | ND    | 0.084 |
| mg/unit | 8.30   | 1095.33 | ND    | 2.42  | 1.23   | 2.56  | 14.28 | ND    | 0.53  | ND    | 2.94  |
| LOD     | 0.001  | 0.001   | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
|         | %      | %       | %     | %     | %      | %     | %     | %     | %     | %     | %     |

 Analyzed by:  
 3335, 1665, 585, 3963

 Weight:  
 0.2052g

 Extraction date:  
 11/01/23 11:54:35

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065948POT

Instrument Used : DA-LC-002

Analyzed Date : 11/01/23 11:57:18

Reviewed On : 11/02/23 09:42:27

Batch Date : 11/01/23 10:44:24

Dilution : 400

Reagent : 103123.R04; 060723.24; 103123.R01

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 11/03/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,MFF,,THC,0.125oz

Modified Muffins

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA31101004-003

Harvest/Lot ID: F04MFF0009182023

Batch# : TLF1030202301

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 115.5 gram

Total Amount : 8536 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

| Terpenes            | LOD (%) | mg/unit | %      | Result (%) | Terpenes                                                                                                                                             | LOD (%) | mg/unit          | %                               | Result (%) |
|---------------------|---------|---------|--------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------------------|---------------------------------|------------|
| TOTAL TERPENES      | 0.007   | 81.62   | 2.332  |            | VALENCENE                                                                                                                                            | 0.007   | ND               | ND                              |            |
| LIMONENE            | 0.007   | 24.01   | 0.686  |            | ALPHA-CEDRENE                                                                                                                                        | 0.007   | ND               | ND                              |            |
| BETA-CARYOPHYLLENE  | 0.007   | 13.13   | 0.375  |            | ALPHA-PHELLANDRENE                                                                                                                                   | 0.007   | ND               | ND                              |            |
| ALPHA-HUMULENE      | 0.007   | 5.67    | 0.162  |            | ALPHA-TERPINENE                                                                                                                                      | 0.007   | ND               | ND                              |            |
| BETA-MYRCENE        | 0.007   | 4.80    | 0.137  |            | ALPHA-TERPINOLENE                                                                                                                                    | 0.007   | ND               | ND                              |            |
| ALPHA-PINENE        | 0.007   | 4.62    | 0.132  |            | CIS-NEROLIDOL                                                                                                                                        | 0.007   | ND               | ND                              |            |
| ALPHA-BISABOLOL     | 0.007   | 3.40    | 0.097  |            | GAMMA-TERPINENE                                                                                                                                      | 0.007   | ND               | ND                              |            |
| BETA-PINENE         | 0.007   | 3.40    | 0.097  |            | TRANS-NEROLIDOL                                                                                                                                      | 0.007   | ND               | ND                              |            |
| GUAIOL              | 0.007   | 2.91    | 0.083  |            |                                                                                                                                                      |         |                  |                                 |            |
| LINALOOL            | 0.007   | 2.56    | 0.073  |            | Analized by:                                                                                                                                         | Weight: | Extraction date: | Extracted by:                   |            |
| OCIMENE             | 0.007   | 2.31    | 0.066  |            | 2076, 585, 3963                                                                                                                                      | 1.0085g | N/A              | 2076                            |            |
| FENCHYL ALCOHOL     | 0.007   | 1.79    | 0.051  |            | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                                                                                                 |         |                  |                                 |            |
| TOTAL TERPINEOL     | 0.007   | 1.40    | 0.040  |            | Analytical Batch : DA065945TER                                                                                                                       |         |                  | Reviewed On : 11/03/23 09:46:12 |            |
| FARNESENE           | 0.001   | 0.32    | 0.009  |            | Instrument Used : DA-GCMS-009                                                                                                                        |         |                  | Batch Date : 11/01/23 10:20:43  |            |
| BORNEOL             | 0.013   | <1.40   | <0.040 |            | Analized Date : 11/02/23 08:53:50                                                                                                                    |         |                  |                                 |            |
| CAMPHENE            | 0.007   | <0.70   | <0.020 |            | Dilution : 10                                                                                                                                        |         |                  |                                 |            |
| CARYOPHYLLENE OXIDE | 0.007   | <0.70   | <0.020 |            | Reagent : 121622.26                                                                                                                                  |         |                  |                                 |            |
| FENCHONE            | 0.007   | <1.40   | <0.040 |            | Consumables : 210414634; MKCN9995; CE0123; R1KB14270                                                                                                 |         |                  |                                 |            |
| GERANYL ACETATE     | 0.007   | <0.70   | <0.020 |            | Pipette : N/A                                                                                                                                        |         |                  |                                 |            |
| ISOBORNEOL          | 0.007   | <0.70   | <0.020 |            | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |         |                  |                                 |            |
| 3-CARENE            | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| CAMPHOR             | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| CEDROL              | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| EUCALYPTOL          | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| GERANIOL            | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| HEXAHYDROTHYMOL     | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| ISOPULEGOL          | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| NEROL               | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| PULEGONE            | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| SABINENE            | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| SABINENE HYDRATE    | 0.007   | ND      | ND     |            |                                                                                                                                                      |         |                  |                                 |            |
| Total (%)           |         |         | 2.332  |            |                                                                                                                                                      |         |                  |                                 |            |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/03/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,MFF,,THC,0.125oz

Modified Muffins

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA31101004-003

Harvest/Lot ID: F04MFF0009182023

Batch #: TLF1030202301

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 115.5 gram

Total Amount : 8536 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide                                                                                                                                                | LOD             | Units                              | Action Level           | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------|------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 5            | PASS      | ND     | OXAMYL                                                                                                                                                   | 0.010           | ppm                                | 0.5                    | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 0.2          | PASS      | ND     | PACLOBUTRAZOL                                                                                                                                            | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 0.1          | PASS      | ND     | PHOSMET                                                                                                                                                  | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 0.5          | PASS      | ND     | PIPERONYL BUTOXIDE                                                                                                                                       | 0.010           | ppm                                | 3                      | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 0.2          | PASS      | ND     | PRALLETHRIN                                                                                                                                              | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPICONAZOLE                                                                                                                                            | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.1          | PASS      | ND     | PROPOXUR                                                                                                                                                 | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 0.1          | PASS      | ND     | PYRIDABEN                                                                                                                                                | 0.010           | ppm                                | 0.2                    | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROMESIFEN                                                                                                                                             | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROTETRAMAT                                                                                                                                            | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE                                                                                                                                              | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 0.1          | PASS      | ND     | TEBUCONAZOLE                                                                                                                                             | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIACLOPRID                                                                                                                                              | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | THIAMETHOXAM                                                                                                                                             | 0.010           | ppm                                | 0.5                    | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 0.1          | PASS      | ND     | TRIFLOXYSTROBIN                                                                                                                                          | 0.010           | ppm                                | 0.1                    | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *                                                                                                                         | 0.010           | PPM                                | 0.15                   | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *                                                                                                                                       | 0.010           | PPM                                | 0.1                    | PASS      | ND     |
| CHLORANTRANILIPROLE                 | 0.010 | ppm   | 1            | PASS      | ND     | CAPTAN *                                                                                                                                                 | 0.070           | PPM                                | 0.7                    | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 1            | PASS      | ND     | CHLORDANE *                                                                                                                                              | 0.010           | PPM                                | 0.1                    | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *                                                                                                                                           | 0.010           | PPM                                | 0.1                    | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.2          | PASS      | ND     | CYFLUTHRIN *                                                                                                                                             | 0.050           | PPM                                | 0.5                    | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *                                                                                                                                           | 0.050           | PPM                                | 0.5                    | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |           |        |
| DIAZINON                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by: 3379, 585, 3963                                                                                                                             | Weight: 0.9474g | Extraction date: 11/01/23 15:59:15 | Extracted by: 3379,450 |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)                         |                 |                                    |                        |           |        |
| DIMETHOATE                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA065954PES                                                                                                                           |                 | Reviewed On : 11/02/23 12:18:21    |                        |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-LCMS-003 (PES)                                                                                                                      |                 | Batch Date : 11/01/23 11:37:18     |                        |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed Date : 11/01/23 15:22:28                                                                                                                        |                 |                                    |                        |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250                                                                                                                                           |                 |                                    |                        |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08                                                              |                 |                                    |                        |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 326250IW                                                                                                                                   |                 |                                    |                        |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-093; DA-094; DA-219                                                                                                                         |                 |                                    |                        |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                 |                                    |                        |           |        |
| FLONICAMID                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Analyzed by: 450, 585, 3963                                                                                                                              | Weight: 0.9474g | Extraction date: 11/01/23 15:59:15 | Extracted by: 3379,450 |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL                                                               |                 |                                    |                        |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 0.1          | PASS      | ND     | Analytical Batch : DA065957VOL                                                                                                                           |                 | Reviewed On : 11/02/23 12:06:00    |                        |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Instrument Used : DA-GCMS-010                                                                                                                            |                 | Batch Date : 11/01/23 11:40:19     |                        |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 0.4          | PASS      | ND     | Analyzed Date : 11/01/23 16:07:35                                                                                                                        |                 |                                    |                        |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 0.1          | PASS      | ND     | Dilution : 250                                                                                                                                           |                 |                                    |                        |           |        |
| MALATHION                           | 0.010 | ppm   | 0.2          | PASS      | ND     | Reagent : 102523.R11; 040423.08; 103123.R19; 103123.R20                                                                                                  |                 |                                    |                        |           |        |
| METALAXYL                           | 0.010 | ppm   | 0.1          | PASS      | ND     | Consumables : 326250IW; 14725401                                                                                                                         |                 |                                    |                        |           |        |
| METHIOCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     | Pipette : DA-080; DA-146; DA-218                                                                                                                         |                 |                                    |                        |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.    |                 |                                    |                        |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 0.1          | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |           |        |
| NALED                               | 0.010 | ppm   | 0.25         | PASS      | ND     |                                                                                                                                                          |                 |                                    |                        |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/03/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,MFF,,THC,0.125oz

Modified Muffins

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA31101004-003

Harvest/Lot ID: F04MFF0009182023

Batch# : TLF1030202301

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 115.5 gram

Total Amount : 8536 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 4 of 5

|                                                                                                                                                                                                            | <b>Microbial</b> |       |             |             |              | <b>PASSED</b> |                                                                                                                                     | <b>Mycotoxins</b> |         |        |                   |              | <b>PASSED</b> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------|-------------|-------------|--------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|--------|-------------------|--------------|---------------|
| Analyte                                                                                                                                                                                                    | LOD              | Units | Result      | Pass / Fail | Action Level |               | Analyte                                                                                                                             | LOD               | Units   | Result | Pass / Fail       | Action Level |               |
| ASPERGILLUS TERREUS                                                                                                                                                                                        |                  |       | Not Present | PASS        |              |               | AFLATOXIN B2                                                                                                                        | 0.002             | ppm     | ND     | PASS              | 0.02         |               |
| ASPERGILLUS NIGER                                                                                                                                                                                          |                  |       | Not Present | PASS        |              |               | AFLATOXIN B1                                                                                                                        | 0.002             | ppm     | ND     | PASS              | 0.02         |               |
| ASPERGILLUS FUMIGATUS                                                                                                                                                                                      |                  |       | Not Present | PASS        |              |               | OCHRATOXIN A                                                                                                                        | 0.002             | ppm     | ND     | PASS              | 0.02         |               |
| ASPERGILLUS FLAVUS                                                                                                                                                                                         |                  |       | Not Present | PASS        |              |               | AFLATOXIN G1                                                                                                                        | 0.002             | ppm     | ND     | PASS              | 0.02         |               |
| SALMONELLA SPECIFIC GENE                                                                                                                                                                                   |                  |       | Not Present | PASS        |              |               | AFLATOXIN G2                                                                                                                        | 0.002             | ppm     | ND     | PASS              | 0.02         |               |
| ECOLI SHIGELLA                                                                                                                                                                                             |                  |       | Not Present | PASS        |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| TOTAL YEAST AND MOLD                                                                                                                                                                                       | 10               | CFU/g | 2000        | PASS        | 100000       |               | Analyzed by:                                                                                                                        |                   | Weight: |        | Extraction date:  |              | Extracted by: |
|                                                                                                                                                                                                            |                  |       |             |             |              |               | 3390, 3621, 585, 3963                                                                                                               |                   | 0.9474g |        | 11/01/23 15:59:15 |              | 3379,450      |
| Analyzed by: 3390, 3621, 585, 3963                                                                                                                                                                         |                  |       |             |             |              |               | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)    |                   |         |        |                   |              |               |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL                                                                                                                                          |                  |       |             |             |              |               | Analytical Batch : DA065956MYC                                                                                                      |                   |         |        |                   |              |               |
| Analytical Batch : DA065935MIC                                                                                                                                                                             |                  |       |             |             |              |               | Instrument Used : N/A                                                                                                               |                   |         |        |                   |              |               |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 |                  |       |             |             |              |               | Analyzed Date : 11/01/23 15:22:32                                                                                                   |                   |         |        |                   |              |               |
| Analyzed Date : 11/01/23 13:22:01                                                                                                                                                                          |                  |       |             |             |              |               | Dilution : 250                                                                                                                      |                   |         |        |                   |              |               |
| Dilution : N/A                                                                                                                                                                                             |                  |       |             |             |              |               | Reagent : 110123.R25; 110123.R29; 102523.R11; 110123.R26; 101023.R01; 110123.R01; 040423.08                                         |                   |         |        |                   |              |               |
| Reagent : 083123.134; 100423.R40; 081023.03; 081023.07                                                                                                                                                     |                  |       |             |             |              |               | Consumables : 326250IW                                                                                                              |                   |         |        |                   |              |               |
| Consumables : 7566004001                                                                                                                                                                                   |                  |       |             |             |              |               | Pipette : DA-093; DA-094; DA-219                                                                                                    |                   |         |        |                   |              |               |
| Pipette : N/A                                                                                                                                                                                              |                  |       |             |             |              |               | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                   |         |        |                   |              |               |
| Analyzed by: 3621, 3963, 585                                                                                                                                                                               |                  |       |             |             |              |               | [Hg] Heavy Metals                                                                                                                   |                   |         |        |                   |              | <b>PASSED</b> |
| Weight: 1.0423g                                                                                                                                                                                            |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Extraction date: 11/01/23 12:07:26                                                                                                                                                                         |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Extracted by: 3390,3621                                                                                                                                                                                    |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL                                                                                                                                              |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Analytical Batch : DA065958TYM                                                                                                                                                                             |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Instrument Used : Incubator (25-27C) DA-096                                                                                                                                                                |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Analyzed Date : 11/01/23 13:20:11                                                                                                                                                                          |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Dilution : N/A                                                                                                                                                                                             |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Reagent : 083123.134; 101723.R10                                                                                                                                                                           |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Consumables : N/A                                                                                                                                                                                          |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Pipette : N/A                                                                                                                                                                                              |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.                                                                   |                  |       |             |             |              |               |                                                                                                                                     |                   |         |        |                   |              |               |



## Heavy Metals

**PASSED**

| Metal                                                                                                                         | LOD               | Units                                 | Result                     | Pass / Fail | Action Level |
|-------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|----------------------------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                 | 0.080             | ppm                                   | ND                         | PASS        | 1.1          |
| ARSENIC                                                                                                                       | 0.020             | ppm                                   | ND                         | PASS        | 0.2          |
| CADMIUM                                                                                                                       | 0.020             | ppm                                   | ND                         | PASS        | 0.2          |
| MERCURY                                                                                                                       | 0.020             | ppm                                   | ND                         | PASS        | 0.2          |
| LEAD                                                                                                                          | 0.020             | ppm                                   | ND                         | PASS        | 0.5          |
| Analyzed by:<br>1022, 585, 3963                                                                                               | Weight:<br>0.286g | Extraction date:<br>11/01/23 12:24:38 | Extracted by:<br>1022,4306 |             |              |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                            |                   |                                       |                            |             |              |
| Analytical Batch : DA065944HEA                                                                                                |                   | Reviewed On : 11/03/23 11:03:21       |                            |             |              |
| Instrument Used : DA-ICPMS-004                                                                                                |                   | Batch Date : 11/01/23 10:15:28        |                            |             |              |
| Analyzed Date : 11/02/23 10:28:35                                                                                             |                   |                                       |                            |             |              |
| Dilution : 50                                                                                                                 |                   |                                       |                            |             |              |
| Reagent : 102723.R12; 101123.R29; 102723.R15; 101823.R29; 102723.R13; 102723.R14; 101123.R28; 101123.R27                      |                   |                                       |                            |             |              |
| Consumables : 179436; 210508058; 12594-247CD-247C                                                                             |                   |                                       |                            |             |              |
| Pipette : DA-061; DA-191; DA-216                                                                                              |                   |                                       |                            |             |              |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                   |                                       |                            |             |              |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/03/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,MFF,,THC,0.125oz

Modified Muffins

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
Telephone: (877) 303-0741  
Email: Info.FL@Curaleaf.com

Sample : DA31101004-003

Harvest/Lot ID: F04MFF0009182023

Batch# : TLF1030202301

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 115.5 gram

Total Amount : 8536 units

Completed : 11/03/23 Expires: 11/03/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign  
Material

PASSED



Moisture

PASSED

| Analyte                                                                                                                                                         | LOD           | Units                   | Result               | P/F  | Action Level | Analyte                                                                                                                                                    | LOD               | Units                                 | Result                | P/F  | Action Level |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------|----------------------|------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|-----------------------|------|--------------|
| Filth and Foreign Material                                                                                                                                      | 0.100         | %                       | ND                   | PASS | 1            | Moisture Content                                                                                                                                           | 1.00              | %                                     | 13.93                 | PASS | 15           |
| Analyzed by:<br>1879, 3963                                                                                                                                      | Weight:<br>NA | Extraction date:<br>N/A | Extracted by:<br>N/A |      |              | Analyzed by:<br>4056, 585, 3963                                                                                                                            | Weight:<br>0.524g | Extraction date:<br>11/01/23 15:24:31 | Extracted by:<br>4056 |      |              |
| Analysis Method : SOP.T.40.090<br>Analytical Batch : DA065931FIL<br>Instrument Used : Filth/Foreign Material Microscope<br>Analyzed Date : 11/01/23 22:32:10    |               |                         |                      |      |              | Analysis Method : SOP.T.40.021<br>Analytical Batch : DA065939MOI<br>Reviewed On : 11/01/23 16:25:00<br>Batch Date : 11/01/23 09:38:35                      |                   |                                       |                       |      |              |
| Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A                                                                                           |               |                         |                      |      |              | Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser<br>Analyzed Date : 11/01/23 15:20:22 |                   |                                       |                       |      |              |
| Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. |               |                         |                      |      |              | Dilution : N/A<br>Reagent : 031523.19; 020123.02<br>Consumables : N/A<br>Pipette : DA-066                                                                  |                   |                                       |                       |      |              |



Water Activity

PASSED

| Analyte                                                                                                                                                                                                                    | LOD              | Units                                 | Result                | P/F  | Action Level |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------------|-----------------------|------|--------------|
| Water Activity                                                                                                                                                                                                             | 0.010            | aw                                    | 0.573                 | PASS | 0.65         |
| Analyzed by:<br>4056, 585, 3963                                                                                                                                                                                            | Weight:<br>0.68g | Extraction date:<br>11/01/23 15:58:20 | Extracted by:<br>4056 |      |              |
| Analysis Method : SOP.T.40.019<br>Analytical Batch : DA065940WAT<br>Reviewed On : 11/01/23 16:25:01<br>Batch Date : 11/01/23 09:39:44                                                                                      |                  |                                       |                       |      |              |
| Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe),DA-325 Rotronic Hygropalm HC2-AW (Probe),DA-326 Rotronic Hygropalm HC2-AW (Probe),DA-327 Rotronic Hygropalm HC2-AW (Probe)<br>Analyzed Date : 11/01/23 15:20:38 |                  |                                       |                       |      |              |
| Dilution : N/A<br>Reagent : 113021.09<br>Consumables : PS-14<br>Pipette : N/A                                                                                                                                              |                  |                                       |                       |      |              |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
11/03/23