



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample:DA31101009-005
Harvest/Lot ID: TLST1031202302HS
Batch#: TLST1031202302HS
Cultivation Facility: Homestead Cultivation
Processing Facility : Homestead Processing
Source Facility : Homestead Processing
Seed to Sale# 3720 9311 1049 0124
Batch Date: 10/31/23
Sample Size Received: 84 gram
Total Amount: 1209 units
Retail Product Size: 14 gram
Ordered: 11/01/23
Sampled: 11/01/23
Completed: 11/04/23
Sampling Method: SOP.T.20.010

Nov 04, 2023 | CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
15.849%
Total THC/Container : 2218.86 mg

Total CBD
0.040%
Total CBD/Container : 5.60 mg

Total Cannabinoids
18.478%
Total Cannabinoids/Container : 2586.92 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.287	17.745	ND	0.046	0.025	0.086	0.244	ND	ND	ND	0.045
mg/unit	40.18	2484.30	ND	6.44	3.50	12.04	34.16	ND	ND	ND	6.30
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 3963

Weight:
0.2082g

Extraction date:
11/02/23 12:53:02

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065968POT

Instrument Used : DA-LC-002

Analyzed Date : 11/02/23 12:53:23

Reviewed On : 11/03/23 09:30:12

Batch Date : 11/02/23 09:15:25

Dilution : 400

Reagent : 103123.R04; 030923.08; 103123.R01

Consumables : 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FND,Pre-Pack FL,CRD,Shake and Trim,THC,0.5oz

Crop Duster
Matrix : Flower
Type: Trim



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-005

Harvest/Lot ID: TLST1031202302HS

Batch# : TLST1031202302HS

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 84 gram

Total Amount : 1209 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	150.92	1.078		VALENCENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	44.52	0.318		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	20.72	0.148		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	14.42	0.103		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	11.48	0.082		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-MYRCENE	0.007	10.64	0.076		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	5.32	0.038		GAMMA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	4.34	0.031		TRANS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	4.34	0.031						
TOTAL TERPINEOL	0.007	4.06	0.029						
OCIMENE	0.007	3.78	0.027						
BETA-PINENE	0.007	3.64	0.026						
GERANIOL	0.007	3.50	0.025						
CARYOPHYLLENE OXIDE	0.007	<2.80	<0.020						
FARNESENE	0.001	<1.26	<0.009						
GERANYL ACETATE	0.007	<2.80	<0.020						
NEROL	0.007	<2.80	<0.020						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						

Total (%) 1.078

Analyzed by: 2076, 585, 3963 Weight: 0.9878g Extraction date: 11/02/23 12:05:32 Extracted by: 2076
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA065980TER Reviewed On : 11/03/23 10:38:40
Instrument Used : DA-GCMS-009 Batch Date : 11/02/23 10:21:06
Analyzed Date : 11/02/23 13:01:40
Dilution : 10
Reagent : 121622.26
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FND,Pre-Pack FL,CRD,Shake and Trim,THC,0.5oz

Crop Duster
Matrix : Flower
Type: Trim



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-005

Harvest/Lot ID: TLST1031202302HS

Batch# : TLST1031202302HS

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 84 gram

Total Amount : 1209 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.9812g	Extraction date: 11/02/23 15:15:42	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065988PES		Reviewed On : 11/04/23 13:42:59			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 11/02/23 11:00:46			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 11/02/23 15:18:27					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R11; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3963	Weight: 0.9812g	Extraction date: 11/02/23 15:15:42	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA065989VOL		Reviewed On : 11/04/23 13:41:45			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 11/02/23 11:02:29			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 11/02/23 15:48:54					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 102523.R11; 050621.01; 103123.R19; 103123.R20					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FND,Pre-Pack FL,CRD,Shake and Trim,THC,0.5oz

Crop Duster

Matrix : Flower

Type: Trim



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-005

Harvest/Lot ID: TLST1031202302HS

Batch# : TLST1031202302HS

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 84 gram

Total Amount : 1209 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED									
Analyte						LOD	Units	Result	Pass / Fail	Action Level	Analyte						LOD	Units	Result	Pass / Fail	Action Level					
SALMONELLA SPECIFIC GENE								Not Present	PASS		AFLATOXIN B2						0.002	ppm	ND	PASS	0.02					
ECOLI SHIGELLA								Not Present	PASS		AFLATOXIN B1						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FLAVUS								Not Present	PASS		OCHRATOXIN A						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS FUMIGATUS								Not Present	PASS		AFLATOXIN G1						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS TERREUS								Not Present	PASS		AFLATOXIN G2						0.002	ppm	ND	PASS	0.02					
ASPERGILLUS NIGER								Not Present	PASS																	
TOTAL YEAST AND MOLD						10	CFU/g	1130	PASS	100000	Analyzed by: 3379, 585, 3963						Weight: 0.9812g	Extraction date: 11/02/23 15:15:42		Extracted by: 3379						
Analyzed by: 3336, 3390, 585, 3963						Weight: 1.0842g	Extraction date: 11/02/23 10:54:03		Extracted by: 3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)															
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											Analytical Batch : DA065999MYC						Reviewed On : 11/03/23 11:56:01									
Analytical Batch : DA065972MIC						Reviewed On : 11/03/23 15:56:22					Instrument Used : N/A						Batch Date : 11/02/23 11:55:16									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 11/02/23 09:32:40					Analyzed Date : 11/02/23 15:19:21															
Analyzed Date : 11/02/23 16:24:04											Dilution : 250						Reagent : 102523.R11; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01; 040423.08									
Dilution : N/A											Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219									
Reagent : 083123.173; 100423.R40; 081023.03; 081023.07											Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Consumables : 7566004014											Hg						Heavy Metals					PASSED				
Pipette : N/A																										
Analyzed by: 3336, 585, 3963						Weight: 1.0842g	Extraction date: 11/02/23 10:54:03		Extracted by: 3621		Metal						LOD	Units	Result	Pass / Fail	Action Level					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											TOTAL CONTAMINANT LOAD METALS						0.080	ppm	ND	PASS	1.1					
Analytical Batch : DA065973TYM						Reviewed On : 11/04/23 13:43:38					ARSENIC						0.020	ppm	ND	PASS	0.2					
Instrument Used : Incubator (25-27C) DA-097						Batch Date : 11/02/23 09:33:56					CADMIUM						0.020	ppm	ND	PASS	0.2					
Analyzed Date : 11/02/23 13:43:46											MERCURY						0.020	ppm	ND	PASS	0.2					
Dilution : N/A											LEAD						0.020	ppm	ND	PASS	0.5					
Reagent : 083123.173; 101723.R10											Analyzed by: 1022, 585, 3963						Weight: 0.2569g	Extraction date: 11/02/23 12:27:08		Extracted by: 1022						
Consumables : N/A																										
Pipette : N/A																										
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																										



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963	Weight: 0.2569g	Extraction date: 11/02/23 12:27:08	Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA065983HEA		Reviewed On : 11/03/23 10:40:03			
Instrument Used : DA-ICPMS-004		Batch Date : 11/02/23 10:39:32			
Analyzed Date : 11/02/23 15:40:34					
Dilution : 50					
Reagent : 102723.R12; 101123.R29; 102723.R15; 110123.R33; 102723.R13; 102723.R14; 110123.R34; 101123.R27					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FND,Pre-Pack FL,CRD,Shake and Trim,THC,0.5oz

Crop Duster

Matrix : Flower

Type: Trim



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-005

Harvest/Lot ID: TLST1031202302HS

Batch# : TLST1031202302HS

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 84 gram

Total Amount : 1209 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.37	PASS	15
Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 3963	Weight: 0.516g	Extraction date: 11/02/23 15:22:36	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA066048FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 11/03/23 14:08:38						Analysis Method : SOP.T.40.021 Analytical Batch : DA065990MOI Reviewed On : 11/03/23 14:34:42 Batch Date : 11/03/23 13:54:36 Instrument Used : DA-003 Moisture Analyzer,DA-046 Moisture Analyzer,DA-263 Moisture Analyser,DA-264 Moisture Analyser Analyzed Date : 11/02/23 11:14:19 Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Reviewed On : 11/02/23 16:48:22 Batch Date : 11/02/23 11:04:08					
Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.											



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.532	PASS	0.65
Analyzed by: 4056, 585, 3963	Weight: 0.757g	Extraction date: 11/02/23 15:08:25	Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : DA065992WAT Reviewed On : 11/02/23 16:48:23 Batch Date : 11/02/23 11:06:04					
Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 11/02/23 11:14:41					
Dilution : N/A Reagent : 113021.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23