



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample:DA31101009-011
Harvest/Lot ID: TLRV1005202302
Batch#: TLRV1005202302
Cultivation Facility: Homestead Cultivation
Processing Facility : Homestead Processing
Source Facility : Homestead Processing
Seed to Sale# 9062 7775 0408 7401
Batch Date: 10/05/23
Sample Size Received: 15 gram
Total Amount: 1658 units
Retail Product Size: 0.5 gram
Ordered: 11/01/23
Sampled: 11/01/23
Completed: 11/04/23
Sampling Method: SOP.T.20.010

Nov 04, 2023 | CURALEAF FLORIDA LLC

 19000 SW 192 STREET
 MIAMI, FL, 33187, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
76.073%

Total THC/Container : 380.37 mg


Total CBD
0.296%

Total CBD/Container : 1.48 mg


Total Cannabinoids
80.637%

Total Cannabinoids/Container : 403.19 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	75.517	0.635	0.237	0.068	0.432	1.970	0.126	0.133	0.606	ND	0.913
mg/unit	377.59	3.18	1.19	0.34	2.16	9.85	0.63	0.67	3.03	ND	4.57
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 585, 3963

 Weight:
 0.1023g

 Extraction date:
 11/02/23 13:02:24

 Extracted by:
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA065971POT

Instrument Used : DA-LC-003

Analyzed Date : 11/02/23 13:02:57

Reviewed On : 11/03/23 09:30:46

Batch Date : 11/02/23 09:20:11

Dilution : 400

Reagent : 103123.R06; 070621.18; 103123.R03

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Live Rosin Vape Cart, Ncg,,, 0.5g
Nuclear Gushers
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-011
Harvest/Lot ID: TLRV1005202302

Batch# : TLRV1005202302 Sample Size Received : 15 gram
Sampled : 11/01/23 Total Amount : 1658 units
Ordered : 11/01/23 Completed : 11/04/23 Expires: 11/04/24
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	31.77	6.353		SABINENE HYDRATE	0.007	ND	ND				
BETA-CARYOPHYLLENE	0.007	13.67	2.733		VALENCENE	0.007	<0.10	<0.020				
ALPHA-HUMULENE	0.007	4.17	0.833		ALPHA-CEDRENE	0.007	ND	ND				
LIMONENE	0.007	3.41	0.682		ALPHA-PHELLANDRENE	0.007	ND	ND				
BETA-MYRCENE	0.007	3.38	0.676		ALPHA-TERPINENE	0.007	ND	ND				
LINALOOL	0.007	1.91	0.381		ALPHA-TERPINOLENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	1.80	0.360		CIS-NEROLIDOL	0.007	ND	ND				
GUAIOL	0.007	1.71	0.341		GAMMA-TERPINENE	0.007	ND	ND				
FARNESENE	0.001	0.67	0.133		Analyzed by: 2076, 585, 3963					Weight: 0.9998g	Extraction date: 11/03/23 15:29:44	Extracted by: 2076
ALPHA-PINENE	0.007	0.36	0.072		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL							
FENCHYL ALCOHOL	0.007	0.33	0.065		Analytical Batch : DA065979TER					Reviewed On : 11/04/23 13:43:45		
TOTAL TERPINEOL	0.007	0.30	0.059		Instrument Used : DA-GCMS-009					Batch Date : 11/02/23 10:20:14		
BETA-PINENE	0.007	0.14	0.028		Analyzed Date : 11/03/23 15:29:53							
TRANS-NEROLIDOL	0.007	0.13	0.025		Dilution : 10							
CARYOPHYLLENE OXIDE	0.007	0.12	0.024		Reagent : 121622.26							
3-CARENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270							
BORNEOL	0.013	<0.20	<0.040		Pipette : N/A							
CAMPHENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
CAMPHOR	0.007	ND	ND									
CEDROL	0.007	ND	ND									
EUCALYPTOL	0.007	ND	ND									
FENCHONE	0.007	<0.20	<0.040									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
ISOPULEGOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
OCIMENE	0.007	<0.10	<0.020									
PULEGONE	0.007	ND	ND									
SABINENE	0.007	ND	ND									
Total (%)				6.353								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Vape Cart,Ncg,,,0.5g
Nuclear Gushers
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-011

Harvest/Lot ID: TLRV1005202302

Batch #: TLRV1005202302

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 15 gram

Total Amount : 1658 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2825g	Extraction date: 11/02/23 15:18:04	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065981PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 11/04/23 13:48:34		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/02/23 15:18:30			Batch Date : 11/02/23 10:25:34		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 102523.R11; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2825g	Extraction date: 11/02/23 15:18:04	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA065982VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Reviewed On : 11/04/23 13:46:56		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 11/02/23 15:48:30			Batch Date : 11/02/23 10:27:25		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 102523.R11; 050621.01; 103123.R19; 103123.R20					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Vape Cart,Ncg,,,0.5g
Nuclear Gushers
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-011

Harvest/Lot ID: TLRV1005202302

Batch# : TLRV1005202302

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 15 gram

Total Amount : 1658 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 3963

Weight:
0.0214g

Extraction date:
11/03/23 14:07:58

Extracted by:
850,585

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA06600450L
Instrument Used : DA-GCMS-002
Analyzed Date : 11/03/23 14:16:56

Reviewed On : 11/03/23 15:14:21
Batch Date : 11/02/23 15:14:49

Dilution : 1
Reagent : 030420.09
Consumables : R2017.099; 172723
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Live Rosin Vape Cart, Ncg,,, 0.5g
Nuclear Gushers
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-011

Harvest/Lot ID: TLRV1005202302

Batch# : TLRV1005202302

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 15 gram

Total Amount : 1658 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.914g	Extraction date: 11/02/23 10:54:06	Extracted by: 3621	Reviewed On : 11/03/23 15:56:28	Batch Date : 11/02/23 09:32:40
Analytical Batch : DA065972MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analysis Date : 11/02/23 16:24:04					
Dilution : N/A					
Reagent : 083123.173; 100423.R40; 081023.03; 081023.07					
Consumables : 7566004014					
Pipette : N/A					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL	Weight: 0.914g	Extraction date: 11/02/23 10:54:06	Extracted by: 3621	Reviewed On : 11/04/23 13:43:47	Batch Date : 11/02/23 09:33:56
Analytical Batch : DA065973TYM					
Instrument Used : Incubator (25-27C) DA-097					
Analysis Date : 11/02/23 13:43:46					
Dilution : N/A					
Reagent : 083123.173; 101723.R10					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Weight: 0.2825g	Extraction date: 11/02/23 15:18:04	Extracted by: 3379	Reviewed On : 11/03/23 12:28:33	Batch Date : 11/02/23 11:54:17
Analytical Batch : DA065998MYC					
Instrument Used : N/A					
Analysis Date : 11/02/23 15:19:24					
Dilution : 250					
Reagent : 102523.R11; 110123.R25; 110123.R29; 110123.R26; 101023.R01; 110123.R01; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2947g	Extraction date: 11/02/23 11:47:48	Extracted by: 1022	Reviewed On : 11/03/23 11:05:43	Batch Date : 11/02/23 10:44:05
Analytical Batch : DA065984HEA					
Instrument Used : DA-ICPMS-004					
Analysis Date : 11/02/23 15:15:09					
Dilution : 50					
Reagent : 102723.R12; 101123.R29; 102723.R15; 110123.R33; 102723.R13; 102723.R14; 110123.R34; 101123.R27					
Consumables : 179436; 210508058; 12594-247CD-247C					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

SEL, Live Rosin Vape Cart, Ncg,,, 0.5g
Nuclear Gushers
Matrix : Derivative
Type: Live Rosin



Certificate of Analysis

PASSED

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
Telephone: (877) 303-0741
Email: Info.FL@Curaleaf.com

Sample : DA31101009-011

Harvest/Lot ID: TLRV1005202302

Batch# : TLRV1005202302

Sampled : 11/01/23

Ordered : 11/01/23

Sample Size Received : 15 gram

Total Amount : 1658 units

Completed : 11/04/23 Expires: 11/04/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA066048FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/03/23 14:08:38

Reviewed On : 11/03/23 14:34:49

Batch Date : 11/03/23 13:54:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.503	PASS	0.85

Analyzed by: 4056, 585, 3963	Weight: 0.334g	Extraction date: 11/02/23 15:34:45	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA065993WAT

Reviewed On : 11/02/23

16:48:32

Batch Date : 11/02/23

11:06:43

Instrument Used : DA-324 Rotronic Hygropalm HC2-AW (Probe), DA-325 Rotronic Hygropalm HC2-AW (Probe), DA-326 Rotronic Hygropalm HC2-AW (Probe), DA-327 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : 11/02/23 11:14:40

Dilution : N/A

Reagent : 113021.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/04/23