



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31102014-002
Harvest/Lot ID: 3855 3043 8840 4140
Batch#: 3855 3043 8840 4140
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001 3428 6428 9992
Batch Date: 11/01/23
Sample Size Received: 16 gram
Total Amount: 1628 units
Retail Product Size: 1 gram
Ordered: 11/02/23
Sampled: 11/02/23
Completed: 11/06/23
Revision Date: 11/07/23
Sampling Method: SOP.T.20.010

Nov 07, 2023 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

84.370%

Total THC/Container : 843.70 mg



Total CBD

0.083%

Total CBD/Container : 0.83 mg



Total Cannabinoids

86.430%

Total Cannabinoids/Container : 864.30 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.144	0.258	0.083	ND	0.327	0.669	ND	0.135	0.438	ND	0.376
mg/unit	841.44	2.58	0.83	ND	3.27	6.69	ND	1.35	4.38	ND	3.76
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4351

Weight:
0.1026g

Extraction date:
11/03/23 13:54:09

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066024POT

Instrument Used : DA-LC-003

Analyzed Date : 11/03/23 14:01:29

Reviewed On : 11/06/23 09:31:48

Batch Date : 11/03/23 10:12:41

Dilution : 400

Reagent : 103123.R06; 060723.24; 103123.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
11/06/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Mobil One Breath (I)
Mobil One Breath
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA31102014-002

Harvest/Lot ID: 3855 3043 8840 4140

Batch# : 3855 3043 8840
4140

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 16 gram

Total Amount : 1628 units

Completed : 11/06/23 Expires: 11/07/24

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	45.12	4.512		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	13.42	1.342		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	11.47	1.147		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.85	0.585		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	4.67	0.467		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.30	0.230		ALPHA-TERPINOLENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	2.03	0.203		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	1.46	0.146		GAMMA-TERPINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	1.05	0.105						
BETA-PINENE	0.007	0.76	0.076		Analysis by:	Weight:	Extraction date:	Extracted by:	
BORNEOL	0.013	0.75	0.075		2076, 585, 4351	1.0953g	11/05/23 10:00:18	2076	
ALPHA-PINENE	0.007	0.66	0.066		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GERANIOL	0.007	0.51	0.051		Analytical Batch : DA066029TER			Reviewed On : 11/06/23 09:31:50	
FARNESENE	0.001	0.19	0.019		Instrument Used : DA-GCMS-008			Batch Date : 11/03/23 10:37:15	
CARYOPHYLLENE OXIDE	0.007	<0.20	<0.020		Analyzed Date : 11/05/23 10:01:17				
3-CARENE	0.007	ND	ND		Dilution : 10				
CAMPHENE	0.007	ND	ND		Reagent : 121622.26				
CAMPHOR	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CEDROL	0.007	ND	ND		Pipette : N/A				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			4.512						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
11/06/23

Revision: #1 - Clerical error.