



Certificate of Analysis

NOT FOR RETAIL


Sample: DA31201006-013
Harvest/Lot ID: 4264 6451 8424 0005
Batch#: 4264 6451 8424 0005
Cultivation Facility: FL - Indiantown (3734)
Processing Facility : FL - Indiantown (3734)
Source Facility : FL - Indiantown (3734)
Batch Date: 11/27/23
Sample Size Received: 3 gram
Total Amount: 3 gram
Retail Product Size: 1 gram
Ordered: 12/01/23
Sampled: 12/01/23
Completed: 12/04/23
Sampling Method: SOP.T.20.010

Dec 04, 2023 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US


Sunnyside*

TESTED

Pages 1 of 1

| PRODUCT IMAGE | SAFETY RESULTS | | | | | | | | MISC. |
|--|---|---|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| | Pesticides NOT TESTED | Heavy Metals NOT TESTED | Microbials NOT TESTED | Mycotoxins NOT TESTED | Residuals Solvents TESTED | Filtration NOT TESTED | Water Activity NOT TESTED | Moisture NOT TESTED | Terpenes NOT TESTED |

 **Cannabinoid** **TESTED**



Analyzed by: 1665, 585, 4044 Weight: 0.1065g Extraction date: 12/01/23 14:11:15 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA066935POT Reviewed On : 12/04/23 13:00:29
Instrument Used : DA-LC-003 Batch Date : 12/01/23 12:57:37
Analyzed Date : 12/02/23 09:43:05

Dilution : 400
Reagent : 120123.R01; 060723.24; 110723.R04
Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
12/04/23