



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31222005-014
Harvest/Lot ID: 4264 4651 8424 8035
Batch#: 4264 4651 8424 8035
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 0001 3428 6430 1064
Batch Date: 12/19/23
Sample Size Received: 16 gram
Total Amount: 2293 units
Retail Product Size: 1 gram
Ordered: 12/21/23
Sampled: 12/22/23
Completed: 12/26/23
Revision Date: 12/28/23
Sampling Method: SOP.T.20.010

Dec 28, 2023 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

76.159%

Total THC/Container : 761.59 mg



Total CBD

0.263%

Total CBD/Container : 2.63 mg



Total Cannabinoids

80.453%

Total Cannabinoids/Container : 804.53 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	76.031	0.146	0.263	ND	0.061	2.001	ND	0.584	0.424	ND	0.943
mg/unit	760.31	1.46	2.63	ND	0.61	20.01	ND	5.84	4.24	ND	9.43
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1004g

Extraction date:
12/22/23 13:11:27

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA067646POT

Instrument Used : DA-LC-003

Analyzed Date : 12/22/23 13:11:40

Reviewed On : 12/23/23 17:17:59

Batch Date : 12/22/23 10:17:14

Dilution : 400

Reagent : 122223.R01; 030923.08; 121223.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
12/26/23

Revision: #1 - Clerical error.

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 1g - Gastro Pop (S) x GMO (S)
Gastro Pop X GMO
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA31222005-014

Harvest/Lot ID: 4264 4651 8424 8035

Batch# : 4264 4651 8424
8035

Sample Size Received : 16 gram

Total Amount : 2293 units

Completed : 12/26/23 Expires: 12/28/24

Ordered : 12/22/23

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	21.20	2.120		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	4.88	0.488		VALENCENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.44	0.444		ALPHA-CEDRENE	0.007	ND	ND	
LIMONENE	0.007	3.70	0.370		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.22	0.222		ALPHA-TERPINENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.13	0.213		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	1.63	0.163		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.60	0.060		GAMMA-TERPINENE	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	0.54	0.054		Analysis by:	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	0.45	0.045		1879, 795, 585, 1440	1.0628g	N/A	1879	
TOTAL TERPENEOL	0.007	0.39	0.039		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
GUAIOL	0.007	0.22	0.022		Analytical Batch : DA067696TER				
ALPHA-PINENE	0.007	<0.20	<0.020		Instrument Used : DA-GCMS-008				
BETA-PINENE	0.007	<0.20	<0.020		Analyzed Date : 12/24/23 12:42:36				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : N/A				
CAMPHENE	0.007	ND	ND		Consumables : N/A				
CAMPHOR	0.007	ND	ND		Pipette : N/A				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FARNESENE	0.001	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.120						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature

12/26/23

Revision: #1 - Clerical error.

Revision: #1 This revision supersedes any and all previous versions of this document.