



# Certificate of Analysis

## COMPLIANCE FOR RETAIL


Sample: DA31222005-018  
 Harvest/Lot ID: 0001 3428 6429 4745  
 Batch#: 0001 3428 6429 4745  
 Cultivation Facility: FL - Indiantown (3734)  
 Processing Facility: FL - Indiantown (3734)  
 Source Facility: FL - Indiantown (3734)  
 Seed to Sale# 0001 3428 6429 8352  
 Batch Date: 12/06/23  
 Sample Size Received: 287 gram  
 Total Amount: 844 units  
 Retail Product Size: 39.2863 gram  
 Ordered: 12/21/23  
 Sampled: 12/22/23  
 Completed: 12/26/23  
 Sampling Method: SOP.T.20.010

Dec 26, 2023 | Sunnyside  
 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US


Sunnyside\*

PASSED

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes NOT TESTED

### Cannabinoid PASSED



Analyzed by: 3335, 1665, 585, 1440      Weight: 3.2211g      Extraction date: 12/22/23 13:07:09      Reviewed On: 12/23/23 17:35:13      Batch Date: 12/22/23 10:11:34

Analysis Method: SOP.T.40.031, SOP.T.30.031  
 Analytical Batch: DA067643POT  
 Instrument Used: DA-LC-007  
 Analyzed Date: 12/22/23 13:07:27

Dilution: 40  
 Reagent: 120423.01; 122223.R01; 060723.50; 070121.27; 121223.R01  
 Consumables: 947.109; 280670723; CE0123; R1KB14270  
 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 12/26/23