



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA40119012-019
Harvest/Lot ID: 2631 4524 6643 3826
Batch#: 2631 4524 6643 3826
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 2631 4524 6643 3892
Batch Date: 01/13/24
Sample Size Received: 16 gram
Total Amount: 272 units
Retail Product Size: 1 gram
Ordered: 01/19/24
Sampled: 01/19/24
Completed: 01/23/24
Sampling Method: SOP.T.20.010

Jan 23, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 2

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
83.788%
Total THC/Container : 837.88 mg

Total CBD
0.247%
Total CBD/Container : 2.47 mg

Total Cannabinoids
89.860%
Total Cannabinoids/Container : 898.60 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.708	0.092	0.247	ND	0.582	3.549	ND	0.487	0.589	ND	0.606
mg/unit	837.08	0.92	2.47	ND	5.82	35.49	ND	4.87	5.89	ND	6.06
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1085g

Extraction date:
01/22/24 10:35:41

Extracted by:
1665, 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA06854POT

Instrument Used : DA-LC-003

Analyzed Date : 01/22/24 10:35:58

Reviewed On : 01/23/24 11:17:12

Batch Date : 01/21/24 17:17:05

Dilution : 400

Reagent : 010224.R05; 070121.27; 010224.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/23/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Vape Cartridge 1g Mng
Mango
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA40119012-019

Harvest/Lot ID: 2631 4524 6643 3826

Batch# : 2631 4524 6643 3826

Sampled : 01/19/24

Ordered : 01/19/24

Sample Size Received : 16 gram

Total Amount : 272 units

Completed : 01/23/24 Expires: 01/23/25

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.82	2.682		PULEGONE	0.007	ND	ND	
BETA-MYRCENE	0.007	7.82	0.782		SABINENE	0.007	ND	ND	
ALPHA-PINENE	0.007	4.82	0.482		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.94	0.394		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.94	0.294		ALPHA-TERPINENE	0.007	ND	ND	
LIMONENE	0.007	2.05	0.205		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	1.76	0.176		CIS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	1.21	0.121		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.87	0.087						
FARNESENE	0.001	0.53	0.053		Analysis by:	Weight:	Extraction date:	Extracted by:	
VALENCENE	0.007	0.34	0.034		2076, 1665, 585, 1440	0.9866g	01/21/24 10:52:28	1879,795	
ALPHA-PHELLANDRENE	0.007	0.33	0.033		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.007	0.21	0.021		Analytical Batch : DA068525TER			Reviewed On : 01/23/24 11:38:29	
GERANYL ACETATE	0.007	<0.20	<0.020		Instrument Used : DA-GCMS-004			Batch Date : 01/20/24 14:35:17	
HEXAHYDROTHYMOL	0.007	<0.20	<0.020		Analyzed Date : 01/23/24 10:24:03				
TOTAL TERPINEOL	0.007	<0.20	<0.020		Dilution : 10				
3-CARENE	0.007	ND	ND		Reagent : 110123.08				
BORNEOL	0.013	ND	ND		Consumables : 210414634; MKCN9995; CE123; R1KB45277				
CAMPHENE	0.007	ND	ND		Pipette : N/A				
CAMPHOR	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			2.682						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/23/24