



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 500mg - Lmn Ersr (H)
Lemon Eraser (H)
Matrix: Derivative
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40130003-004
Harvest/Lot ID: 2631 4524 6643 1135
Batch#: 2631 4524 6643 1135
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 2631 4524 6643 9359
Batch Date: 01/24/24
Sample Size Received: 15.5 gram
Total Amount: 2635 units
Retail Product Size: 0.5 gram
Ordered: 01/29/24
Sampled: 01/30/24
Completed: 02/01/24
Sampling Method: SOP.T.20.010

Feb 01, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

77.180%

Total THC/Container : 385.90 mg



Total CBD

0.149%

Total CBD/Container : 0.75 mg



Total Cannabinoids

83.952%

Total Cannabinoids/Container : 419.76 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	76.407	0.882	0.149	ND	0.415	3.169	1.354	0.207	0.568	ND	0.801
mg/unit	382.04	4.41	0.75	ND	2.08	15.85	6.77	1.04	2.84	ND	4.01
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4044

Weight:
0.1042g

Extraction date:
01/30/24 12:28:15

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA068815POT

Instrument Used : DA-LC-003

Analyzed Date : 01/30/24 12:31:59

Reviewed On : 01/31/24 12:11:16

Batch Date : 01/30/24 10:07:50

Dilution : 400

Reagent : 013024.R02; 060723.24; 012324.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/01/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Lmn Ersr (H)
Lemon Eraser (H)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: astewart@oneplant.us

Sample : DA40130003-004

Harvest/Lot ID: 2631 4524 6643 1135

Batch# : 2631 4524 6643
1135

Sampled : 01/30/24

Ordered : 01/30/24

Sample Size Received : 15.5 gram

Total Amount : 2635 units

Completed : 02/01/24 Expires: 02/01/25

Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	25.41	5.082		PULEGONE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	7.14	1.427		SABINENE	0.007	ND	ND	
LIMONENE	0.007	5.34	1.068		SABINENE HYDRATE	0.007	ND	ND	
BETA-MYRCENE	0.007	5.19	1.038		VALENCENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.20	0.439		ALPHA-CEDRENE	0.007	ND	ND	
LINALOOL	0.007	1.11	0.222		ALPHA-PHELLANDRENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.92	0.183		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	0.81	0.162		CIS-NEROLIDOL	0.007	ND	ND	
TOTAL TERPENEOL	0.007	0.67	0.134		Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-PINENE	0.007	0.57	0.113		1665, 795, 585, 4044	1.0559g	02/01/24 07:42:23	2076.1665	
FARNESENE	0.001	0.45	0.089		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	0.34	0.068		Analytical Batch : DA06824TER			Reviewed On : 02/01/24 07:46:45	
TRANS-NEROLIDOL	0.007	0.31	0.061		Instrument Used : DA-GCMS-009			Batch Date : 01/30/24 10:38:49	
ALPHA-TERPINOLENE	0.007	0.16	0.031		Analyzed Date : 01/31/24 07:57:59				
CAMPHENE	0.007	0.12	0.024		Dilution : 10				
BETA-PINENE	0.007	0.12	0.023		Reagent : 110123.08				
FENCHONE	0.007	<0.20	<0.040		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
ISOBORNEOL	0.007	<0.10	<0.020		Pipette : N/A				
GAMMA-TERPINENE	0.007	<0.10	<0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
Total (%)			5.082						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
02/01/24