

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

## **Kaycha Labs**

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst

Citrus Blast

Matrix: Edible Type: Soft Chew

Sample:DA40220003-001 Harvest/Lot ID: 0001 3428 6430 7595

Batch#: 0001 3428 6430 7595

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 0001 3428 6430 9565

Batch Date: 02/14/24

Sample Size Received: 369 gram

Total Amount: 840 units

Retail Product Size: 40.2633 gram Ordered: 02/20/24

Sampled: 02/20/24

Completed: 02/22/24

Sampling Method: SOP.T.20.010

PASSED

Feb 22, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 1

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED



**Certificate of Analysis** 

Heavy Metals PASSED



Microbials PASSED



PASSED



Residuals Solvents PASSED



Filth PASSED



Water Activity PASSED



Moisture



MISC.

NOT TESTED

PASSED



## Cannabinoid

**Total THC** 

Total THC/Container: 109.92 mg



**Total CBD** 

Total CBD/Container: 0.00 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 115.15



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA069586POT Instrument Used : DA-LC-007 Analyzed Date: 02/20/24 13:14:49

Reagent: 012324.R04; 070121.27; 020724.R04 Consumables: 947.109; 280670723; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 02/21/24 08:42:38

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 02/22/24