

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Supply Smalls 7g - Petrol Station (H) Petrol Station (H) Matrix: Flower

Kaycha Labs

Type: Flower-Cured



Sample:DA40312005-012 Harvest/Lot ID: 0001 3428 6430 3150 Batch#: 0001 3428 6430 3150 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 2063 9069 0731 0236 Batch Date: 03/05/24 Sample Size Received: 70 gram Total Amount: 2418 units Retail Product Size: 7 gram Ordered: 03/11/24 Sampled: 03/12/24


Pages 1 of 5

Sampling Method: SOP.T.20.010

PASSED

22205 Sw Martin Hwy indiantown, FL, 34956, US

Mar 15, 2024 | Sunnyside



Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sellion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24



Supply Smalls 7g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com Sample : DA40312005-012 Harvest/Lot ID: 0001 3428 6430 3150 Batch# : 0001 3428 6430 3150 Sample : 03/12/24 Complex

Ordered : 03/12/24

30 3150 Sample Size Received : 70 gram Total Amount : 2418 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010

Page 2 of 5

\bigcirc
\sim

Terpenes

Ferpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	124.88	1.784		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	42.28	0.604		VALENCENE	0.007	ND	ND	
IMONENE	0.007	32.55	0.465		ALPHA-CEDRENE	0.007	ND	ND	
LPHA-HUMULENE	0.007	15.96	0.228		ALPHA-PHELLANDRENE	0.007	ND	ND	
ETA-MYRCENE	0.007	10.64	0.152		ALPHA-TERPINENE	0.007	ND	ND	
ETA-PINENE	0.007	4.06	0.058		ALPHA-TERPINOLENE	0.007	ND	ND	
INALOOL	0.007	3.64	0.052		CIS-NEROLIDOL	0.007	ND	ND	
ENCHYL ALCOHOL	0.007	3.22	0.046		GAMMA-TERPINENE	0.007	ND	ND	
LPHA-PINENE	0.007	3.01	0.043		Analyzed by:	Weight:	Extract	ion date:	Extracted by:
RANS-NEROLIDOL	0.007	3.01	0.043		3605, 795, 585, 1440	1.0003g		4 14:57:49	3605
LPHA-BISABOLOL	0.007	2.87	0.041		Analysis Method : SOP.T.30.061A.FL	SOP.T.40.061A.FL			
OTAL TERPINEOL	0.007	2.52	0.036		Analytical Batch : DA070380TER Instrument Used : DA-GCMS-009				/14/24 19:27:04 2/24 12:01:14
ARNESENE	0.001	1.12	0.016		Analyzed Date : 03/12/24 14:58:20		Batch	Date : 03/1	2/24 12:01:14
-CARENE	0.007	ND	ND		Dilution : 10				
ORNEOL	0.013	ND	ND		Reagent : N/A				
AMPHENE	0.007	ND	ND		Consumables : N/A				
AMPHOR	0.007	ND	ND		Pipette : N/A				
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utilizing G	as Chromatography Mass Spectro	ometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
EDROL	0.007	ND	ND						
UCALYPTOL	0.007	ND	ND						
ENCHONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
UAIOL	0.007	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
SOPULEGOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
CIMENE	0.007	ND	ND						
CIMENE		ND	ND						
PULEGONE	0.007	ND	ND						
	0.007	ND	ND						

Total (%)

1.784

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24



Supply Smalls 7g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40312005-012 Harvest/Lot ID: 0001 3428 6430 3150 Batch# : 0001 3428 6430 Sample

3150 Sampled : 03/12/24 Ordered : 03/12/24 Sample Size Received : 70 gram Total Amount : 2418 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010

Page 3 of 5

R 0

Pesticides

esticide	100	Units	Action	Pass/Fail	Result							-
			Level			Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
DTAL CONTAMINANT LOAD (PESTICIDES)		ppm	5	PASS	< 0.050	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH		ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
		ppm	0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS		ppm	0.5 0.2		ND ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM		ppm		PASS		PRALLETHRIN		0.010	ppm	0.1	PASS	ND
TAL SPINOSAD		ppm	0.1	PASS	ND ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
AMECTIN B1A		ppm	0.1 0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
EPHATE		ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
EQUINOCYL		ppm	0.1	PASS	ND					0.2	PASS	ND
ETAMIPRID		ppm ppm	0.1	PASS	ND	SPIROMESIFEN		0.010				
DICARB			0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
OXYSTROBIN		ppm	0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
FENAZATE		ppm ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN			0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID		ppm	0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
		ppm ppm	0.1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *	0.010		0.15	PASS	ND
			1	PASS	<0.050	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE		ppm ppm	0.1	PASS	<0.050 ND	CAPTAN *		0.070		0.7	PASS	ND
LORPYRIFOS				PASS	ND			0.010		0.1	PASS	ND
OFENTEZINE		ppm	0.2 0.1	PASS	ND	CHLORDANE *						
UMAPHOS		ppm ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE				PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
AZINON		ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
CHLORVOS		ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted I	by:
AETHOATE		ppm		PASS	ND	3379, 585, 1440	0.9044g		16:39:50		450,3379	
HOPROPHOS		ppm	0.1	PASS		Analysis Method : SOP.T.30	.101.FL (Gainesville)	, SOP.T.30.10	2.FL (Davie),	SOP.T.40.101	.FL (Gainesville),
DFENPROX		ppm	0.1		ND	SOP.T.40.102.FL (Davie)						
DXAZOLE		ppm	0.1	PASS	ND	Analytical Batch : DA07037 Instrument Used : DA-LCMS				n:03/13/24 1 03/12/24 11:		
NHEXAMID		ppm	0.1	PASS	ND	Analyzed Date :03/12/24 10			Batch Date	:03/12/24 11.	22.33	
NOXYCARB		ppm	0.1		ND	Dilution : 250	0.50.00					
NPYROXIMATE		ppm	0.1	PASS	ND	Reagent : 030324.R03; 040	423.08; 031124.R01	030624.R03	; 030624.R04	; 021324.R05	;030624.R01	
PRONIL		ppm	0.1	PASS	ND	Consumables : 326250IW						
ONICAMID		ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; D						
UDIOXONIL		ppm	0.1	PASS	ND	Testing for agricultural agents		g Liquid Chron	natography Tri	iple-Quadrupol	e Mass Spectror	netry in
XYTHIAZOX		ppm	0.1	PASS	ND	accordance with F.S. Rule 64						
AZALIL		ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9044g	Extractio 03/12/24			Extracted b 450.3379	y:
DACLOPRID		ppm	0.4	PASS	ND	450, 585, 1440 Analysis Method : SOP.T.30				SOD T 40 15		
ESOXIM-METHYL		ppm	0.1	PASS	ND	Analytical Batch : DA07037				03/13/24 14:5		
LATHION		ppm	0.2	PASS	ND	Instrument Used : DA-GCMS				3/12/24 11:29:		
TALAXYL		ppm	0.1	PASS	ND	Analyzed Date :03/12/24 1						
THIOCARB		ppm	0.1	PASS	ND	Dilution : 250						
THOMYL		ppm	0.1	PASS	ND	Reagent: 030324.R03; 040		021424.R19				
VINPHOS		ppm	0.1	PASS	ND	Consumables : 326250IW; 1						
CLOBUTANIL		ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; D						
ALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents accordance with F.S. Rule 648		g Gas Chromai	tography Tripl	e-Quadrupole I	Mass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24



..... Supply Smalls 7g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40312005-012 Harvest/Lot ID: 0001 3428 6430 3150 Batch#:0001 3428 6430

Sampled : 03/12/24 Ordered : 03/12/24

Sample Size Received : 70 gram Total Amount : 2418 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ,	Microbia				PAS	SED	သို့း	My	/coto x	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS 1	FEREIIS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS I				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLUS I				Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLUS I	FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA S	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELL	Α			Not Present	PASS		Analyzed by:		Weight:	Extraction dat	te.	F	xtracted	hv
TOTAL YEAST A	AND MOLD	10	CFU/g	1390	PASS	100000	3379, 585, 14	10	0.9044g	03/12/24 16:3			50,3379	
Analyzed by: 390, 585, 1665,	Weigh 1440 0.899		Extraction 0 03/12/24 12		Extracte 3390	ed by:			.30.101.FL (Gai), SOP.T.40.102	inesville), SOP.T. .FL (Davie)	40.101.Fl	. (Gainesv	ille),	
Analysis Method Analytical Batch :	SOP.T.40.056C, SOP. DA070364MIC	T.40.05	58.FL, SOP.T		red On : 03	3/14/24	Analytical Bat Instrument Us Analyzed Date	ed:N/A)3/13/24 1 /12/24 15:		
sotemp Heat Blo Analyzed Date : 0 Dilution : N/A Reagent : 012424	13/13/24 17:20:27 4.35; 012424.36; 0124						030624.R01 Consumables Pipette : DA-0 Mycotoxins tes accordance with	93; DA-09	4; DA-219 g Liquid Chromate	ography with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
Consumables : 75 Pipette : N/A	69002034													
Analyzed by: 3390, 585, 1440	Weight: 0.8999g		raction date: 12/24 12:48		Extracted 3390	l by:	[Hg]	Не	avy M	etals			PAS	SED
Analysis Method : Analytical Batch : nstrument Used		sville),	Reviewed O	9.FL n:03/14/24 19: :03/12/24 12:4			Metal			LOD	Units	Result	Pass / Fail	Action Level
Analyzed Date : N	,		batch Date	: 03/12/24 12.4	2.11		TOTAL CON	TAMINAN	T LOAD META	LS 0.080	ppm	ND	PASS	1.1
ilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	4.35; 012424.36; 0124	24.38;	012524.R09)			CADMIUM			0.020	ppm	ND	PASS	0.2
consumables : N/							MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	ld testing is performed ut 5. Rule 64ER20-39.	ilizing N	4PN and tradit	ional culture base	techniques	s in	Analyzed by: 1022, 585, 14	10	Weight: 0.2639g	Extraction dat 03/12/24 15:1			xtracted 022,4306	
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA070 ed : DA-IC	PMS-004	Reviewe		/15/24 19: 2/24 10:48		
							021324.R02	: 179436;	35123025; 210	80424.R01; 0311 508058	.24.R04; ()31124.R0	5; 03042	4.01;

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24



..... Supply Smalls 7g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40312005-012 Harvest/Lot ID: 0001 3428 6430 3150 Batch#:0001 3428 6430

Sampled : 03/12/24 Ordered : 03/12/24

Sample Size Received : 70 gram Total Amount : 2418 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





Page 5 of 5

Analyte Filth and Foreig	n Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 14.20	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weig NA	ht:	Extraction N/A	n date:	Extra N/A	acted by:		Veight:).509g		xtraction d 3/13/24 11			tracted by: 44
Analysis Method : Analytical Batch : Instrument Used : Analyzed Date : 02	DA070399FIL Filth/Foreign Mate	rial Micro	oscope			/24 20:52:23 4 20:31:43	Analysis Method : SOP.T.40.0 Analytical Batch : DA070387 Instrument Used : DA-003 Mo Analyzed Date : 03/13/24 10:	MOI pisture Ar	nalyzei		Reviewed On Batch Date : (
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	A						Dilution : N/A Reagent : 092520.50; 02012 Consumables : N/A Pipette : DA-066	4.02					
	terial inspection is pe rdance with F.S. Rule			pection utilizi	ng naked ey	e and microscope	Moisture Content analysis utilizir	ng loss-on-	drying	technology	in accordance	with F.S. Ru	le 64ER20-39.
(\bigcirc)	Water A	ctiv	ity		PA	SSED							

Analyte Water Activity		LOD 0.010	Units aw	Result 0.495	P/F PASS	Action Level 0.65	
Analyzed by: 4444, 585, 1440		traction 0 /14/24 09			Extracted by: 4444		
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 03/13/	70390WAT 56 Rotronic Hyg	groPaln	٦	Reviewed O Batch Date			
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24