

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

### **Kaycha Labs**

Cresco Premium Flower 3.5g - Petrol Station (H) Petrol Station (H) Matrix: Flower Type: Flower-Cured



Sample:DA40312005-013 Harvest/Lot ID: 0001 3428 6430 3149

Batch#: 0001 3428 6430 3149 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 0001 3428 6431 8352 Batch Date: 03/04/24 Sample Size Received: 59.5 gram Total Amount: 4500 units Retail Product Size: 3.5 gram Ordered: 03/11/24 Sampled: 03/12/24 Completed: 03/15/24 Sampling Method: SOP.T.20.010

PASSED

Mar 15, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS

Pesticides

PASSED

Hg

Heavy Metals

PASSED

Microbials

PASSED

PRODUCT IMAGE







PASSED

Water Activity PASSED








MISC.

PASSED

#### Terpenes TESTED

PASSED

## Cannabinoid



Mycotoxins

PASSED

Dilution: 400

Reagent : 022124.R04; 071222.01; 021424.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/15/24



Cresco Premium Flower 3.5g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.reyna@crescolabs.com 
 Sample : DA40312005-013

 Harvest/Lot ID: 0001 3428 6430
 Sample

 Batch#: 0001 3428 6430
 Sample

 3149
 Total An

Sampled : 03/12/24 Ordered : 03/12/24 Sample Size Received : 59.5 gram Total Amount : 4500 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010

Page 2 of 5



### Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	75.57	2.159		SABINENE HYDRATE	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	24.89	0.711		VALENCENE	0.007	ND	ND		
IMONENE	0.007	20.69	0.591		ALPHA-CEDRENE	0.007	ND	ND		
LPHA-HUMULENE	0.007	9.21	0.263		ALPHA-PHELLANDRENE	0.007	ND	ND		
ETA-MYRCENE	0.007	7.77	0.222		ALPHA-TERPINENE	0.007	ND	ND		
ETA-PINENE	0.007	2.24	0.064		ALPHA-TERPINOLENE	0.007	ND	ND		
INALOOL	0.007	2.03	0.058		CIS-NEROLIDOL	0.007	ND	ND		
LPHA-BISABOLOL	0.007	1.79	0.051		GAMMA-TERPINENE	0.007	ND	ND		
ENCHYL ALCOHOL	0.007	1.75	0.050		Analyzed by:	Weight:	Extract	ion date:		Extracted by:
LPHA-PINENE	0.007	1.72	0.049		3605, 795, 585, 1440	0.9987g		4 14:57:49		3605
RANS-NEROLIDOL	0.007	1.47	0.042		Analysis Method : SOP.T.30.06	1A.FL, SOP.T.40.061A.FL				
OTAL TERPINEOL	0.007	1.37	0.039		Analytical Batch : DA070380TE Instrument Used : DA-GCMS-00				3/14/24 19:27:08	
ARNESENE	0.001	0.67	0.019		Analyzed Date : 03/12/24 14:58		Batch	Date: 03/3	2/24 12:01:14	
CARENE	0.007	ND	ND		Dilution : 10					
ORNEOL	0.013	ND	ND		Reagent : N/A					
AMPHENE	0.007	ND	ND		Consumables : N/A					
AMPHOR	0.007	ND	ND		Pipette : N/A					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utili	zing Gas Chromatography Mass Spectr	ometry. For all	Flower sampl	es, the Total Terpenes % is d	ry-weight corrected.
EDROL	0.007	ND	ND							
JCALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							

Total (%)

2.159

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24



Cresco Premium Flower 3.5g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40312005-013 Harvest/Lot ID: 0001 3428 6430 3149

Batch# :0001 3428 6430 3149 Sampled :03/12/24 Ordered :03/12/24 Sample Size Received : 59.5 gram Total Amount : 4500 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	< 0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
OTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
BAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
CEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
CEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
CETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
LDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
IFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
OSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
ARBARYL	0.010	1.1.	0.5	PASS	ND				0.1	PASS	ND
ARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm			
HLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	< 0.050	PARATHION-METHYL *	0.010		0.1	PASS	ND
HLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
OFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
DUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
IAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	
METHOATE	0.010	ppm	0.1	PASS	ND	<b>3379, 585, 1440</b> 0.8545g		4 16:39:51		450.3379	
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesvil			, SOP.T.40.101		e),
FOFENPROX	0.010	1.1.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070376PES			On:03/13/24		
ENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	e:03/12/24 11	.:22:33	
ENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :03/12/24 16:56:08					
ENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 030324.R03; 040423.08; 031124.R	11. 030624 PO3	N 030624 PC	A. 021324 POP	5: 030624 B01	
IPRONIL	0.010		0.1	PASS	ND	Consumables : 3262501W	71, 000024.NU3	, 000024.NU	, JZIJZ4.NU.	, 030024.001	
LONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utiliz	ing Liquid Chror	natography 1	riple-Quadrupo	le Mass Spectro	metry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
MAZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted b	oy:
MIDACLOPRID	0.010	P.P.	0.4	PASS	ND	<b>450, 585, 1440</b> 0.8545g	03/12/24			450,3379	
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesvil					
ALATHION	0.010	1.1.	0.2	PASS	ND	Analytical Batch : DA070377VOL Instrument Used : DA-GCMS-001			:03/13/24 14: 03/12/24 11:29		
ETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/12/24 17:26:56	5	aton pute i			
ETHIOCARB	0.010		0.1	PASS	ND	Dilution : 250					
ETHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 030324.R03; 040423.08; 021424.R	L8; 021424.R19	)			
IEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401					
IYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IALED	0.010	nnm	0.25	PASS	ND	Testing for agricultural agents is performed utiliz	in a Cara Channe	tography Tri	ala Ouadrupala	Macc Enostropos	strucio

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/15/24



..... Cresco Premium Flower 3.5g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40312005-013 Harvest/Lot ID: 0001 3428 6430 3149 Batch#:0001 3428 6430 3149

Sampled : 03/12/24 Ordered : 03/12/24

Sample Size Received : 59.5 gram Total Amount : 4500 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ <b>Ę</b>	Microbi	al			PAS	SED	လို့	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS	Level	AFLATOXIN I	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN (	G1		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN (	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da		-	xtracted l	
TOTAL YEAST AND MOLD 10 CFU/g 120				PASS	100000		0	0.8545g	03/12/24 16:3			50,3379	Jy:	
		e <b>ight:</b> 3132g OP.T.40.05	Extraction 0 03/12/24 12 8.FL, SOP.T.	2:48:47 40.209.FL	Extracte 3390		Analysis Metho SOP.T.30.102.1 Analytical Bato Instrument Use Analyzed Date	FL (Davie), : <b>h :</b> DA0703 ed : N/A	SOP.T.40.102 97MYC	Revie	40.101.FL wed On : 0 Date : 03/	3/13/24 1	1:29:13	
DA-020,fisher sotemp Heat Analyzed Date Dilution : N/A	: 03/13/24 17:20:27 424.35; 012424.36; 01	ock DA-04	9,Fisher Sci	entific	26		030624.R01 Consumables : Pipette : DA-09	326250IW 93; DA-094	; DA-219 Liquid Chromato	.124.R01; 03062				
Analyzed by: 3390, 585, 144	Weight: 0 0.8132g		raction date: L2/24 12:48		Extracted 3390	by:	Hg	Неа	avy M	etals			PAS	SED
	od : SOP.T.40.208 (Gai :h : DA070384TYM		Reviewed O	9.FL n:03/14/24 19: :03/12/24 12:49			Metal			LOD	Units	Result	Pass / Fail	Action Level
alyzed Date			batch bate	. 03/12/24 12.4.			TOTAL CONT	AMINANT	LOAD META	LS 0.080	ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	424.35; 012424.36; 01	12424.38;	012524.R09				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :							MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is performe F.S. Rule 64ER20-39.	d utilizing M	PN and tradit	ional culture based	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2748g	Extraction dat 03/12/24 15:1			xtracted b 022,4306	
							Analysis Metho Analytical Bato Instrument Use Analyzed Date	:h : DA0703 ed : DA-ICP	67HEA MS-004	Review	ed On : 03 ate : 03/1			
							Dilution : 50 Reagent : 0305 021324.R02 Consumables :			30424.R01; 0311 508058	.24.R04; 0	31124.R0	5; 030424	4.01;

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24



Cresco Premium Flower 3.5g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee revna@crescolabs.com Sample : DA40312005-013 Harvest/Lot ID: 0001 3428 6430 3149 Batch#:0001 3428 6430

3149 Sampled : 03/12/24 Ordered : 03/12/24

Sample Size Received : 59.5 gram Total Amount : 4500 units Completed : 03/15/24 Expires: 03/15/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material** 





PASSED

PASSED

Page 5 of 5

Analyte Filth and Foreigi	n Material	<b>LOD</b> 0.100	<b>Units</b> %	<b>Result</b> ND	P/F PASS	Action Level	Analyte Moisture Content		<b>LOD</b> 1.00	Units %	Result 14.91	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440					acted by:	Analyzed by:         Weight:           4444, 585, 1440         0.503g			Extraction date: 03/13/24 11:38:26			tracted by: 44	
Analysis Method : S Analytical Batch : D Instrument Used : I Analyzed Date : 03	DA070399FIL Filth/Foreign Ma		oscope			/24 20:52:22 4 20:31:43	Analysis Method : SOP.T. Analytical Batch : DA070 Instrument Used : DA-00 Analyzed Date : 03/13/24	387MOI 3 Moisture A	inalyzer		Reviewed On Batch Date : (		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 02 Consumables : N/A Pipette : DA-066	0124.02					
Filth and foreign mat technologies in accor				pection utilizi	ng naked ey	e and microscope	Moisture Content analysis u	tilizing loss-or	n-drying	technology	in accordance	with F.S. Rul	e 64ER20-39.
$\bigcirc$	Water	Activ	ity		PA	SSED							

Analyte Water Activity	_	. <b>OD</b>	<b>Units</b> aw	<b>Result</b> 0.511	P/F PASS	Action Level 0.65
Analyzed by: 4444, 585, 1440	Weight: 2.115g		traction d			<b>tracted by:</b> 144
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 03/13,	70390WAT 256 Rotronic Hyg	roPaln	n	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/15/24