



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Gastro Pop 5 (S)
Gastro Pop 5 (S)
Matrix: Flower
Type: Flower-Cured



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40312006-003
Harvest/Lot ID: 0001 3428 6430 4419
Batch#: 0001 3428 6430 4419
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 2063 9069 0000 0770
Batch Date: 02/06/24
Sample Size Received: 70 gram
Total Amount: 1120 units
Retail Product Size: 14 gram
Retail Serving Size: 14 gram
Servings: 1
Ordered: 03/11/24
Sampled: 03/12/24
Completed: 03/22/24
Sampling Method: SOP.T.20.010

Mar 22, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

27.619%

Total THC/Container : 3866.66 mg



Total CBD

0.134%

Total CBD/Container : 18.76 mg



Total Cannabinoids

32.402%

Total Cannabinoids/Container : 4536.28 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	2.305	28.865	ND	0.153	0.044	0.179	0.625	<0.010	0.018	0.033	0.180
mg/unit	322.70	4041.10	ND	21.42	6.16	25.06	87.50	<1.40	2.52	4.62	25.20
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:
585, 3335, 1665

Weight:
0.2006g

Extraction date:
03/15/24 15:04:33

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA070504POT
Instrument Used : DA-LC-002
Analyzed Date : 03/15/24 15:49:47

Reviewed On : 03/16/24 14:47:06
Batch Date : 03/15/24 10:54:13

Dilution : 400
Reagent : 022124.R04; 032123.11; 021424.R04
Consumables : 927.100; 280670723; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Gastro Pop 5 (S)
Gastro Pop 5 (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40312006-003

Harvest/Lot ID: 0001 3428 6430 4419

Batch# : 0001 3428 6430
4419

Sampled : 03/12/24
Ordered : 03/12/24

Sample Size Received : 70 gram

Total Amount : 1120 units

Completed : 03/22/24 Expires: 03/22/25

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	282.52	2.018		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	124.18	0.887		ALPHA-PHELLANDRENE	0.007	ND	ND	
LINALOOL	0.007	64.82	0.463		ALPHA-PINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	41.16	0.294		ALPHA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	22.96	0.164		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	12.18	0.087		BETA-PINENE	0.007	ND	ND	
LIMONENE	0.007	9.66	0.069		CIS-NEROLIDOL	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	7.56	0.054		GAMMA-TERPINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	<2.80	<0.020						
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BORNEOL	0.013	ND	ND		Weight: 0.9343g				
CAMPHENE	0.007	ND	ND		Extraction date: 03/15/24 16:51:13				
CAMPHOR	0.007	ND	ND		Extracted by: 4056,1879,795				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Analysis Batch : DA070529TER				
CEDROL	0.007	ND	ND		Instrument Used : DA-GCMS-009				
EUCALYPTOL	0.007	ND	ND		Analyzed Date : N/A				
FARNESENE	0.001	ND	ND		Dilution : 10				
FENCHONE	0.007	ND	ND		Reagent : N/A				
FENCHYL ALCOHOL	0.007	ND	ND		Consumables : N/A				
GERANIOL	0.007	ND	ND		Pipette : N/A				
GERANYL ACETATE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
ALPHA-BISABOLOL	0.007	ND	ND						
Total (%)			2.018						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Gastro Pop 5 (S)
Gastro Pop 5 (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40312006-003

Harvest/Lot ID: 0001 3428 6430 4419

Batch# : 0001 3428 6430
4419

Sampled : 03/12/24

Ordered : 03/12/24

Sample Size Received : 70 gram

Total Amount : 1120 units

Completed : 03/22/24 Expires: 03/22/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 585, 4056, 3379	Weight: 1.1922g	Extraction date: 03/15/24 17:09:58	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070498PES		Reviewed On : 03/18/24 11:43:52			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 03/15/24 10:27:24			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/16/24 18:36:50					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031324.R20; 040423.08; 031524.R05; 031324.R19; 031324.R52; 021324.R05; 031324.R17					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 585, 450, 1665	Weight: 1.1922g	Extraction date: 03/15/24 17:09:58	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070499VOL		Reviewed On : 03/18/24 11:40:54			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 03/15/24 10:28:50			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/15/24 17:18:47					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031324.R20; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/22/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Gastro Pop 5 (S)
Gastro Pop 5 (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40312006-003

Harvest/Lot ID: 0001 3428 6430 4419

Batch# : 0001 3428 6430
4419

Sampled : 03/12/24
Ordered : 03/12/24



Sample Size Received : 70 gram


Total Amount : 1120 units

Completed : 03/22/24 Expires: 03/22/25

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial					PASSED						Mycotoxins					PASSED				
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level								
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02								
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02								
SALMONELLA SPECIFIC GENE				Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02								
ECOLI SHIGELLA				Not Present	PASS																
TOTAL YEAST AND MOLD		10	CFU/g	70	PASS	100000	Analyzed by: 585, 4056, 3379		Weight: 1.1922g	Extraction date: 03/15/24 17:09:58		Extracted by: 450,3379									
Analyzed by: 585, 3390		Weight: 0.9173g		Extraction date: 03/12/24 13:01:01		Extracted by: 3390		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)													
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA070538MYC															
Analytical Batch : DA070379MIC						Reviewed On : 03/18/24 11:42:32															
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 03/15/24 14:53:30															
Analyzed Date : 03/13/24 17:20:26						Instrument Used : N/A															
Dilution : N/A						Analyzed Date : 03/16/24 18:39:15															
Reagent : 012424.35; 012424.36; 012424.38; 022224.R10; 091523.43						Dilution : 250															
Consumables : 7569002019						Reagent : 031324.R20; 040423.08; 031524.R05; 031324.R19; 031324.R52; 021324.R05; 031324.R17															
Pipette : N/A						Consumables : 326250IW															
						Pipette : DA-093; DA-094; DA-219															
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.															
Analyzed by: 585, 3390						Weight: 0.9173g		Extraction date: 03/12/24 13:01:01		Extracted by: 3390											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analytical Batch : DA070392TYM															
Analytical Batch : DA070392TYM						Reviewed On : 03/14/24 19:26:29															
Instrument Used : N/A						Batch Date : 03/12/24 13:01:24															
Analyzed Date : N/A																					
Dilution : N/A																					
Reagent : 012424.35; 012424.36; 012424.38; 022224.R10; 091523.43																					
Consumables : N/A																					
Pipette : N/A																					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																					

	Heavy Metals					PASSED				
Metal		LOD	Units	Result	Pass / Fail	Action Level				
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1				
ARSENIC		0.020	ppm	<0.100	PASS	0.2				
CADMIUM		0.020	ppm	ND	PASS	0.2				
MERCURY		0.020	ppm	ND	PASS	0.2				
LEAD		0.020	ppm	ND	PASS	0.5				
Analyzed by: 585		Weight: 0.2769g	Extraction date: 03/15/24 17:58:58		Extracted by: 4306.1022					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Gastro Pop 5 (S)
Gastro Pop 5 (S)
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40312006-003

Harvest/Lot ID: 0001 3428 6430 4419

Batch# : 0001 3428 6430
4419

Sampled : 03/12/24
Ordered : 03/12/24

Sample Size Received : 70 gram

Total Amount : 1120 units

Completed : 03/22/24 Expires: 03/22/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	10.81	PASS	15
Analyzed by: 585, 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 585, 4444	Weight: 0.512g	Extraction date: 03/13/24 11:38:31	Extracted by: 4444		
Analysis Method : SOP.T.40.090 Analytical Batch : DA070399FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/12/24 20:46:20						Analysis Method : SOP.T.40.021 Analytical Batch : DA070387MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/13/24 10:40:45					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.505	PASS	0.65
Analyzed by: 585, 4444	Weight: 2.259g	Extraction date: 03/14/24 09:45:59	Extracted by: 4444		
Analysis Method : SOP.T.40.019 Analytical Batch : DA070390WAT Instrument Used : DA256 Rotronic HygroPalm Analyzed Date : 03/13/24 10:41:51					
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/22/24