

## **Kaycha Labs**

Supply Disposable Vape 300mg - Face on Fire (S) x Gastro Pop 8 (S) Face on Fire (S) x Gastro Pop 8 (S)

Matrix: Derivative Type: Distillate



# **Certificate of Analysis**

COMPLIANCE FOR RETAIL

Sample:DA40315003-006 Harvest/Lot ID: 0001 3428 6430 8627

Batch#: 0001 3428 6430 8627

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734)

Seed to Sale# 2063 9069 0731 2263

Batch Date: 03/06/24

Sample Size Received: 15.3 gram

Total Amount: 784 units

Retail Product Size: 0.3 gram

**Ordered:** 03/14/24

Sampled: 03/15/24

Completed: 03/20/24 Revision Date: 03/20/24

Sampling Method: SOP.T.20.010

PASSED

Mar 20, 2024 | Sunnyside 22205 Sw Martin Hwy

indiantown, FL, 34956, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS







PASSED



PASSED



Microbials Mycotoxins PASSED



Residuals Solvents PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

**TESTED** 

**PASSED** 



#### Cannabinoid

**Total THC** 

Total THC/Container: 246.13 mg



**Total CBD** 

Total CBD/Container: 0.65 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 258.65

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	81.270	0.883	0.217	ND	ND	1.418	0.115	0.597	0.537	ND	1.179
ng/unit	243.81	2.65	0.65	ND	ND	4.25	0.35	1.79	1.61	ND	3.54
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
alyzed by: 35, 1665, 585	, 1440			Weight: 0.1018g		Extraction date: 03/15/24 15:24:	35			Extracted by: 3335	

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DAO70506POT Instrument Used: DA-LC-007 Analyzed Date: 03/15/24 15:26:38

Reviewed On: 03/18/24 15:02:54

Dilution: 400
Reagent: 022124.R04; 032123.11; 021424.R04
Consumables: 947.100; LLS-00-0005; 280670723; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Supply Disposable Vape 300mg - Face on Fire (S) x Gastro Pop 8 (S) Face on Fire (S) x Gastro Pop 8 (S)

Matrix: Derivative

Type: Distillate

# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40315003-006 Harvest/Lot ID: 0001 3428 6430 8627

Batch#:0001 3428 6430

Sampled: 03/15/24 Ordered: 03/15/24

Sample Size Received: 15.3 gram Total Amount : 784 units

Completed: 03/20/24 Expires: 03/20/25 Sample Method: SOP.T.20.010

Page 2 of 6



### **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	% I	Result (%)	
TOTAL TERPENES	0.007	5.72	1.908		SABINENE HYDRA	TE	0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	2.07	0.689		VALENCENE		0.007	ND	ND		
LIMONENE	0.007	0.70	0.234		ALPHA-CEDRENE		0.007	ND	ND		
ALPHA-HUMULENE	0.007	0.61	0.202		ALPHA-PHELLAND	RENE	0.007	ND	ND		
BETA-MYRCENE	0.007	0.59	0.198		ALPHA-TERPINEN	E	0.007	ND	ND		
ALPHA-BISABOLOL	0.007	0.53	0.176		ALPHA-TERPINOL	ENE	0.007	ND	ND		
LINALOOL	0.007	0.52	0.173		CIS-NEROLIDOL		0.007	ND	ND		
FENCHYL ALCOHOL	0.007	0.16	0.053		GAMMA-TERPINE	IE.	0.007	ND	ND		
CARYOPHYLLENE OXIDE	0.007	0.15	0.049		Analyzed by:	Weight:	Extra	ction date:		E	xtracted by:
BORNEOL	0.013	0.12	0.041		3605, 585, 1440	0.2894g		5/24 17:31:3	4	4	056,1879,795
TOTAL TERPINEOL	0.007	0.12	0.040			DP.T.30.061A.FL, SOP.T.40.0	61A.FL				
TRANS-NEROLIDOL	0.007	0.12	0.040		Analytical Batch : DA					9/24 11:51:10	
BETA-PINENE	0.007	0.09	0.029		Instrument Used : D Analyzed Date : N/A	A-GCMS-004		Batch	Date: 03/15/	24 13:37:43	
ALPHA-PINENE	0.007	0.07	0.024		Dilution: 10						
3-CARENE	0.007	ND	ND		Reagent : N/A						
CAMPHENE	0.007	ND	ND		Consumables : N/A						
CAMPHOR	0.007	ND	ND		Pipette : N/A						
CEDROL	0.007	ND	ND		Terpenoid testing is pe	rformed utilizing Gas Chromatog	graphy Mass Spectror	metry. For all	lower samples,	the Total Terpenes	% is dry-weight corrected.
EUCALYPTOL	0.007	ND	ND								
FARNESENE	0.001	ND	ND								
FENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
OCIMENE	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
Total (%)			1.908								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Supply Disposable Vape 300mg - Face on Fire (S) x Gastro Pop 8 (S) Face on Fire (S) x Gastro Pop 8 (S)

Matrix : Derivative

Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample : DA40315003-006 Harvest/Lot ID: 0001 3428 6430 8627

Batch#:0001 3428 6430

Sampled: 03/15/24 Ordered: 03/15/24 Sample Size Received: 15.3 gram
Total Amount: 784 units

Completed: 03/20/24 Expires: 03/20/25 Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

### **PASSED**

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010	P. P.	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010		3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
OTAL SPINOSAD	0.010	ppm	0.1	PASS	ND				0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE	0.010				
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR	0.010		0.1	PASS	ND
EQUINOCYL	0.010	F F	0.1	PASS	ND	PYRIDABEN	0.010		0.2	PASS	ND
CETAMIPRID	0.010	P. P.	0.1	PASS	ND	SPIROMESIFEN	0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
OXYSTROBIN	0.010	F F	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *			0.13	PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *	0.010				ND
LORPYRIFOS	0.010	F F	0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
AZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
CHLORVOS	0.010	1.1.	0.1	PASS	ND	Analyzed by: Weight:	Fy	traction da	te:	Extracted	l bv:
METHOATE	0.010		0.1	PASS	ND	<b>4056, 3379, 585, 1440</b> 0.2101g		/15/24 17:12		450,4056	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville),				.FL (Gainesville	),
OFENPROX	0.010	P. P.	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070496PES			On: 03/18/24		
NHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	e:03/15/24 10	:22:48	
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 03/16/24 18:38:17  Dilution : 250					
NPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 031324.R20; 040423.08; 031524.R05;	031324.R19	: 031324 RF	2: 021324.R05	: 031324.R17	
PRONIL	0.010		0.1	PASS	ND	Consumables: 326250IW		, ////	, 52252(05	.,	
ONICAMID	0.010	P. P.	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
UDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography 1	Triple-Quadrupo	le Mass Spectron	netry in
XYTHIAZOX	0.010	F F	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
AZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted b	y:
IDACLOPRID	0.010		0.4	PASS	ND	<b>450, 585, 1440</b> 0.2101g	03/15/24		.) COD T 40 1	450,4056	
ESOXIM-METHYL	0.010	F F	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gainesville), S Analytical Batch: DA070497VOL			e), SOP.T.40.15 :03/18/24 14:		
LATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-010			03/15/24 10:24		
TALAXYL	0.010		0.1	PASS	ND	Analyzed Date: 03/15/24 17:23:08			,,		
THIOCARB	0.010	F F	0.1	PASS	ND	Dilution: 250					
THOMYL	0.010		0.1	PASS	ND	Reagent: 031324.R20; 040423.08; 021424.R18;	021424.R19				
EVINPHOS	0.010	1.1.	0.1	PASS	ND	Consumables: 326250IW; 14725401					
YCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.010	mag	0.25	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Tri	nle-Quadrupole	Mass Spectrome	trv in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

Supply Disposable Vape 300mg - Face on Fire (S) x Gastro Pop 8 (S) Face on Fire (S) x Gastro Pop 8 (S)

Matrix: Derivative



Type: Distillate

# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40315003-006 Harvest/Lot ID: 0001 3428 6430 8627

Batch#: 0001 3428 6430

Sampled: 03/15/24 Ordered: 03/15/24

Sample Size Received: 15.3 gram Total Amount: 784 units

Completed: 03/20/24 Expires: 03/20/25 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.02g	Extraction date: 03/15/24 19:42:07			Extracted by: 850

Reviewed On: 03/18/24 15:00:32

Batch Date: 03/15/24 12:55:15

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA070524SOL Instrument Used: DA-GCMS-003

**Analyzed Date:** 03/15/24 19:42:32

Dilution: 1  $\textbf{Reagent:} \ \, \textbf{N/A}$ Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### Kaycha Labs

Supply Disposable Vape 300mg - Face on Fire (S) x Gastro Pop 8 (S) Face on Fire (S) x Gastro Pop 8 (S)

Matrix: Derivative

Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolahs com Sample : DA40315003-006 Harvest/Lot ID: 0001 3428 6430 8627

Batch#:0001 3428 6430

Sampled: 03/15/24 Ordered: 03/15/24 Sample Size Received: 15.3 gram Total Amount: 784 units

Completed: 03/20/24 Expires: 03/20/25 Sample Method: SOP.T.20.010

Page 5 of 6

ppm

ppm

ppm

ppm

ppm

Reviewed On: 03/18/24 14:22:41

Batch Date: 03/15/24 14:51:48

LOD

0.002

0.002

0.002

0.002

0.002

**Extraction date:** 

03/15/24 17:12:49



### **Microbial**

# **PASSED**



# **Mycotoxins**

Weight:

0.2101g

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

Reagent: 031324.R20; 040423.08; 031524.R05; 031324.R19; 031324.R52; 021324.R05;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

### **PASSED**

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

450,4056

Result

ND

ND

ND

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	4056, 3379, 585, 1440

Analyzed by Weight: **Extraction date:** Extracted by: 3390, 585, 1440 03/15/24 13:52:36 3621,3390 0.913g

Analysis Method: SOP.T.40.056C. SOP.T.40.058.FL. SOP.T.40.209.FL

Analytical Batch: DA070495MIC Reviewed On: 03/18/24

Batch Date: 03/15/24 Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date: 03/15/24 13:56:02

Reagent: 012424.23; 012424.39; 022224.R10; 091523.43 Consumables: 7569003014

Pipette: N/A

Analyzed by: 3390, 4351, 4044, 585, 1440	Weight: 0.913g	Extraction date: 03/15/24 13:52:36	Extracted by: 3621,3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA070510TYM Reviewed On: 03/18/24 15:02:56 Instrument Used : N/ABatch Date: 03/15/24 11:06:54

Analyzed Date: 03/15/24 17:56:42 Dilution: N/A

**Reagent :** 012424.23; 012424.39; 012524.R09

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

**Heavy Metals** Hg

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA070537MYC

**Analyzed Date:** 03/16/24 18:39:28

Instrument Used : N/A

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Dilution: 250

031324.R17

Metal			LOD	Units	Result	Pass / Fail	Action Level	
<b>TOTAL CONTAMINA</b>	NT LOAD MET	ALS	0.080	ppm	ND	PASS	1.1	
ARSENIC			0.020	ppm	ND	PASS	0.2	
CADMIUM			0.020	ppm	ND	PASS	0.2	
MERCURY			0.020	ppm	ND	PASS	0.2	
LEAD			0.020	ppm	ND	PASS	0.5	
Analyzed by: 585, 1440	Weight: 0.2629g	Extractio 03/15/24		7		racted by 06,1022		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 03/20/24 10:02:43 Analytical Batch: DA070525HEA Instrument Used : DA-ICPMS-004 Batch Date: 03/15/24 13:16:10 Analyzed Date : N/A

Dilution: 50

Reagent: 030524.R01; 031424.R03; 030424.01; 031124.R06; 031124.R04; 031124.R05

Consumables: 179436; 210618-336; 210508058

Pipette: DA-061; DA-191; DA-216

 $Heavy\ Metals\ analysis\ is\ performed\ using\ Inductively\ Coupled\ Plasma\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### Kaycha Labs

Supply Disposable Vape 300mg - Face on Fire (S) x Gastro Pop 8 (S) Face on Fire (S) x Gastro Pop 8 (S)

Matrix: Derivative



Type: Distillate

# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40315003-006 Harvest/Lot ID: 0001 3428 6430 8627

Batch#: 0001 3428 6430 8627

Sampled: 03/15/24 Ordered: 03/15/24

Sample Size Received: 15.3 gram Total Amount: 784 units Completed: 03/20/24 Expires: 03/20/25

Sample Method: SOP.T.20.010

Page 6 of 6



#### Filth/Foreign **Material**

Reviewed On: 03/16/24 22:09:31 Batch Date: 03/16/24 21:44:29

Reviewed On: 03/18/24 07:23:11

Batch Date: 03/15/24 13:44:18

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA070571FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 03/16/24 21:51:58

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

Analyte Water Activity	_	. <b>OD Units</b> 0.010 aw	<b>Result</b> 0.494	P/F PASS	Action Level 0.85
Analyzed by:	Weight:	Extraction d			tracted by:

Analysis Method : SOP.T.40.019 Analytical Batch: DA070535WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 03/15/24 13:56:56

Dilution : N/A Reagent: 022024.28 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164