

Kaycha Labs Supply Vape Cartridge 500mg - Rntz (H) x Tye Dye (H) Rntz (H) x Tye Dye (H)



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Sample:DA40315003-007 Harvest/Lot ID: 0001 3428 6430 7856 Batch#: 0001 3428 6430 7856 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 2063 9069 0000 0905 Batch Date: 03/07/24 Sample Size Received: 15.5 gram Total Amount: 1674 units Retail Product Size: 0.5 gram Ordered: 03/14/24 Sampled: 03/15/24 Completed: 03/20/24 Sampling Method: SOP.T.20.010

Matrix: Derivative

Type: Distillate

PASSED

Mar 20, 2024 | Sunnyside 22205 Sw Martin Hwy

PRODUCT IMAGE

indiantown, FL, 34956, US

SAFETY RESULTS

Pesticides

PASSED

Cannabinoid

Hg

Heavy Metals

PASSED

Sunnyside



Mycotoxins

PASSED

Microbials

PASSED













Pages 1 of 6






MISC.

Moisture

TESTED

PASSED



Consumables : 927.100; LLS-00-0005; 280670723; 0000185478 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/20/24



Supply Vape Cartridge 500mg - Rntz (H) x Tye Dye (H) Rntz (H) x Tye Dye (H) Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40315003-007 Harvest/Lot ID: 0001 3428 6430 7856 Batch#:0001 3428 6430 7856

Sampled : 03/15/24 Ordered : 03/15/24

Sample Size Received : 15.5 gram Total Amount : 1674 units Completed : 03/20/24 Expires: 03/20/25 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

lerpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	% Res	sult (%)
OTAL TERPENES	0.007	12.45	2.489		SABINENE HYDRATE		0.007	ND	ND	
ARNESENE	0.001	2.14	0.428		VALENCENE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	1.98	0.396		ALPHA-CEDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	1.93	0.386		ALPHA-PHELLANDRENE		0.007	ND	ND	
IMONENE	0.007	1.66	0.331		ALPHA-TERPINENE		0.007	ND	ND	
INALOOL	0.007	1.28	0.256		ALPHA-TERPINOLENE		0.007	ND	ND	
LPHA-BISABOLOL	0.007	1.22	0.243		CIS-NEROLIDOL		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.60	0.119		GAMMA-TERPINENE		0.007	ND	ND	
RANS-NEROLIDOL	0.007	0.45	0.089		Analyzed by:	Weight:		action date:		Extracted by:
ENCHYL ALCOHOL	0.007	0.27	0.054		3605, 585, 1440	0.3034g	03/1	15/24 17:36:1	.5	4056,1879,795
ARYOPHYLLENE OXIDE	0.007	0.26	0.052		Analysis Method : SOP.T.30.061					
OTAL TERPINEOL	0.007	0.22	0.044		Analytical Batch : DA070530TE Instrument Used : DA-GCMS-00				wed On : 03/19/24	
ORNEOL	0.013	0.21	0.041		Analyzed Date : N/A	14		Batch	Date: 03/15/24	13:37:43
ETA-PINENE	0.007	0.19	0.037		Dilution : 10					
UAIOL	0.007	0.16	0.031		Reagent : N/A					
LPHA-PINENE	0.007	0.13	0.026		Consumables : N/A					
CARENE	0.007	ND	ND		Pipette : N/A					
AMPHENE	0.007	ND	ND		Terpenoid testing is performed utili	zing Gas Chromatography I	lass Spectro	ometry. For all I	Flower samples, the	Total Terpenes % is dry-weight corrected.
AMPHOR	0.007	ND	ND							
EDROL	0.007	ND	ND							
UCALYPTOL	0.007	ND	ND							
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
IEXAHYDROTHYMOL	0.007	ND	ND							
	0.007	ND	ND							
SOBORNEOL		ND	ND							
	0.007									
SOPULEGOL	0.007	ND	ND							
SOPULEGOL IEROL		ND ND	ND ND							
SOPULEGOL IEROL DCIMENE	0.007									
ISOBORNEOL ISOPULEGOL NEROL OCIMENE PULEGONE SABINENE	0.007	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/24



Type: Distillate

Supply Vape Cartridge 500mg - Rntz (H) x Tye Dye (H) Rntz (H) x Tye Dye (H) Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40315003-007 Harvest/Lot ID: 0001 3428 6430 7856

Batch# :0001 3428 6430 7856 Sampled :03/15/24 Ordered :03/15/24 Sample Size Received : 15.5 gram Total Amount : 1674 units Completed : 03/20/24 Expires: 03/20/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	The second secon	5	PASS	< 0.050	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	The second secon	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	< 0.050
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	The second secon	0.1	PASS	ND				0.1	PASS	ND
ACEPHATE	0.010	T.E.	0.1	PASS	ND	PROPOXUR		ppm			
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
CARBARYL	0.010		0.5 0.1	PASS	ND ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.010	T.E.	1	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		0.1	PASS	ND	CAPTAN *	0.070		0.7	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND		0.010		0.1	PASS	ND
CLOFENTEZINE	0.010 0.010		0.2	PASS	ND	CHLORDANE *					
COUMAPHOS	0.010	The second secon	0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
DAMINOZIDE DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DIMETHOATE	0.010	The second secon	0.1	PASS	ND	Analyzed by: Weight:		traction date		Extracted	l by:
ETHOPROPHOS	0.010		0.1	PASS	ND	4056, 3379, 585, 1440 0.2612g		/15/24 17:12:4		450,4056	
ETOFENPROX	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville),	SOP.T.30.10)2.FL (Davie),	SOP.T.40.101	.FL (Gainesville	,
ETOXAZOLE	0.010	The second secon	0.1	PASS	ND	SOP.T.40.102.FL (Davie) Analytical Batch :DA070496PES		Poviowod O	n:03/18/241	4.21.40	
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			03/15/24 10:		
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :03/16/24 18:38:17					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.010		0.1	PASS	ND	Reagent: 031324.R20; 040423.08; 031524.R05;	031324.R19	; 031324.R52	021324.R05	;031324.R17	
FLONICAMID	0.010		0.1	PASS	ND	Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is performed utilizing	Liquid Chron	natography Tri		o Mass Sportron	oto, in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	Elquiu ciliuli	natography m	pie-Quadrupoi	e Mass Spectron	ieu y in
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	on date:		Extracted b	v:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2612g	03/15/24	17:12:49		450,4056	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville),					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA070497VOL		eviewed On :			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :03/15/24 17:23:08	Ba	atch Date :03	/15/24 10:24:	:49	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 031324.R20; 040423.08; 021424.R18;	021424.R19)			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	e-Quadrupole I	Mass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/24



Type: Distillate

Supply Vape Cartridge 500mg - Rntz (H) x Tye Dye (H) Rntz (H) x Tye Dye (H) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40315003-007 Harvest/Lot ID: 0001 3428 6430 7856 Batch# : 0001 3428 6430 7856 Total An Sampled : 02/15/24 Council

Sampled : 03/15/24 Ordered : 03/15/24 Su 7856 Sample Size Received : 15.5 gram Total Amount : 1674 units Completed : 03/20/24 Expires: 03/20/25 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
FOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.02g	Extraction date: 03/15/24 19:42:08		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA070524SOL Instrument Used : DA-GCMS-003 Analyzed Date : 03/15/24 19:42:32			d On : 03/18/24 15:00:33 t e : 03/15/24 12:55:15		
Dilution : 1 Reagent : N/A Consumables : N/A					

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/24

PASSED



Type: Distillate

Supply Vape Cartridge 500mg - Rntz (H) x Tye Dye (H) Rntz (H) x Tye Dye (H) Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40315003-007 Harvest/Lot ID: 0001 3428 6430 7856 Batch# : 0001 3428 6430 Sample

7856 Sampled : 03/15/24 Ordered : 03/15/24 Sample Size Received : 15.5 gram Total Amount : 1674 units Completed : 03/20/24 Expires: 03/20/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Micro	obial				PAS	SED	လို့	Мусо	otoxin	IS			PAS	SED
Analyte		I	LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present	PASS	Lever	AFLATOXIN I	32		0.002	ppm	ND	PASS	0.02
ASPERGILLUS					Not Present	PASS		AFLATOXIN I			0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S FUMIGATUS	;			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
SPERGILLUS	S FLAVUS				Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
ALMONELLA	A SPECIFIC GE	NE			Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA				Not Present	PASS		Analyzed by:		Weight:	Extractio	n date:		Extracted	by:
OTAL YEAS	T AND MOLD		10	CFU/g	<10	PASS	100000		5, 1440	0.2612g	03/15/24	17:12:49		450,4056	
nalyzed by: 390, 585, 144				tion date: /24 13:52:37		xtracted b 621,3390	y:		d : SOP.T.30.1(L (Davie), SOP			40.101.FL	. (Gainesvi	lle),	
	od : SOP.T.40.0 :h : DA070495M		40.058	3.FL, SOP.T.4		i On : 03/18	8/24	Instrument Use	h:DA070537M ed:N/A :03/16/24 18:3				3/18/24 1 15/24 14:		
sotemp Heat E DA-049,Fisher Analyzed Date	ed : PathogenD Block DA-020,fi Scientific Isote : 03/15/24 13:	sherbrand Is mp Heat Blo	sotem	p Heat Block		te:03/15/2	24	031324.R17 Consumables :	324.R20; 04042 326250IW 93; DA-094; DA		.R05; 03132	4.R19; 03	1324.R52	021324.	R05;
	424.23; 012424 7569003014	.39; 022224	4.R10;	091523.43				Mycotoxins test	ing utilizing Liqui n F.S. Rule 64ER2	d Chromatograp	ohy with Triple	e-Quadrupo	le Mass Spe	ctrometry	in
nalyzed by: 390, 4351, 40	944, 585, 1440		ight: 83g	Extraction 03/15/24		Extracte 3621,33		Hg	Heav	y Met	als			PAS	SED
nalytical Batc	od : SOP.T.40.20 ch : DA070510T ed : N/A : 03/15/24 17:5	ΥM	F	Reviewed On	.FL : 03/18/24 15: 03/15/24 11:00			Metal			LOD	Units	Result	Pass / Fail	Action Level
ilution : N/A									AMINANT LOA	AD METALS	0.080	ppm	ND	PASS	1.1
	424.23; 012424	.39; 012524	4.R09					ARSENIC			0.020	ppm	ND	PASS	0.2
onsumables :	N/A							CADMIUM			0.020	ppm	ND	PASS PASS	0.2
ipette : N/A								MERCURY LEAD			0.020	ppm ppm	ND <0.100		0.2
	mold testing is pe F.S. Rule 64ER20		zing MP	'N and traditio	nal culture based	techniques !	in	Analyzed by:	Weigh		action date:		Ext	racted by	0.0
								Analytical Bate		32.FL, SOP.T.4 IEA 004	Reviewo Batch D	ed On : 03, ate : 03/1	/20/24 10: 5/24 13:16	5:10	R05

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/24



Type: Distillate

Page 6 of 6

Supply Vape Cartridge 500mg - Rntz (H) x Tye Dye (H) Rntz (H) x Tye Dye (H) Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com
 Sample : DA40315003-007

 Harvest/Lot ID: 0001 3428 6430 7856

 Batch# : 0001 3428 6430
 Sample

 7856
 Total Ar

 Sampled : 03/15/24
 Compler

PASSED

Ordered : 03/15/24

30 7856 Sample Size Received : 15.5 gram Total Amount : 1674 units Completed : 03/20/24 Expires: 03/20/25 Sample Method : SOP.T.20.010

Analyte Filth and Foreign	Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Leve
Analyzed by: 1879, 585, 1440	We i NA	ight:	Extraction N/A	on date:	Extr N/A	acted by:
Analysis Method : SC Analytical Batch : DA Instrument Used : Fil Analyzed Date : 03/1	A070571FIL	erial Micro	oscope			5/24 22:12:02 24 21:44:29
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign mater				spection utilizi	ng naked ey	e and microscope
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign mater technologies in accords		le 64ER20-	vity Units	Result 0.456		Action Leve

Analytical Batch : DA070535WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 03/15/24 13:56:56 Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/20/24