



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 300mg - Cali Rsns (H) x Tye Dye (H)
Cali Raisins (H) x Tye Dye (H)
Matrix: Derivative
Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40318003-002
Harvest/Lot ID: 0001 3428 6431 4870
Batch#: 0001 3428 6431 4870
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale#: 2063 9069 0000 2194
Batch Date: 03/08/24
Sample Size Received: 15.3 gram
Total Amount: 2148 units
Retail Product Size: 0.3 gram
Retail Serving Size: 0.3 gram
Servings: 1
Ordered: 03/18/24
Sampled: 03/18/24
Completed: 03/21/24
Sampling Method: SOP.T.20.010

Mar 21, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

86.503%

Total THC/Container : 259.51 mg



Total CBD

0.563%

Total CBD/Container : 1.69 mg



Total Cannabinoids

91.984%

Total Cannabinoids/Container : 275.95 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.332	0.196	0.563	ND	0.144	2.711	ND	1.056	0.371	ND	0.611
mg/unit	259.00	0.59	1.69	ND	0.43	8.13	ND	3.17	1.11	ND	1.83
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1142g

Extraction date:
03/19/24 14:26:07

Extracted by:
1665, 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070615POT

Instrument Used : DA-LC-007

Analyzed Date : 03/19/24 14:37:45

Reviewed On : 03/20/24 13:57:47

Batch Date : 03/19/24 10:28:10

Dilution : 400

Reagent : 022124.R04; 060723.24; 030824.R01

Consumables : 947.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 300mg - Cali Rsns (H) x Tye Dye (H)
Cali Raisins (H) x Tye Dye (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40318003-002

Harvest/Lot ID: 0001 3428 6431 4870

Batch# : 0001 3428 6431
4870

Sampled : 03/18/24

Ordered : 03/18/24

Sample Size Received : 15.3 gram

Total Amount : 2148 units

Completed : 03/21/24 Expires: 03/21/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.13	2.375		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.59	0.530		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	1.51	0.504		ALPHA-CEDRENE	0.007	ND	ND	
FARNESENE	0.001	1.34	0.446		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	0.73	0.244		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	0.72	0.239		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.44	0.145		CIS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.23	0.075		GAMMA-TERPINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	0.18	0.061						
ALPHA-BISABOLOL	0.007	0.18	0.061		Analysis by:	Weight:	Extraction date:	Extracted by:	
TRANS-NEROLIDOL	0.007	0.15	0.050		3605, 585, 1440	0.1983g	03/19/24 14:46:46	3605	
BETA-PINENE	0.007	0.14	0.048		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-PINENE	0.007	0.10	0.033		Analytical Batch : DA070634TER			Reviewed On : 03/20/24 13:57:52	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 03/19/24 10:54:06	
BORNEOL	0.013	ND	ND		Analyzed Date : 03/19/24 14:47:24				
CAMPHENE	0.007	ND	ND		Dilution : 10				
CAMPHOR	0.007	ND	ND		Reagent : 022224.01				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; CE0123				
CEDROL	0.007	ND	ND		Pipette : DA-063				
EUCALYPTOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.375						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 300mg - Cali Rsns (H) x Tye Dye (H)

Cali Raisins (H) x Tye Dye (H)

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40318003-002

Harvest/Lot ID: 0001 3428 6431 4870

Batch# : 0001 3428 6431
4870

Sampled : 03/18/24

Ordered : 03/18/24

Sample Size Received : 15.3 gram

Total Amount : 2148 units

Completed : 03/21/24 Expires: 03/21/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2483g	03/19/24 16:47:22	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070619PES		Reviewed On : 03/20/24 13:52:14			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 03/19/24 10:32:37			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/19/24 16:55:48					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 031324.R20; 040423.08					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2483g	03/19/24 16:47:22	3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA070623VOL		Reviewed On : 03/20/24 13:50:14			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 03/19/24 10:34:43			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 031324.R20; 040423.08; 031824.R05; 031824.R06					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 300mg - Cali Rsns (H) x Tye Dye (H)
Cali Raisins (H) x Tye Dye (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40318003-002

Harvest/Lot ID: 0001 3428 6431 4870

Batch# : 0001 3428 6431
4870

Sampled : 03/18/24

Ordered : 03/18/24

Sample Size Received : 15.3 gram

Total Amount : 2148 units

Completed : 03/21/24 Expires: 03/21/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.029g

Extraction date:
03/19/24 16:07:20

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA070654SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/19/24 16:08:37

Reviewed On : 03/20/24 14:35:27
Batch Date : 03/19/24 14:42:07

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 300mg - Cali Rsns (H) x Tye Dye (H)
Cali Raisins (H) x Tye Dye (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40318003-002

Harvest/Lot ID: 0001 3428 6431 4870

Batch# : 0001 3428 6431
4870

Sampled : 03/18/24

Ordered : 03/18/24

Sample Size Received : 15.3 gram

Total Amount : 2148 units

Completed : 03/21/24 Expires: 03/21/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial					PASSED		Mycotoxins					PASSED
Analyte	LOD	Units	Result	Pass / Fail	Action Level		Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS			AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS NIGER			Not Present	PASS			AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FUMIGATUS			Not Present	PASS			OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
ASPERGILLUS FLAVUS			Not Present	PASS			AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
SALMONELLA SPECIFIC GENE			Not Present	PASS			AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
ECOLI SHIGELLA			Not Present	PASS									
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		Analyzed by:		Weight:	Extraction date:		Extracted by:	
							3390, 585, 1440		0.2483g	03/19/24 16:47:22		3379	
Analyzed by: 3390, 585, 1440							Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL							Analytical Batch : DA070624MYC						
Analytical Batch : DA070616MIC							Instrument Used : N/A						
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021							Analyzed Date : 03/19/24 16:56:05						
Analyzed Date : 03/19/24 13:47:50							Dilution : 250						
Dilution : N/A							Reagent : 031324.R20; 040423.08						
Reagent : 012424.20; 012424.39; 031824.R18; 091523.43							Consumables : 326250IW						
Consumables : 7569003010							Pipette : N/A						
Pipette : N/A							Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						
Analyzed by:	Weight:	Extraction date:		Extracted by:				Heavy Metals					PASSED
3621, 3390, 585, 1440	1.078g	03/19/24 13:18:44		3390									
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL							Metal	LOD	Units	Result	Pass / Fail	Action Level	
Analytical Batch : DA070635TYM							TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
Instrument Used : Incubator (25-27°C) DA-096							ARSENIC	0.020	ppm	ND	PASS	0.2	
Analyzed Date : 03/19/24 15:15:20							CADMIUM	0.020	ppm	ND	PASS	0.2	
Dilution : N/A							MERCURY	0.020	ppm	ND	PASS	0.2	
Reagent : 012424.20; 012424.39; 012524.R09							LEAD	0.020	ppm	ND	PASS	0.5	
Consumables : N/A							Analyzed by:	Weight:	Extraction date:		Extracted by:		
Pipette : N/A							585, 1440	0.2358g	03/19/24 16:51:55		1022		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
							Analytical Batch : DA070607HEA						
							Instrument Used : DA-ICPMS-004						
							Analyzed Date : N/A						
							Dilution : 50						
							Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01						
							Consumables : 179436; 34623011; 210508058						
							Pipette : DA-061; DA-191; DA-216						
							Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 300mg - Cali Rsns (H) x Tye Dye (H)
Cali Raisins (H) x Tye Dye (H)
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40318003-002

Harvest/Lot ID: 0001 3428 6431 4870

Batch# : 0001 3428 6431
4870

Sampled : 03/18/24

Ordered : 03/18/24

Sample Size Received : 15.3 gram

Total Amount : 2148 units

Completed : 03/21/24 Expires: 03/21/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filtration/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filtration and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA070692FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 03/20/24 22:16:29

Reviewed On : 03/20/24 22:37:24

Batch Date : 03/20/24 22:12:35

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.500	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.507g	Extraction date: 03/20/24 15:48:47	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA070652WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : 03/20/24 14:03:55

Reviewed On : 03/20/24 17:58:48

Batch Date : 03/19/24 13:06:05

Dilution : N/A

Reagent : 022024.28

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/24