



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40321012-013  
Harvest/Lot ID: 2063 9069 0000 4171  
Batch#: 2063 9069 0000 4171  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 2063 9069 0000 5606  
Batch Date: 03/19/24  
Sample Size Received: 16 gram  
Total Amount: 965.00 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 03/21/24  
Sampled: 03/21/24  
Completed: 03/25/24  
Sampling Method: SOP.T.20.010

Mar 25, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



## Cannabinoid

**PASSED**



Total THC

**60.661%**

Total THC/Container : 606.61 mg



Total CBD

**29.806%**

Total CBD/Container : 298.06 mg



Total Cannabinoids

**95.390%**

Total Cannabinoids/Container : 953.90 mg

%	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
mg/unit	606.61	ND	298.06	ND	2.91	16.54	ND	7.39	4.28	1.86	16.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1075g

Extraction date:  
03/22/24 13:36:46

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070768POT

Instrument Used : DA-LC-003

Analyzed Date : 03/22/24 13:53:34

Reviewed On : 03/25/24 09:47:00

Batch Date : 03/22/24 11:07:43

Dilution : 400

Reagent : 022724.R01; 060723.24; 030824.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/25/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g

Day Off 1:2

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40321012-013

Harvest/Lot ID: 2063 9069 0000 4171

Batch# : 2063 9069 0000  
4171

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 965.00 units

Completed : 03/25/24 Expires: 03/25/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	45.18	4.518		SABINENE	0.007	ND	ND	
LIMONENE	0.007	13.98	1.398		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	12.22	1.222		VALENCENE	0.007	ND	ND	
BETA-MYRCENE	0.007	8.10	0.810		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	3.49	0.349		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-PINENE	0.007	2.22	0.222		ALPHA-TERPINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	1.54	0.154		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-PINENE	0.007	1.49	0.149		GAMMA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.83	0.083						
ALPHA-TERPINOLENE	0.007	0.39	0.039		Analysis by:	Weight:	Extraction date:	Extracted by:	
CARYOPHYLLENE OXIDE	0.007	0.38	0.038		3605, 585, 1440	0.1992g	03/22/24 14:34:34	3605	
CAMPHENE	0.007	0.31	0.031		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
TRANS-NEROLIDOL	0.007	0.23	0.023		Analytical Batch : DA070741TER			Reviewed On : 03/25/24 09:47:02	
3-CARENE	0.007	ND	ND		Instrument Used : DA-GCMS-009			Batch Date : 03/22/24 08:37:05	
BORNEOL	0.013	ND	ND		Analyzed Date : 03/22/24 14:35:02				
CAMPHOR	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 022224.01				
EUCALYPTOL	0.007	ND	ND		Consumables : 947.109; CE0123				
FARNESENE	0.001	ND	ND		Pipette : DA-063				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
LINALOOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
Total (%)			4.518						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/25/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g

Day Off 1:2

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40321012-013

Harvest/Lot ID: 2063 9069 0000 4171

Batch# : 2063 9069 0000  
4171

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 965.00 units

Completed : 03/25/24 Expires: 03/25/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2826g	Extraction date: 03/22/24 16:37:08	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA070763PES			Reviewed On : 03/25/24 11:16:36 Batch Date : 03/22/24 11:00:39		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 03/22/24 16:42:40					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 031924.R27; 040423.08					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2826g	Extraction date: 03/22/24 16:37:08	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA070765VOL			Reviewed On : 03/25/24 11:15:16 Batch Date : 03/22/24 11:03:00		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Date : 03/22/24 17:33:04					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06					
MALATHION	0.010	ppm	0.2	PASS	ND	Consumables : 326250IW; 14725401					
METALAXYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/25/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g  
Day Off 1:2  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40321012-013

Harvest/Lot ID: 2063 9069 0000 4171

Batch# : 2063 9069 0000  
4171

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 965.00 units

Completed : 03/25/24 Expires: 03/25/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0201g

Extraction date:  
03/24/24 15:24:47

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA070791SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 03/22/24 18:01:45

Reviewed On : 03/25/24 09:45:23  
Batch Date : 03/22/24 16:44:41

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/25/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g

Day Off 1:2

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40321012-013

Harvest/Lot ID: 2063 9069 0000 4171

Batch# : 2063 9069 0000  
4171


Sample Size Received : 16 gram


Total Amount : 965.00 units


Completed : 03/25/24 Expires: 03/25/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
<b>SALMONELLA SPECIFIC GENE</b>			Not Present	PASS	
<b>ECOLI SHIGELLA</b>			Not Present	PASS	
<b>ASPERGILLUS FLAVUS</b>			Not Present	PASS	
<b>ASPERGILLUS FUMIGATUS</b>			Not Present	PASS	
<b>ASPERGILLUS TERREUS</b>			Not Present	PASS	
<b>ASPERGILLUS NIGER</b>			Not Present	PASS	
<b>TOTAL YEAST AND MOLD</b>	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3390, 53, 585, 1440	<b>Weight:</b> 0.861g	<b>Extraction date:</b> 03/22/24 13:03:46	<b>Extracted by:</b> 3390,4044		
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			<b>Reviewed On :</b> 03/25/24 15:15:51		
<b>Analytical Batch :</b> DA070748MIC			<b>Batch Date :</b> 03/22/24 09:48:27		
<b>Instrument Used :</b> PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
<b>Analyzed Date :</b> 03/25/24 11:38:39					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 012424.15; 012424.27; 031824.R18; 091523.42					
<b>Consumables :</b> 7569003009					
<b>Pipette :</b> N/A					
<b>Analyzed by:</b> 4351, 4451, 585, 1440					
<b>Weight:</b> 0.861g					
<b>Extraction date:</b> 03/22/24 13:03:46					
<b>Extracted by:</b> 3390,4044					
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
<b>Analytical Batch :</b> DA070749TYM					
<b>Instrument Used :</b> N/A					
<b>Analyzed Date :</b> N/A					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 012424.15; 012424.27; 031824.R19					
<b>Consumables :</b> N/A					
<b>Pipette :</b> N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<b>Mycotoxins</b>	<b>PASSED</b>			
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
<b>AFLATOXIN B2</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN B1</b>	0.002	ppm	ND	PASS	0.02
<b>OCHRATOXIN A</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G1</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G2</b>	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2826g	<b>Extraction date:</b> 03/22/24 16:37:08	<b>Extracted by:</b> 3379		
<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
<b>Analytical Batch :</b> DA070767MYC					
<b>Instrument Used :</b> N/A					
<b>Analyzed Date :</b> 03/22/24 16:42:13					
<b>Dilution :</b> 250					
<b>Reagent :</b> 031924.R27; 040423.08					
<b>Consumables :</b> 326250IW					
<b>Pipette :</b> N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>			
<b>Metal</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.080	ppm	ND	PASS	1.1
<b>ARSENIC</b>	0.020	ppm	ND	PASS	0.2
<b>CADMIUM</b>	0.020	ppm	ND	PASS	0.2
<b>MERCURY</b>	0.020	ppm	ND	PASS	0.2
<b>LEAD</b>	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440	<b>Weight:</b> 0.2983g	<b>Extraction date:</b> 03/22/24 12:19:23	<b>Extracted by:</b> 1022		
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL					
<b>Analytical Batch :</b> DA070756HEA					
<b>Instrument Used :</b> DA-ICPMS-004					
<b>Analyzed Date :</b> 03/25/24 14:19:57					
<b>Dilution :</b> 50					
<b>Reagent :</b> 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01					
<b>Consumables :</b> 179436; 34623011; 210508058					
<b>Pipette :</b> DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/25/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Day Off 1:2 Cartridge 1g  
Day Off 1:2  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40321012-013

Harvest/Lot ID: 2063 9069 0000 4171

Batch# : 2063 9069 0000  
4171

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 965.00 units

Completed : 03/25/24 Expires: 03/25/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA070787FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/22/24 21:53:51

Reviewed On : 03/22/24 22:38:23

Batch Date : 03/22/24 12:49:10

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.473	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.386g	Extraction date: 03/22/24 17:36:08	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA070790WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/22/24 17:07:44

Reviewed On : 03/25/24 09:54:47

Batch Date : 03/22/24 12:49:52

Dilution : N/A

Reagent : 022024.28

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/25/24