



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40321012-022
Harvest/Lot ID: 2063 9069 0000 0199
Batch#: 2063 9069 0000 0199
Cultivation Facility: FL - Indiantown (3734)
Processing Facility : FL - Indiantown (3734)
Source Facility : FL - Indiantown (3734)
Seed to Sale# 2063 9069 0000 4180
Batch Date: 03/14/24
Sample Size Received: 8 units
Total Amount: 1822.00 units
Retail Product Size: 30 ml
Retail Serving Size: 30 ml
Servings: 1
Sample Density: 1.0 g/mL
Ordered: 03/21/24
Sampled: 03/21/24
Completed: 03/25/24
Sampling Method: SOP.T.20.010

Mar 25, 2024 | Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
1.794%

Total THC/Container : 538.20 mg



Total CBD
0.013%

Total CBD/Container : 3.90 mg



Total Cannabinoids
1.884%

Total Cannabinoids/Container : 565.20 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.793	0.002	0.013	ND	<0.010	0.046	ND	0.019	<0.010	ND	0.011
mg/unit	537.90	0.60	3.90	ND	<3.00	13.80	ND	5.70	<3.00	ND	3.30
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
2.9385g

Extraction date:
03/22/24 13:36:50

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070768POT

Instrument Used : DA-LC-003

Analyzed Date : 03/22/24 13:53:34

Reviewed On : 03/25/24 09:48:35

Batch Date : 03/22/24 11:07:43

Dilution : 400
Reagent : 022724.R01; 060723.24; 030824.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164



Signature
03/25/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-022
Harvest/Lot ID: 2063 9069 0000 0199

Batch# : 2063 9069 0000
Sample Size Received : 8 units
Total Amount : 1822.00 units
Sampled : 03/21/24
Completed : 03/25/24 Expires: 03/25/25
Ordered : 03/21/24
Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070763PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 03/22/24 16:42:40 Reviewed On : 03/25/24 11:17:10 Batch Date : 03/22/24 11:00:39 Dilution : 250 Reagent : 031924.R27; 040423.08 Consumables : 326250IW Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENHEXAMID	0.010	ppm	3	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FLONICAMID	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
MALATHION	0.010	ppm	2	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	3	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/25/24 11:15:24 Batch Date : 03/22/24 11:03:00 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
METHIACARB	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070765VOL Instrument Used : DA-GCMS-010 Analyzed Date : 03/22/24 17:33:04 Reviewed On : 03/2					



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40321012-022

Harvest/Lot ID: 2063 9069 0000 0199

 Batch# : 2063 9069 0000
 0199

 Sampled : 03/21/24
 Ordered : 03/21/24

Sample Size Received : 8 units

Total Amount : 1822.00 units

Completed : 03/25/24 Expires: 03/25/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0266g	Extraction date: 03/24/24 15:25:39	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA070791SOL Instrument Used : DA-GCMS-003 Analyzed Date : 03/22/24 18:01:45	Reviewed On : 03/25/24 09:45:08 Batch Date : 03/22/24 16:44:41
---	---

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 304486
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-022
Harvest/Lot ID: 2063 9069 0000 0199
Batch# : 2063 9069 0000
Sample Size Received : 8 units
Total Amount : 1822.00 units
Completed : 03/25/24 Expires: 03/25/25
Sampled : 03/21/24
Ordered : 03/21/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 53, 585, 1440 Weight: 1.0279g Extraction date: 03/22/24 13:15:39 Extracted by: 3390,4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070750MIC Reviewed On : 03/25/24 15:18:30 Instrument Used : PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 03/25/24 11:38:34 Batch Date : 03/22/24 09:53:56 Dilution : N/A Reagent : 012424.15; 012424.27; 031824.R18; 091523.42 Consumables : 7569003009 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.2376g Extraction date: 03/22/24 16:37:14 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070767MYC Reviewed On : 03/25/24 09:53:00 Instrument Used : N/A Batch Date : 03/22/24 11:04:48 Analyzed Date : 03/22/24 16:42:13 Dilution : 250 Reagent : 031924.R27; 040423.08 Consumables : 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 4351, 4451, 585, 1440 Weight: 1.0279g Extraction date: 03/22/24 13:15:39 Extracted by: 3390,4044 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA070751TYM Reviewed On : 03/25/24 09:55:53 Instrument Used : N/A Batch Date : 03/22/24 09:56:17 Analyzed Date : N/A Dilution : N/A Reagent : 012424.15; 012424.27; 031824.R19 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

[Hg]		Heavy Metals		PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2393g Extraction date: 03/22/24 12:30:18 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070756HEA Reviewed On : 03/25/24 18:25:53 Instrument Used : DA-ICPMS-004 Batch Date : 03/22/24 10:30:31 Analyzed Date : 03/25/24 14:19:57 Dilution : 50 Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164



Signature
03/25/24



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-022
Harvest/Lot ID: 2063 9069 0000 0199
Batch# : 2063 9069 0000 Sample Size Received : 8 units
0199 Total Amount : 1822.00 units
Sampled : 03/21/24 Completed : 03/25/24 Expires: 03/25/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA070787FIL Reviewed On : 03/22/24 22:38:30
Instrument Used : Filth/Foreign Material Microscope Batch Date : 03/22/24 12:49:10
Analyzed Date : 03/22/24 21:53:51

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.469	TESTED	

Analyzed by: 4056, 585, 1440	Weight: 0.437g	Extraction date: 03/22/24 17:38:31	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA070790WAT Reviewed On : 03/25/24 09:54:57
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 03/22/24 12:49:52
Analyzed Date : 03/22/24 17:07:44

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/25/24