



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40321012-026

Harvest/Lot ID: 2063 9069 0000 5690

Batch#: 2063 9069 0000 5690

Cultivation Facility: FL - Indiantown (3734)

Processing Facility : FL - Indiantown (3734)

Source Facility : FL - Indiantown (3734)

Seed to Sale# 2063 9069 0000 6026

Batch Date: 03/19/24

Sample Size Received: 16 gram

Total Amount: 810.00 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/21/24

Sampled: 03/21/24

Completed: 03/26/24

Sampling Method: SOP.T.20.010

Mar 26, 2024 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

82.152%

Total THC/Container : 821.52 mg



Total CBD

0.219%

Total CBD/Container : 2.19 mg



Total Cannabinoids

86.662%

Total Cannabinoids/Container : 866.62 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.052	0.115	0.219	ND	0.417	1.959	ND	0.930	0.560	ND	0.410
mg/unit	820.52	1.15	2.19	ND	4.17	19.59	ND	9.30	5.60	ND	4.10
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.0959g

Extraction date:
03/22/24 13:33:20

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070770POT

Instrument Used : DA-LC-003

Analyzed Date : 03/22/24 14:03:12

Reviewed On : 03/25/24 10:00:43

Batch Date : 03/22/24 11:09:58

Dilution : 400

Reagent : 022724.R01; 060723.24; 030824.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g
Pride
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-026

Harvest/Lot ID: 2063 9069 0000 5690

Batch# : 2063 9069 0000
5690

Sampled : 03/21/24
Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 810.00 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	47.51	4.751		ISOPULEGOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	12.25	1.225		OCIMENE	0.007	ND	ND	
VALENCENE	0.007	10.71	1.071		SABINENE	0.007	ND	ND	
LIMONENE	0.007	7.69	0.769		SABINENE HYDRATE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.04	0.304		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	2.62	0.262		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-BISABOOL	0.007	2.38	0.238		CIS-NEROLIDOL	0.007	ND	ND	
LINALOOL	0.007	1.53	0.153		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.97	0.097		Analized by:	Weight:	Extraction date:	Extracted by:	
BETA-PINENE	0.007	0.95	0.095		3605, 585, 1440	0.2037g	03/22/24 14:37:55	3605	
ALPHA-PINENE	0.007	0.84	0.084		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHOR	0.007	0.68	0.068		Analytical Batch : DA070785TER			Reviewed On : 03/25/24 10:00:46	
CARYOPHYLLENE OXIDE	0.007	0.67	0.067		Instrument Used : DA-GCMS-004			Batch Date : 03/22/24 11:37:42	
GERANYL ACETATE	0.007	0.63	0.063		Analyzed Date : 03/22/24 14:38:27				
NEROL	0.007	0.62	0.062		Dilution : 10				
TOTAL TERPINEOL	0.007	0.51	0.051		Reagent : 022224.01				
FARNESENE	0.001	0.44	0.044		Consumables : 947.109; CE123				
GUAJOL	0.007	0.40	0.040		Pipette : DA-063				
ALPHA-TERPINOLENE	0.007	0.30	0.030		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-CEDRENE	0.007	0.28	0.028						
PULEGONE	0.007	0.27	0.027						
GAMMA-TERPINENE	0.007	0.24	0.024						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
Total (%)			4.751						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

Sample : DA40321012-026

Harvest/Lot ID: 2063 9069 0000 5690

Batch# : 2063 9069 0000

5690

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 810.00 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2077g Extraction date: 03/22/24 16:34:53 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070769PES Instrument Used : DA-LCMS-003 (PES) Reviewed On : 03/25/24 11:37:15 Batch Date : 03/22/24 11:08:12 Analyzed Date : 03/22/24 16:42:01 Dilution : 250 Reagent : 031924.R27; 040423.08 Consumables : 326250IW Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2077g Extraction date: 03/22/24 16:34:53 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA070771VOL Instrument Used : DA-GCMS-010 Reviewed On : 03/25/24 11:35:35 Batch Date : 03/22/24 11:10:14 Analyzed Date : 03/22/24 17:32:54 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g
Pride
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-026

Harvest/Lot ID: 2063 9069 0000 5690

Batch# : 2063 9069 0000
5690

Sampled : 03/21/24
Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 810.00 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0225g

Extraction date:
03/24/24 15:02:24

Extracted by:
850,585

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA070792SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 03/24/24 15:23:42

Reviewed On : 03/25/24 10:57:15
Batch Date : 03/22/24 16:58:08

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



PASSED

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.revna@crescolabs.com

Sample : DA40321012-026
Harvest/Lot ID: 2063 9069 0000 5690

Batch# : 2063 9069 0000 5690	Sample Size Received : 16 gram Total Amount : 810.00 units
Sampled : 03/21/24	Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/21/24	Sample Method : SOP T.20.010

Page 5 of 6

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Good News Pride Cartridge 1g
Pride
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-026

Harvest/Lot ID: 2063 9069 0000 5690

Batch# : 2063 9069 0000
5690

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 810.00 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA070787FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/22/24 21:53:51

Reviewed On : 03/22/24 22:38:34

Batch Date : 03/22/24 12:49:10

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.483	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.433g	Extraction date: 03/22/24 17:36:13	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA070790WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 03/22/24 17:07:44

Reviewed On : 03/25/24 09:54:59

Batch Date : 03/22/24 12:49:52

Dilution : N/A

Reagent : 022024.28

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24