



Certificate of Analysis

COMPLIANCE FOR RETAIL


Sample: DA40321012-028
 Harvest/Lot ID: 2063 9069 0000 2880
 Batch#: 2063 9069 0000 2880
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility : FL - Indiantown (3734)
 Source Facility : FL - Indiantown (3734)
 Seed to Sale# 2063 9069 0000 6544
 Batch Date: 03/14/24
 Sample Size Received: 533 gram
 Total Amount: 2989.00 units
 Retail Product Size: 40.9282 gram
 Retail Serving Size: 4.1 gram
 Servings: 10
 Ordered: 03/21/24
 Sampled: 03/21/24
 Completed: 03/27/24
 Sampling Method: SOP.T.20.010

Mar 27, 2024 | Sunnyside
 22205 Sw Martin Hwy
 indiantown, FL, 34956, US


Sunnyside*

PASSED

Pages 1 of 5

| PRODUCT IMAGE | SAFETY RESULTS | | | | | | | | MISC. |
|---|--|--|--|--|--|---|--|--|--|
|  |  Pesticides PASSED |  Heavy Metals PASSED |  Microbials PASSED |  Mycotoxins PASSED |  Residuals Solvents PASSED |  Filtration PASSED |  Water Activity PASSED |  Moisture NOT TESTED |  Terpenes NOT TESTED |

Cannabinoid **PASSED**



| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 1665, 585, 1440 | Weight: 3.1208g | Extraction date: 03/22/24 13:51:33 | Extracted by: 1665 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

| | |
|--|---------------------------------|
| Analysis Method : SOP.T.40.031, SOP.T.30.031 | Reviewed On : 03/25/24 09:59:22 |
| Analytical Batch : DA07077POT | Batch Date : 03/22/24 11:15:25 |
| Instrument Used : DA-LC-007 | |
| Analyzed Date : 03/22/24 14:01:24 | |

Dilution : 40
 Reagent : 022724.R01; 032123.11; 030824.R01
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164



Signature
 03/27/24



Certificate of Analysis

PASSED

Sunnyside

Sample : DA40321012-028
Harvest/Lot ID: 2063 9069 0000 2880

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Batch# : 2063 9069 0000 Sample Size Received : 533 gram
2880 Total Amount : 2989.00 units
Sampled : 03/21/24 Completed : 03/27/24 Expires: 03/27/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|--|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINO CYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.070 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analyzed by: 3379, 585, 1440 Weight: 0.9146g Extraction date: 03/22/24 16:38:45 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA070778PES Reviewed On : 03/25/24 11:54:20 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/22/24 11:15:47 Analyzed Date : 03/22/24 16:42:04 | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 Reagent : 031924.R27; 040423.08 Consumables : 326250IW Pipette : N/A | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 Weight: 0.9146g Extraction date: 03/22/24 16:38:45 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Analytical Batch : DA070779VOL Reviewed On : 03/25/24 11:53:41 Instrument Used : DA-GCMS-001 Batch Date : 03/22/24 11:17:30 Analyzed Date : 03/22/24 17:32:06 | | | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-216 | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/27/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-028

Harvest/Lot ID: 2063 9069 0000 2880

Batch# : 2063 9069 0000 2880

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 533 gram

Total Amount : 2989.00 units

Completed : 03/27/24 Expires: 03/27/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

| | | | |
|--------------------------------|-------------------|---------------------------------------|--------------------------|
| Analyzed by: 850, 585, 1440 | Weight: 0.028g | Extraction date: 03/24/24 15:02:24 | Extracted by: 850,585 |
|--------------------------------|-------------------|---------------------------------------|--------------------------|

| | |
|-----------------------------------|---------------------------------|
| Analysis Method : SOP.T.40.041.FL | Reviewed On : 03/25/24 10:57:17 |
| Analytical Batch : DA07079250L | Batch Date : 03/22/24 16:58:08 |
| Instrument Used : DA-GCMS-002 | |
| Analyzed Date : 03/24/24 15:23:42 | |

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-028
Harvest/Lot ID: 2063 9069 0000 2880
Batch# : 2063 9069 0000 Sample Size Received : 533 gram
2880 Total Amount : 2989.00 units
Sampled : 03/21/24 Completed : 03/27/24 Expires: 03/27/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-----|-------|-------------|-------------|--------------|
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 3390, 53, 585, 1440 Weight: 1.1136g Extraction date: 03/22/24 13:15:41 Extracted by: 3390,4044 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070750MIC Reviewed On : 03/25/24 15:19:41 Instrument Used : PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 03/25/24 11:38:34 Batch Date : 03/22/24 09:53:56 Dilution : N/A Reagent : 012424.15; 012424.27; 031824.R18; 091523.42 Consumables : 7569003009 Pipette : N/A | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 1440 Weight: 0.9146g Extraction date: 03/22/24 16:38:45 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070781MYC Reviewed On : 03/25/24 10:08:48 Instrument Used : N/A Batch Date : 03/22/24 11:18:48 Analyzed Date : 03/22/24 16:42:22 Dilution : 250 Reagent : 031924.R27; 040423.08 Consumables : 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | ND | PASS | 3 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 4351, 4451, 585, 1440 Weight: 1.1136g Extraction date: 03/22/24 13:15:41 Extracted by: 3390,4044 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA070751TYM Reviewed On : 03/25/24 10:06:45 Instrument Used : N/A Batch Date : 03/22/24 09:56:17 Analyzed Date : N/A Dilution : N/A Reagent : 012424.15; 012424.27; 031824.R19 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| [Hg] | | Heavy Metals | | PASSED | |
|---|-------|---------------------|--------|---------------|--------------|
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | ND | PASS | 3 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 Weight: 0.2632g Extraction date: 03/22/24 15:59:15 Extracted by: 1022,1879 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070761HEA Reviewed On : 03/27/24 11:46:20 Instrument Used : DA-ICPMS-004 Batch Date : 03/22/24 10:56:59 Analyzed Date : 03/25/24 15:40:47 Dilution : 50 Reagent : 030524.R01; 031424.R03; 031124.R04; 031124.R05; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
03/27/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40321012-028
Harvest/Lot ID: 2063 9069 0000 2880
Batch# : 2063 9069 0000 2880
Sample Size Received : 533 gram
Total Amount : 2989.00 units
Sampled : 03/21/24
Completed : 03/27/24 Expires: 03/27/25
Ordered : 03/21/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED

Homogeneity PASSED

Amount of tests conducted : 24

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

Analyzed by: 1879, 585, 1440 Weight: NA Extraction date: N/A Extracted by: N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA070787FIL Reviewed On : 03/22/24 22:38:35
Instrument Used : Filth/Foreign Material Microscope Batch Date : 03/22/24 12:49:10
Analyzed Date : 03/22/24 21:53:51

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.669 | PASS | 0.85 |

Analyzed by: 4056, 585, 1440 Weight: 6.916g Extraction date: 03/22/24 17:36:13 Extracted by: 4056

Analysis Method : SOP.T.40.019
Analytical Batch : DA070790WAT Reviewed On : 03/25/24 09:55:06
Instrument Used : DA-028 Rotronic HygroPalm Batch Date : 03/22/24 12:49:52
Analyzed Date : 03/22/24 17:07:44

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 0.836 | 25 |

Analyzed by: 3702, 585, 1440 Average Weight: 4.193g Extraction date : 03/22/24 13:09:57 Extracted By : 3702

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA070743HOM Reviewed On : 03/25/24 09:56:05
Instrument Used : DA-LC-004 Batch Date : 03/22/24 09:38:16
Analyzed Date : 03/22/24 13:10:12

Dilution : 40
Reagent : 030924.R03; 071222.35; 020124.02; 030924.R01
Consumables : 947.109; LCJ0311R; 34623011; 250346; 1008835395; CE0123; R1KB14270
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.