



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40326002-022
 Harvest/Lot ID: 0001 3428 6430 5727
 Batch#: 0001 3428 6430 5727
 Cultivation Facility: FL - Indiantown (3734)
 Processing Facility: FL - Indiantown (3734)
 Source Facility: FL - Indiantown (3734)
 Seed to Sale# 2063 9069 0000 6319
 Batch Date: 03/19/24
 Sample Size Received: 101.5 gram
 Total Amount: 7913.00 units
 Retail Product Size: 3.5 gram
 Retail Serving Size: 3.5 gram
 Servings: 1
 Ordered: 03/25/24
 Sampled: 03/26/24
 Completed: 03/28/24
 Sampling Method: SOP.T.20.010

Mar 28, 2024 | Sunnyside

22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 5

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
 Solvents
 NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
 TESTED

MISC.



Cannabinoid

PASSED



Total THC

22.645%

Total THC/Container : 792.58 mg



Total CBD

0.061%

Total CBD/Container : 2.14 mg



Total Cannabinoids

26.956%

Total Cannabinoids/Container : 943.46 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.700	25.023	ND	0.070	0.038	0.081	0.964	ND	ND	ND	0.080
mg/unit	24.50	875.81	ND	2.45	1.33	2.84	33.74	ND	ND	ND	2.80
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
 1665, 585, 1440

Weight:
 0.2007g

Extraction date:
 03/26/24 13:13:08

Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA070887POT
 Instrument Used : DA-LC-002
 Analyzed Date : 03/26/24 13:28:34

Reviewed On : 03/27/24 13:14:59
 Batch Date : 03/26/24 12:09:23

Dilution : 400
 Reagent : 022824.R30; 060723.24; 031524.R02
 Consumables : 947.109; 34623011; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 03/28/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40326002-022
Harvest/Lot ID: 0001 3428 6430 5727

Batch# : 0001 3428 6430 5727
Sample Size Received : 101.5 gram
Total Amount : 7913.00 units
Completed : 03/28/24 Expires: 03/28/25
Ordered : 03/26/24
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	71.82	2.052	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	22.05	0.630	ALPHA-CEDRENE	0.007	ND	ND
LIMONENE	0.007	13.34	0.381	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-MYRCENE	0.007	10.22	0.292	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	5.92	0.169	ALPHA-TERPINOLENE	0.007	ND	ND
LINALOOL	0.007	5.60	0.160	CIS-NEROLIDOL	0.007	ND	ND
FARNESENE	0.001	5.53	0.158	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	2.45	0.070	TRANS-NEROLIDOL	0.007	ND	ND
BETA-PINENE	0.007	2.10	0.060				
FENCHYL ALCOHOL	0.007	1.68	0.048	Analyzed by: 3605, 585, 1440 Weight: 1.0156g Extraction date: 03/26/24 14:11:51 Extracted by: 3605			
TOTAL TERPINEOL	0.007	1.47	0.042	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA070899TER Instrument Used : DA-GCMS-004 Analyzed Date : 03/26/24 14:12:39 Reviewed On : 03/28/24 10:00:30 Batch Date : 03/26/24 12:32:32			
ALPHA-PINENE	0.007	1.47	0.042	Dilution : 10 Reagent : 022224.01 Consumables : 947.109; CE0123 Pipette : DA-063			
3-CARENE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
Total (%)			2.052				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/28/24



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40326002-022

Harvest/Lot ID: 0001 3428 6430 5727

Batch# : 0001 3428 6430 5727

Sampled : 03/26/24

Ordered : 03/26/24

Sample Size Received : 101.5 gram

Total Amount : 7913.00 units

Completed : 03/28/24 Expires: 03/28/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.9715g Extraction date: 03/26/24 17:15:27 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070877PES Reviewed On : 03/27/24 10:27:12 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/26/24 11:15:00 Analyzed Date : 03/26/24 17:16:49 Dilution : 250 Reagent : 031924.R27; 040423.08 Consumables : 326250W Pipette : N/A					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/28/24



Certificate of Analysis

PASSED

Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US
 Telephone: (772) 631-0257
 Email: renee.reyna@crescolabs.com

 Sample : DA40326002-022
 Harvest/Lot ID: 0001 3428 6430 5727
 Batch#: 0001 3428 6430 5727
 Sample Size Received : 101.5 gram
 Total Amount : 7913.00 units
 Completed : 03/28/24 Expires: 03/28/25
 Sample Method : SOP.T.20.010
 Sampled : 03/26/24
 Ordered : 03/26/24

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	110	PASS	100000
Analyzed by: 3390, 585, 1440 Weight: 1.2g Extraction date: 03/26/24 12:40:41 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070858MIC Reviewed On : 03/27/24 17:39:51 Batch Date : 03/26/24 09:46:01 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 03/26/24 12:42:29 Dilution : N/A Reagent : 012424.14; 012424.16; 031824.R18; 091523.42 Consumables : 7569002033 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.9715g Extraction date: 03/26/24 17:15:27 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070879MYC Reviewed On : 03/27/24 10:25:44 Instrument Used : N/A Batch Date : 03/26/24 11:18:19 Analyzed Date : 03/26/24 17:17:30 Dilution : 250 Reagent : 031924.R27; 040423.08 Consumables : 326250IW Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2391g Extraction date: 03/26/24 12:34:19 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070876HEA Reviewed On : 03/27/24 11:44:45 Instrument Used : DA-ICPMS-004 Batch Date : 03/26/24 11:13:06 Analyzed Date : 03/27/24 11:00:30 Dilution : 50 Reagent : 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40326002-022
Harvest/Lot ID: 0001 3428 6430 5727
Batch#: 0001 3428 6430 5727
Sample Size Received : 101.5 gram
Total Amount : 7913.00 units
Sampled : 03/26/24
Completed : 03/28/24 Expires: 03/28/25
Ordered : 03/26/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 03/27/24 16:00:44		
Analytical Batch : DA070937FIL			Batch Date : 03/27/24 12:41:25		
Instrument Used : Filth/Foreign Material Microscope					
Analyzed Date : 03/27/24 15:29:21					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.64	PASS	15
Analyzed by: 4444, 585, 1440	Weight: 0.522g	Extraction date: 03/27/24 10:13:38	Extracted by: 4444		
Analysis Method : SOP.T.40.021			Reviewed On : 03/27/24 10:34:27		
Analytical Batch : DA070892MOI			Batch Date : 03/26/24 13:11:47		
Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 03/27/24 07:57:16					
Dilution : N/A					
Reagent : 092520.50; 020124.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.490	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 20.7g	Extraction date: 03/27/24 10:45:17	Extracted by: 4444		
Analysis Method : SOP.T.40.019			Reviewed On : 03/27/24 12:02:45		
Analytical Batch : DA070894WAT			Batch Date : 03/26/24 13:12:01		
Instrument Used : DA256 Rotronic HygroPalm					
Analyzed Date : 03/27/24 07:55:37					
Dilution : N/A					
Reagent : 022024.28					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

