

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

SUPPLY

SUNNYSIDE

DA40326002-027

Kaycha Labs

Supply Smalls 14g - Petrol Station (H) Petrol Station (H) Matrix: Flower Type: Flower-Cured



PASSED


Sample:DA40326002-027

Certificate of Analysis COMPLIANCE FOR RETAIL

Harvest/Lot ID: 0001 3428 6431 3057 Batch#: 0001 3428 6431 3057 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 2063 9069 0000 4666 Batch Date: 03/15/24 Sample Size Received: 56 gram Total Amount: 588.00 units Retail Product Size: 14 gram Retail Serving Size: 14 gram Servings: 1 Ordered: 03/25/24 Sampled: 03/26/24 Completed: 03/28/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

Mar 28, 2024 | Sunnyside 22205 Sw Martin Hwy indiantown, FL, 34956, US



Sunnyside

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/28/24



. Supply Smalls 14g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40326002-027 Harvest/Lot ID: 0001 3428 6431 3057 Batch#:0001 3428 6431 3057

Sampled : 03/26/24 Ordered : 03/26/24

Sample Size Received : 56 gram Total Amount : 588.00 units Completed : 03/28/24 Expires: 03/28/25 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes			LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	380.24	2.716		SABINENE	IYDRATE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	127.54	0.911		VALENCEN			0.007	ND	ND		
IMONENE	0.007	96.88	0.692		ALPHA-CED	RENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	48.30	0.345		ALPHA-PHI	LLANDRENE		0.007	ND	ND		
ETA-MYRCENE	0.007	40.04	0.286		ALPHA-TER	PINENE		0.007	ND	ND		
ETA-PINENE	0.007	12.04	0.086		ALPHA-TEF	PINOLENE		0.007	ND	ND		
INALOOL	0.007	11.06	0.079		CIS-NEROL	DOL		0.007	ND	ND		
ENCHYL ALCOHOL	0.007	9.38	0.067		GAMMA-TE	RPINENE		0.007	ND	ND		
LPHA-BISABOLOL	0.007	9.10	0.065		Analyzed by:		Weight:		Extraction d	ate:		Extracted by:
LPHA-PINENE	0.007	8.12	0.058		3605, 585, 1	40	1.0722g		03/26/24 14			3605
RANS-NEROLIDOL	0.007	7.14	0.051			od : SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
OTAL TERPINEOL	0.007	6.86	0.049			ch : DA070889TER					3/28/24 10:00:40	
ARNESENE	0.001	3.78	0.027			ed : DA-GCMS-004 e : 03/26/24 14:12:39			Batch	Date : 03/	/26/24 12:32:32	
-CARENE	0.007	ND	ND		Dilution : 10							
ORNEOL	0.013	ND	ND		Reagent : 02							
AMPHENE	0.007	ND	ND			: 947.109; CE0123						
AMPHOR	0.007	ND	ND		Pipette : DA-							
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid test	ng is performed utilizing Gas C	.hromatography M	ass Spectr	ometry. For all I	Hower samp	ples, the Total Terpenes % is	s dry-weight corrected.
EDROL	0.007	ND	ND									
UCALYPTOL	0.007	ND	ND									
ENCHONE	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
ERANYL ACETATE	0.007	ND	ND									
UAIOL	0.007	ND	ND									
EXAHYDROTHYMOL	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
IEROL	0.007	ND	ND									
CIMENE	0.007	ND	ND									
	0.007	ND	ND									
PULEGONE												
PULEGONE SABINENE	0.007	ND	ND									

Total (%)

2.716

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/28/24

PASSED

TESTED



..... Supply Smalls 14g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee revna@crescolabs.com Sample : DA40326002-027 Harvest/Lot ID: 0001 3428 6431 3057 Batch#:0001 3428 6431

Sampled : 03/26/24 Ordered : 03/26/24 Sample Size Received : 56 gram Total Amount : 588.00 units Completed : 03/28/24 Expires: 03/28/25 Sample Method : SOP.T.20.010

Page 3 of 5

0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND	
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		ppm	0.1	PASS	ND	
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND			ppm	0.1	PASS	ND	
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PHOSMET			3	PASS		
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm	-		ND	
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND	
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND	
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND	
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND	
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND	
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND	
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND	
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		ppm	0.1	PASS	ND	
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND	
BOSCALID	0.010	ppm	0.1	PASS	ND			ppm	0.5	PASS	ND	
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM			0.1	PASS	ND	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm				
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PC	115)	PPM	0.15	PASS	ND	
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		PPM	0.1	PASS	ND	
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND	
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND	
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND	
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND	
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND	
DICHLORVOS	0.010		0.1	PASS	ND		Veight: Extrac	tion date:		Extracted	d bu	
DIMETHOATE	0.010		0.1	PASS	ND			24 17:15:30		3379	u by.	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (SOP.T.40.101	.FL (Gainesville	e).	
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070877PES			n:03/27/24 1			
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PE	5)	Batch Date :03/26/24 11:15:00				
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :03/26/24 17:16:49 Dilution : 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 031924.R27; 040423.08						
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW						
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfor	rmed utilizing Liquid Chror	matography Tr	iple-Quadrupol	e Mass Spectror	metry in	
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.						
IMAZALIL	0.010		0.1	PASS	ND			ion date:		Extracted	d by:	
IMIDACLOPRID	0.010		0.4	PASS	ND			4 17:15:30	COD T 40.15	3379		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Analytical Batch : DA070878VOL			03/27/24 10:2			
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-001			3/26/24 11:16:			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/26/24 17:20:14	-		.,,			
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 031924.R27; 040423.08;		5				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 1472540	1					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is perfor accordance with F.S. Rule 64ER20-39.	rmed utilizing Gas Chroma	itography Tripl	e-Quadrupole I	Mass Spectrome	etry in	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/28/24

PASSED

PASSED



. Supply Smalls 14g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40326002-027 Harvest/Lot ID: 0001 3428 6431 3057 Batch#:0001 3428 6431

Sampled : 03/26/24 Ordered : 03/26/24

Sample Size Received : 56 gram Total Amount : 588.00 units Completed : 03/28/24 Expires: 03/28/25 Sample Method : SOP.T.20.010

Page 4 of 5

(The second seco	Microbia	I			PAS	SED	ۍ پ	Му	/cotoxi	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA T AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 1.0727g	Extraction da 03/26/24 17:			Extracted 3379	by:
Analyzed by: 3390, 585, 144	Weight: 0 1.1424a		action date: 6/24 12:42:	08	Extracted	by:			.30.101.FL (Gain		.40.101.FL	Gainesv (Gainesv	ille),	
3390, 885, 1440 1.1424g 03/26/24 12:42:08 3390 SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070879MYC Reviewed On : 03/27/24 Reviewed On : 03/27/24 Reviewed On : 03/27/24 Reviewed On : 03/26/24 Reviewed On : 03/27/24 Reviewed On : 03/27/24 Reviewed On : 03/26/24														
Biosystems Th DA-020,fishert Isotemp Heat I	ed : PathogenDx Scanne ermocycler DA-013,fishe prand Isotemp Heat Bloc Block DA-021 : 03/26/24 12:42:30	erbrand I	sotemp Hea	at Block 10:25:	Date : 03/2 40	26/24	Dilution : 250 Reagent : 031 Consumables Pipette : N/A							
Dilution : N/A	424.14; 012424.16; 031	824.R18;	091523.42				accordance wit	n F.S. Rule	g Liquid Chromatog 64ER20-39. avy Me		e-Quadrupo		ectrometry PAS	
Analyzed by: 3390, 585, 144	Weight: 0 1.1424g		action date: 6/24 12:42:	08	Extracted 3390	by:	[Hg]	ne		cuis				
Analysis Metho	od : SOP.T.40.208 (Gaine h : DA070872TYM	esville), S	OP.T.40.20				Metal			LOD	Units	Result	Pass / Fail	Action Level
Instrument Use				: 03/26/24 11:0			TOTAL CONT	AMINAN	T LOAD METAL	S 0.080	ppm	ND	PASS	1.1
Analyzed Date							ARSENIC			0.020	ppm	ND	PASS	0.2
Dilution : N/A							CADMIUM			0.020	ppm	ND	PASS	0.2
	424.14; 012424.16; 031	824.R19					MERCURY			0.020	ppm	ND	PASS	0.2
Consumables :	N/A						LEAD			0.020	ppm	ND	PASS	0.5
Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in						s in	Analyzed by: Weight: Extraction date: Extracted by: 1022, 585, 1440 0.2241g 03/26/24 12:56:27 1022							
accordance with	IF.S. Rule 64ER20-39.						Analysis Meth Analytical Bat Instrument Us Analyzed Date	h:DA070 ed:DA-IC	PMS-004	Review		/27/24 11: 6/24 11:13		

Dilution: 50

Reagent : 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/28/24



..... Supply Smalls 14g - Petrol Station (H) Petrol Station (H) Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40326002-027 Harvest/Lot ID: 0001 3428 6431 3057 Batch#:0001 3428 6431

3057 Sampled : 03/26/24 Ordered : 03/26/24

Sample Size Received : 56 gram Total Amount : 588.00 units Completed : 03/28/24 Expires: 03/28/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





Page 5 of 5

PASSED

Analyte Filth and Foreign Mat		LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 13.07	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	Weight NA	:	Extraction N/A	1 date:			Analyzed by: 4444, 585, 1440	Weight: 0.505g	-	Extraction date: 03/27/24 10:13:40			tracted by: 44
Analysis Method : SOP.T. Analytical Batch : DA070 Instrument Used : Filth/F Analyzed Date : 03/27/24	937FIL oreign Materia	al Micro	oscope			/24 16:00:51 4 12:41:25	Analysis Method : SOP.T.4 Analytical Batch : DA0708 Instrument Used : DA-003 Analyzed Date : 03/27/24	92MOI Moisture A	nalyze		Reviewed On Batch Date : (1 1	
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							Dilution : N/A Reagent : 092520.50; 020 Consumables : N/A Pipette : DA-066	124.02					
Filth and foreign material in technologies in accordance				pection utilizi	ng naked ey	e and microscope	Moisture Content analysis uti	lizing loss-on	-drying	technology	in accordance	with F.S. Ru	le 64ER20-39.
() wa	ater Ac	tiv	ity		PA	SSED							

Analyte Water Activity	-	.0D	Units aw	R	esult 0.494	P/F PASS	Action Level 0.65		
Analyzed by: 4444, 585, 1440		traction d /27/24 10		19	Extracted by: 4444				
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 03/27,	70894WAT 256 Rotronic Hyg	roPalr	n			03/27/2 03/26/24	4 12:02:48 13:12:01		
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A									

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/28/24