

# **Kaycha Labs**

FloraCal Live Rosin Jam 1g - Petrol Station (H)

Petrol Station (H) Matrix: Derivative Type: Live Rosin



# **Certificate of Analysis**

# **COMPLIANCE FOR RETAIL**



Sample:DA40329003-010

Harvest/Lot ID: 2631 4524 6644 1136 Batch#: 2631 4524 6644 1136

Cultivation Facility: FL - Indiantown (3734) Processing Facility: FL - Indiantown (3734)

Source Facility: FL - Indiantown (3734) Seed to Sale# 2063 9069 0000 8173

Batch Date: 03/20/24

Sample Size Received: 16 gram Total Amount: 1365.00 units

> Retail Product Size: 1 gram Retail Serving Size: 1 gram

> > Servings: 1

**PASSED** 

Sampled: 03/29/24

Completed: 04/02/24

Ordered: 03/28/24

Sampling Method: SOP.T.20.010

Apr 02, 2024 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 6

#### SAFETY RESULTS



Pesticides **PASSED** 



**Heavy Metals PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents **PASSED** 



**PASSED** 



Water Activity **PASSED** 



**NOT TESTED** 





**Terpenes TESTED** 

**PASSED** 



### Cannabinoid

**Total THC** 

Total THC/Container: 761.73 mg



**Total CBD** 

Total CBD/Container : 2.11 mg

Reviewed On: 04/01/24 09:01:41

Batch Date: 03/29/24 09:44:19



**Total Cannabinoids** 

Total Cannabinoids/Container: 878.69 mg

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070997POT Instrument Used: DA-LC-003 Analyzed Date: 03/29/24 14:50:30

Dilution: 400

Reagent: 032924.R03; 071222.01; 032924.R04 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



### **Kaycha Labs**

FloraCal Live Rosin Jam 1g - Petrol Station (H)

Petrol Station (H) Matrix: Derivative Type: Live Rosin



**Certificate of Analysis** 

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40329003-010 Harvest/Lot ID: 2631 4524 6644 1136

Batch#: 2631 4524 6644

Sampled: 03/29/24 Ordered: 03/29/24

Sample Size Received: 16 gram Total Amount: 1365.00 units **Completed:** 04/02/24 **Expires:** 04/02/25 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOI (%)		/unit	%	Result (%)	
OTAL TERPENES	0.007	79.53	7.953		PULEGONE	0.00			ND		
BETA-CARYOPHYLLENE	0.007	31.72	3.172		SABINENE	0.00	7 ND		ND		
IMONENE	0.007	16.03	1.603		VALENCENE	0.00	7 ND		ND		
LPHA-HUMULENE	0.007	11.76	1.176		ALPHA-CEDRENE	0.00	7 ND		ND		
BETA-MYRCENE	0.007	5.47	0.547		ALPHA-PHELLANDRENE	0.00	7 ND		ND		
INALOOL	0.007	2.31	0.231		ALPHA-TERPINENE	0.00	7 ND		ND		
LPHA-BISABOLOL	0.007	2.20	0.220		CIS-NEROLIDOL	0.00	7 ND		ND		
ENCHYL ALCOHOL	0.007	1.90	0.190		GAMMA-TERPINENE	0.00	7 ND		ND		
ETA-PINENE	0.007	1.69	0.169		Analyzed by:	Weight:	Extrac	tion da	te:	Extract	ed by:
LPHA-PINENE	0.007	1.67	0.167		3605, 585, 1440	0.2152g	03/29/			3605	
RANS-NEROLIDOL	0.007	1.36	0.136		Analysis Method : SOP.T.30.061A.FL, SOP	T.40.061A.FL					
OTAL TERPINEOL	0.007	1.34	0.134		Analytical Batch : DA071030TER Instrument Used : DA-GCMS-004					4/01/24 10:48:09 29/24 12:13:59	
ORNEOL	0.013	0.85	0.085		Analyzed Date: 03/29/24 16:07:54			Batcn	Date: U3/	29/24 12:13:59	
ARNESENE	0.001	0.72	0.072		Dilution: 10						
ARYOPHYLLENE OXIDE	0.007	0.51	0.051		Reagent: 022224.01						
AMPHENE	0.007	0.45	0.045		Consumables: 947.109; CE0123						
LPHA-TERPINOLENE	0.007	0.43	0.043		Pipette : DA-063						
ABINENE HYDRATE	0.007	0.24	0.024		Terpenoid testing is performed utilizing Gas Ch	romatography Mass S	ectrometry.	For all F	lower samp	iles, the Total Terpenes % is dry-weight	corrected.
CIMENE	0.007	0.22	0.022								
-CARENE	0.007	ND	ND								
AMPHOR	0.007	ND	ND								
CEDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
	0.007	ND	ND								
SOPULEGOL											
SOPULEGOL IEROL	0.007	ND	ND								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

FloraCal Live Rosin Jam 1g - Petrol Station (H)

Petrol Station (H) Matrix: Derivative

Type: Live Rosin



**PASSED** 

# **Certificate of Analysis**

Sample : DA40329003-010 Sunnyside

Batch#: 2631 4524 6644

Harvest/Lot ID: 2631 4524 6644 1136

Sampled: 03/29/24 Ordered: 03/29/24

Sample Size Received: 16 gram Total Amount : 1365.00 units **Completed:** 04/02/24 **Expires:** 04/02/25 Sample Method: SOP.T.20.010

Page 3 of 6



22205 Sw Martin Hwy indiantown, FL, 34956, US

**Telephone:** (772) 631-0257

Email: renee.revna@crescolabs.com

### **Pesticides**

# **PASSED**

Pesticide	LOD	Units	Action	Pass/Fail	Result	Pesticide		LOD	Units	Action	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	) ppm	Level 5	PASS	0.159			0.010		Level	2466	ND
TOTAL DIMETHOMORPH		ppm ppm	0.2	PASS	ND	OXAMYL		0.010		0.5	PASS	ND
TOTAL PERMETHRIN		ppm ppm	0.1	PASS	ND	PACLOBUTRAZOL			ppm	0.1	PASS	ND
TOTAL PYRETHRINS		ppm ppm	0.5	PASS	ND	PHOSMET		0.010	11.11	0.1	PASS	ND
TOTAL SPINETORAM		ppm ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINOSAD		ppm )	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A		ppm ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE		ppm ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL		ppm ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID		ppm (	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
ALDICARB		ppm ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN		ppm ppm	0.1	PASS	ND					0.1	PASS	ND
BIFENAZATE		ppm ppm	0.1	PASS	ND	SPIROXAMINE		0.010				
BIFENTHRIN		) ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BOSCALID		ppm ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL		ppm ppm	0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN		ppm ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE		) ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE		) ppm	1	PASS	0.159	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS		) ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE		) ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS		) ppm	0.1	PASS	ND	CHLORFENAPYR * CYFLUTHRIN *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE		) ppm	0.1	PASS	ND			0.050		0.5	PASS	ND
DIAZINON	0.010	) ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
DICHLORVOS	0.010	) ppm	0.1	PASS	ND					0.5		
DIMETHOATE	0.010	) ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2109q		tion date: 24 18:36:36		Extracted 3379	l by:
ETHOPROPHOS	0.010	) ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101						1
ETOFENPROX	0.010	) ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.i L (Gairlesville), 30	Jr.1.30.10	Z.I L (Davie	), 301.1.40.101	L (Gairlesville	,
ETOXAZOLE	0.010	) ppm	0.1	PASS	ND	Analytical Batch : DA071018PES	S		Reviewed	On:04/01/24	10:43:58	
FENHEXAMID	0.010	) ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch Dat	e:03/29/24 11	:15:02	
FENOXYCARB	0.010	) ppm	0.1	PASS	ND	Analyzed Date : 03/29/24 18:47:	:29					
FENPYROXIMATE	0.010	) ppm	0.1	PASS	ND	Dilution: 250	00					
FIPRONIL	0.010	) ppm	0.1	PASS	ND	Reagent: 032624.R12; 040423. Consumables: 326250IW	00					
FLONICAMID		) ppm	0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010	) ppm	0.1	PASS	ND	Testing for agricultural agents is p	erformed utilizing Lie	quid Chron	natography <sup>1</sup>	Friple-Quadrupo	le Mass Spectror	netry in
HEXYTHIAZOX	0.010	) ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20	-39.					
IMAZALIL		) ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	l by:
IMIDACLOPRID	0.010	) ppm	0.4	PASS	ND	450, 585, 1440	0.2109g		18:36:36		3379	
KRESOXIM-METHYL		) ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151						
MALATHION		) ppm	0.2	PASS	ND	Analytical Batch : DA071019V0I Instrument Used : DA-GCMS-010				:04/01/24 10: 03/29/24 11:17		
METALAXYL		) ppm	0.1	PASS	ND	Analyzed Date : 03/29/24 19:31:				,,		
METHIOCARB		) ppm	0.1	PASS	ND	Dilution: 250						
METHOMYL		) ppm	0.1	PASS	ND	Reagent: 032624.R12; 040423.		1824.R06				
MEVINPHOS		) ppm	0.1	PASS	ND	Consumables: 326250IW; 1472						
MYCLOBUTANIL		) ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-21						
NALED	0.010	) ppm	0.25	PASS	ND	Testing for agricultural agents is p accordance with F.S. Rule 64ER20-		as Chromat	tography Tri	ple-Quadrupole	Mass Spectrome	try in
						accordance with r.s. Rule 64ER20	-J3.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



#### **Kaycha Labs**

FloraCal Live Rosin Jam 1g - Petrol Station (H)

Petrol Station (H) Matrix : Derivative Type: Live Rosin



**Certificate of Analysis** 

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** renee.revna@crescolabs.com Sample: DA40329003-010 Harvest/Lot ID: 2631 4524 6644 1136

Batch#: 2631 4524 6644

Sampled: 03/29/24 Ordered: 03/29/24 Sample Size Received: 16 gram
Total Amount: 1365.00 units
Completed: 04/02/24 Expires: 04/02/25
Sample Method: SOP.T.20.010

Page 4 of 6



# **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	<2500.000	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.0193g	Extraction date: 04/01/24 13:59:29		Extracted by: 850		

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA071062SOL Instrument Used: DA-GCMS-003 Analyzed Date: 03/29/24 19:31:29

Dilution: 1 Reagent: 030420.09

Consumables : 429651; 304486 Pipette : DA-309 25 uL Syringe 35028 Reviewed On: 04/01/24 14:40:14 Batch Date: 03/29/24 17:13:37

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



#### Kaycha Labs

FloraCal Live Rosin Jam 1g - Petrol Station (H)

Petrol Station (H) Matrix: Derivative

Type: Live Rosin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolahs com Sample : DA40329003-010 Harvest/Lot ID: 2631 4524 6644 1136

Batch#: 2631 4524 6644

Sampled: 03/29/24 Ordered: 03/29/24 Sample Size Received: 16 gram Total Amount: 1365.00 units Completed: 04/02/24 Expires: 04/02/25 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 04/01/24 10:45:08

Batch Date: 03/29/24 11:18:37



### **Microbial**

# **PASSED**



Instrument Used : N/A

Consumables: 326250IW

# **Mycotoxins**

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA071021MYC

Analyzed Date: 03/29/24 18:48:34

Reagent: 032624.R12; 040423.08

# **PASSED**

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fai
ASPERGILLUS TEI	RREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIC	GER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FU	MIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLA	AVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPE	CIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA TOTAL YEAST AN	D MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2109g	<b>Extraction da</b> 03/29/24 18:			<b>Extra</b> 3379
Analyzed by:	Weight:	Extr	action date:		Extracted	by:	Analysis Method : SOP	T.30.101.FL (Gai	nesville). SOP.T.	40.101.FI	_ (Gainesvi	lle).

Analyzed by Weight: **Extraction date:** Extracted by: 3390, 585, 1440 0.9417g 03/29/24 14:14:48

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA071005MIC

**Reviewed On:** 04/02/24

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 03/29/24

Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block 10:08:47

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 04/01/24 15:12:22

Dilution: N/A

Reagent: 012424.17; 012424.25; 031824.R18; 091523.42

Consumables: 7569002024

Pipette: N/A

Consumables : N/A

Pipette: N/A

	ting utilizing Liquid Ch h F.S. Rule 64ER20-39		uadrupole Mass Spectrometry in
Ha	Heavy	Metals	PASS

Metal

ARSENIC

CADMIUM

MERCURY

LEAD

Dilution: 250

Pipette: N/A

# **Heavy Metals**

# **PASSED**

PASS

ND

0.5

<b>Weight:</b> 0.9417g	Extraction date: 03/29/24 14:14:48	Extracted by: 3390
08 (Gainesville	), SOP.T.40.209.FL	
TYM	<b>Reviewed On:</b> 04/01/24	15:21:49
	Batch Date: 03/29/24 1	1:02:45
:52:46		
	0.9417g	0.9417g 03/29/24 14:14:48 208 (Gainesville), SOP.T.40.209.FL TYM <b>Reviewed On</b> : 04/01/24 <b>Batch Date</b> : 03/29/24 1

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

LOD Units Result Pass / Action Fail Level PASS TOTAL CONTAMINANT LOAD METALS 0.080 ppm ND 1.1 PASS 0.020 ppm ND 0.2 0.020 ppm ND PASS 0.2 0.020 ppm ND PASS 0.2

ppm

0.020

Analyzed by: 1022, 585, 1440 Extraction date: Extracted by: 03/29/24 13:33:52 0.2672g 1022

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA071004HEA Instrument Used : DA-ICPMS-004 Reviewed On: 04/01/24 08:42:33 Batch Date: 03/29/24 10:07:22 Analyzed Date: 03/29/24 16:42:51

Dilution: 50

Reagent: 032824.R05; 032524.R03; 032724.R42; 032524.R01; 032524.R02; 030424.01;

Consumables: 179436: 35123025: 210508058: 34623011

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



#### Kaycha Labs

FloraCal Live Rosin Jam 1g - Petrol Station (H)

Petrol Station (H) Matrix: Derivative Type: Live Rosin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: renee revna@crescolabs.com Sample : DA40329003-010 Harvest/Lot ID: 2631 4524 6644 1136

Batch#: 2631 4524 6644

Sampled: 03/29/24 Ordered: 03/29/24 Sample Size Received: 16 gram Total Amount: 1365.00 units Completed: 04/02/24 Expires: 04/02/25 Sample Method: SOP.T.20.010

Page 6 of 6



## Filth/Foreign **Material**

**PASSED** 

Reviewed On: 03/29/24 23:37:34 Batch Date: 03/29/24 12:11:29

Reviewed On: 04/01/24 08:20:21

Batch Date: 03/29/24 12:41:07

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA071029FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 03/29/24 22:31:59

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Analyzed by:	Weight	Evt	raction o	lato	Ev	rtracted by:
Water Activity		0.010	aw	0.436	PASS	0.85
Analyte		LOD	Units	Result	P/F	Action Level

4056, 585, 1440 Analysis Method: SOP.T.40.019

Analytical Batch: DA071039WAT Instrument Used : DA-028 Rotronic Hygropalm

**Analyzed Date:** 03/29/24 19:41:03

Dilution: N/A **Reagent**: 022024.29 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors Testing 97164

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)