



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40402001-006
Harvest/Lot ID: 6954 4004 8984 5095
Batch#: 6954 4004 8984 5095
Cultivation Facility: FL - Indiantown (3734)
Processing Facility: FL - Indiantown (3734)
Source Facility: FL - Indiantown (3734)
Seed to Sale# 2063 9069 0001 3453
Batch Date: 03/25/24
Sample Size Received: 15.5 gram
Total Amount: 974.00 units
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Ordered: 04/01/24
Sampled: 04/02/24
Completed: 04/04/24
Sampling Method: SOP.T.20.010

Apr 04, 2024 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 6

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

PASSED

Total THC
77.779%

Total THC/Container : 388.90 mg


Total CBD
0.132%

Total CBD/Container : 0.66 mg


Total Cannabinoids
83.297%

Total Cannabinoids/Container : 416.49 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	76.148	1.860	0.132	ND	0.375	2.434	1.170	0.115	0.333	ND	0.730
mg/unit	380.74	9.30	0.66	ND	1.88	12.17	5.85	0.58	1.67	ND	3.65
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 1665, 585, 1440

 Weight:
 0.1147g

 Extraction date:
 04/02/24 13:39:40

 Extracted by:
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071119POT

Instrument Used : DA-LC-003

Analyzed Date : 04/02/24 13:53:33

Reviewed On : 04/03/24 11:03:34

Batch Date : 04/02/24 10:20:16

Dilution : 400

Reagent : 032924.R03; 071222.01; 032924.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Lmn Bean x Italian Ice (S)
Lemon Bean x Italian Ice (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40402001-006

Harvest/Lot ID: 6954 4004 8984 5095

Batch# : 6954 4004 8984
5095

Sample Size Received : 15.5 gram

Total Amount : 974.00 units

Completed : 04/04/24 Expires: 04/04/25

Ordered : 04/02/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	20.72	4.143		ALPHA-CEDRENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	8.70	1.740		ALPHA-PHELLANDRENE	0.007	ND	ND	
FARNESENE	0.001	2.90	0.580		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	2.38	0.476		ALPHA-TERPINOLENE	0.007	ND	ND	
LINALOOL	0.007	2.17	0.433		BETA-PINENE	0.007	ND	ND	
LIMONENE	0.007	1.57	0.314		CIS-NEROLIDOL	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	1.08	0.215		GAMMA-TERPINENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	0.78	0.155		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.74	0.148						
BETA-MYRCENE	0.007	0.63	0.125		Analysis by:	Weight:	Extraction date:	Extracted by:	
BORNEOL	0.013	0.32	0.063		3605, 585, 1440	0.2033g	04/02/24 14:24:20	3605	
ALPHA-PINENE	0.007	0.25	0.049		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA071145TER			Reviewed On : 04/03/24 11:01:23	
CAMPHENE	0.007	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 04/02/24 11:22:34	
CAMPOR	0.007	ND	ND		Analyzed Date : 04/02/24 14:24:52				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Dilution : 10				
CEDROL	0.007	ND	ND		Reagent : 022224.01				
EUCALYPTOL	0.007	ND	ND		Consumables : 947.109; 230613-634-D; CE0123				
FENCHONE	0.007	ND	ND		Pipette : DA-063				
GERANIOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			4.143						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Lmn Bean x Italian Ice (S)
Lemon Bean x Italian Ice (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40402001-006

Harvest/Lot ID: 6954 4004 8984 5095

Batch# : 6954 4004 8984 5095

Sampled : 04/02/24
Ordered : 04/02/24

Sample Size Received : 15.5 gram

Total Amount : 974.00 units

Completed : 04/04/24 Expires: 04/04/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.238g	Extraction date: 04/02/24 16:25:44	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071150PES		Reviewed On : 04/03/24 10:51:14			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/02/24 11:34:55			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/02/24 16:32:52					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 032624.R12; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.238g	Extraction date: 04/02/24 16:25:44	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071151VOL		Reviewed On : 04/03/24 10:50:08			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 04/02/24 11:36:05			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/02/24 16:44:40					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 032624.R12; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Lmn Bean x Italian Ice (S)
Lemon Bean x Italian Ice (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40402001-006

Harvest/Lot ID: 6954 4004 8984 5095

Batch# : 6954 4004 8984
5095

Sampled : 04/02/24

Ordered : 04/02/24

Sample Size Received : 15.5 gram

Total Amount : 974.00 units

Completed : 04/04/24 Expires: 04/04/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0236g

Extraction date:
04/03/24 11:34:29

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA071163SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 04/03/24 11:38:31

Reviewed On : 04/03/24 12:03:38
Batch Date : 04/02/24 14:37:50

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24




PASSED


22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40402001-006
Harvest/Lot ID: 6954 4004 8984 5095

Batch# : 6954 4004 8984 5095	Sample Size Received : 15.5 gram
Sampled : 04/02/24	Total Amount : 974.00 units
Ordered : 04/02/24	Completed : 04/04/24 Expires: 04/04/25
	Sample Method : SOP T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h1>PASSED</h1>																																																																																																																																							
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td colspan="6">Analyzed by: 4044, 3390, 585, 1440</td></tr><tr><td colspan="6">Weight: 1g</td></tr><tr><td colspan="6">Extraction date: 04/02/24 13:31:22</td></tr><tr><td colspan="6">Extracted by: 3390,4044</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td></tr><tr><td colspan="6">Analytical Batch : DA071139MIC</td></tr><tr><td colspan="6">Reviewed On : 04/04/24 18:08:26</td></tr><tr><td colspan="6">Batch Date : 04/02/24 11:00:48</td></tr><tr><td colspan="6">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="6">Analyzed Date : 04/02/24 13:31:50</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 032624.02; 032624.05; 031824.R18; 091523.42</td></tr><tr><td colspan="6">Consumables : 7569003008</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 4044, 3390, 585, 1440						Weight: 1g						Extraction date: 04/02/24 13:31:22						Extracted by: 3390,4044						Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA071139MIC						Reviewed On : 04/04/24 18:08:26						Batch Date : 04/02/24 11:00:48						Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 04/02/24 13:31:50						Dilution : N/A						Reagent : 032624.02; 032624.05; 031824.R18; 091523.42						Consumables : 7569003008						Pipette : N/A					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																				
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																					
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																					
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																					
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																					
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																					
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																				
Analyzed by: 4044, 3390, 585, 1440																																																																																																																																									
Weight: 1g																																																																																																																																									
Extraction date: 04/02/24 13:31:22																																																																																																																																									
Extracted by: 3390,4044																																																																																																																																									
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL																																																																																																																																									
Analytical Batch : DA071139MIC																																																																																																																																									
Reviewed On : 04/04/24 18:08:26																																																																																																																																									
Batch Date : 04/02/24 11:00:48																																																																																																																																									
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																																																									
Analyzed Date : 04/02/24 13:31:50																																																																																																																																									
Dilution : N/A																																																																																																																																									
Reagent : 032624.02; 032624.05; 031824.R18; 091523.42																																																																																																																																									
Consumables : 7569003008																																																																																																																																									
Pipette : N/A																																																																																																																																									
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td colspan="6">Analyzed by: 3379, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.238g</td></tr><tr><td colspan="6">Extraction date: 04/02/24 16:25:44</td></tr><tr><td colspan="6">Extracted by: 3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="6">Analytical Batch : DA071152MYC</td></tr><tr><td colspan="6">Reviewed On : 04/03/24 10:52:32</td></tr><tr><td colspan="6">Batch Date : 04/02/24 11:37:21</td></tr><tr><td colspan="6">Instrument Used : N/A</td></tr><tr><td colspan="6">Analyzed Date : 04/02/24 16:35:58</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 032624.R12; 040423.08</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>						Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440						Weight: 0.238g						Extraction date: 04/02/24 16:25:44						Extracted by: 3379						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA071152MYC						Reviewed On : 04/03/24 10:52:32						Batch Date : 04/02/24 11:37:21						Instrument Used : N/A						Analyzed Date : 04/02/24 16:35:58						Dilution : 250						Reagent : 032624.R12; 040423.08						Consumables : 326250IW						Pipette : N/A																	
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																				
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																				
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																				
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																				
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																				
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																				
Analyzed by: 3379, 585, 1440																																																																																																																																									
Weight: 0.238g																																																																																																																																									
Extraction date: 04/02/24 16:25:44																																																																																																																																									
Extracted by: 3379																																																																																																																																									
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																									
Analytical Batch : DA071152MYC																																																																																																																																									
Reviewed On : 04/03/24 10:52:32																																																																																																																																									
Batch Date : 04/02/24 11:37:21																																																																																																																																									
Instrument Used : N/A																																																																																																																																									
Analyzed Date : 04/02/24 16:35:58																																																																																																																																									
Dilution : 250																																																																																																																																									
Reagent : 032624.R12; 040423.08																																																																																																																																									
Consumables : 326250IW																																																																																																																																									
Pipette : N/A																																																																																																																																									
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																									

	<h1>Heavy Metals</h1>	<h1>PASSED</h1>																																																																																																																											
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analyzed by: 1022, 585, 1440</td></tr><tr><td colspan="6">Weight: 0.2186g</td></tr><tr><td colspan="6">Extraction date: 04/02/24 14:39:29</td></tr><tr><td colspan="6">Extracted by: 1022</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="6">Analytical Batch : DA071129HEA</td></tr><tr><td colspan="6">Reviewed On : 04/03/24 10:56:44</td></tr><tr><td colspan="6">Batch Date : 04/02/24 10:32:30</td></tr><tr><td colspan="6">Instrument Used : DA-ICPMS-004</td></tr><tr><td colspan="6">Analyzed Date : 04/03/24 09:53:21</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 030424.01; 032824.R06</td></tr><tr><td colspan="6">Consumables : 179436; 34623011; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr></table>						Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440						Weight: 0.2186g						Extraction date: 04/02/24 14:39:29						Extracted by: 1022						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA071129HEA						Reviewed On : 04/03/24 10:56:44						Batch Date : 04/02/24 10:32:30						Instrument Used : DA-ICPMS-004						Analyzed Date : 04/03/24 09:53:21						Dilution : 50						Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 030424.01; 032824.R06						Consumables : 179436; 34623011; 210508058						Pipette : DA-061; DA-191; DA-216					
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																								
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																								
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																								
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																								
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																								
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																								
Analyzed by: 1022, 585, 1440																																																																																																																													
Weight: 0.2186g																																																																																																																													
Extraction date: 04/02/24 14:39:29																																																																																																																													
Extracted by: 1022																																																																																																																													
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																													
Analytical Batch : DA071129HEA																																																																																																																													
Reviewed On : 04/03/24 10:56:44																																																																																																																													
Batch Date : 04/02/24 10:32:30																																																																																																																													
Instrument Used : DA-ICPMS-004																																																																																																																													
Analyzed Date : 04/03/24 09:53:21																																																																																																																													
Dilution : 50																																																																																																																													
Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 030424.01; 032824.R06																																																																																																																													
Consumables : 179436; 34623011; 210508058																																																																																																																													
Pipette : DA-061; DA-191; DA-216																																																																																																																													
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																													

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Lmn Bean x Italian Ice (S)
Lemon Bean x Italian Ice (S)
Matrix : Derivative
Type: Live Resin



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: renee.reyna@crescolabs.com

Sample : DA40402001-006

Harvest/Lot ID: 6954 4004 8984 5095

Batch# : 6954 4004 8984 5095

Sampled : 04/02/24

Ordered : 04/02/24

Sample Size Received : 15.5 gram

Total Amount : 974.00 units

Completed : 04/04/24 Expires: 04/04/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071211FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/03/24 17:12:03

Reviewed On : 04/03/24 17:23:45

Batch Date : 04/03/24 15:36:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.42g	Extraction date: 04/03/24 15:19:58	Extracted by: 4444
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071161WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date : 04/03/24 14:32:02

Reviewed On : 04/04/24 09:02:20

Batch Date : 04/02/24 12:54:30

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/04/24