



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40404012-012  
Harvest/Lot ID: 2063 9069 0000 8344  
Batch#: 2063 9069 0000 8344  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 2063 9069 0001 4783  
Batch Date: 03/27/24  
Sample Size Received: 16 gram  
Total Amount: 1969.00 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 04/04/24  
Sampled: 04/04/24  
Completed: 04/09/24  
Sampling Method: SOP.T.20.010

Apr 09, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**82.963%**

Total THC/Container : 829.63 mg



Total CBD

**0.100%**

Total CBD/Container : 1.00 mg



Total Cannabinoids

**85.836%**

Total Cannabinoids/Container : 858.36 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.838	0.143	0.100	ND	0.417	1.180	ND	0.157	0.488	ND	0.513
mg/unit	828.38	1.43	1.00	ND	4.17	11.80	ND	1.57	4.88	ND	5.13
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1005g

Extraction date:  
04/05/24 11:58:42

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071258POT

Instrument Used : DA-LC-003

Analyzed Date : 04/05/24 11:57:26

Reviewed On : 04/08/24 08:07:59

Batch Date : 04/05/24 08:08:28

Dilution : 400

Reagent : 032924.R01; 060723.24; 030824.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
04/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Wht Rntz (H)  
White Runtz (H)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40404012-012

Harvest/Lot ID: 2063 9069 0000 8344

Batch# : 2063 9069 0000  
8344

Sampled : 04/04/24

Ordered : 04/04/24

Sample Size Received : 16 gram

Total Amount : 1969.00 units

Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	48.78	4.878		PULEGONE	0.007	ND	ND	
LIMONENE	0.007	12.21	1.221		SABINENE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	11.64	1.164		VALENCENE	0.007	ND	ND	
LINALOOL	0.007	5.02	0.502		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.97	0.497		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	3.40	0.340		ALPHA-TERPINENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	2.07	0.207		CIS-NEROLIDOL	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	2.00	0.200		GAMMA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	1.83	0.183		Analyzed by:	Weight:	Extraction date:	Extracted by:	
FENCHYL ALCOHOL	0.007	1.71	0.171		3605, 585, 1440	0.1969g	04/05/24 12:38:35	3605	
ALPHA-PINENE	0.007	1.37	0.137		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
BETA-PINENE	0.007	1.35	0.135		Analytical Batch : DA071263TER			Reviewed On : 04/09/24 09:11:05	
FARNESENE	0.001	1.21	0.121		Instrument Used : DA-GCMS-004			Batch Date : 04/05/24 08:51:10	
BORNEOL	0.013	0.52	0.052		Analyzed Date : 04/05/24 12:39:00				
ALPHA-BISABOLOL	0.007	0.47	0.047		Dilution : 10				
CARYOPHYLLENE OXIDE	0.007	0.33	0.033		Reagent : 022224.01				
ALPHA-TERPINOLENE	0.007	0.31	0.031		Consumables : 947.109; 230613-634-D; CE123				
CAMPHENE	0.007	0.24	0.024		Pipette : DA-063				
SABINENE HYDRATE	0.007	0.20	0.020		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
Total (%)			4.878						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Wht Rntz (H)  
White Runtz (H)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40404012-012

Harvest/Lot ID: 2063 9069 0000 8344

Batch# : 2063 9069 0000  
8344

Sampled : 04/04/24  
Ordered : 04/04/24

Sample Size Received : 16 gram

Total Amount : 1969.00 units

Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.27g	Extraction date: 04/05/24 14:21:47	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071282PES		Reviewed On : 04/08/24 10:11:15			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 04/05/24 10:24:01			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 04/05/24 14:23:17					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 040324.R37; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.27g	Extraction date: 04/05/24 14:21:47	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071284VOL		Reviewed On : 04/08/24 10:09:25			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010		Batch Date : 04/05/24 10:27:20			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/05/24 15:41:35					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 040224.R43; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Wht Rntz (H)  
White Runtz (H)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40404012-012

Harvest/Lot ID: 2063 9069 0000 8344

Batch# : 2063 9069 0000  
8344

Sampled : 04/04/24

Ordered : 04/04/24

Sample Size Received : 16 gram

Total Amount : 1969.00 units

Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0249g

Extraction date:  
04/08/24 10:32:56

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA071306SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 04/07/24 17:21:03

Reviewed On : 04/08/24 11:11:41  
Batch Date : 04/05/24 15:24:15

Dilution : 1  
Reagent : 030923.29  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Wht Rntz (H)  
White Runtz (H)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40404012-012

Harvest/Lot ID: 2063 9069 0000 8344

Batch# : 2063 9069 0000  
8344

Sampled : 04/04/24  
Ordered : 04/04/24

Sample Size Received : 16 gram

Total Amount : 1969.00 units

Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:	Weight:	Extraction date:		Extracted by:	
						3379, 585, 1440	0.27g	04/05/24 14:21:47		3379	
Analyzed by:	Weight:	Extraction date:		Extracted by:		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
3390, 585, 1440	0.846g	04/05/24 12:22:18		4044,3390		Analytical Batch : DA071283MYC Reviewed On : 04/08/24 09:33:46					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Reviewed On : 04/09/24 17:11:07		Instrument Used : N/A Batch Date : 04/05/24 10:27:18					
Analytical Batch : DA071272MIC				Batch Date : 04/05/24 10:09:23		Analyzed Date : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250					
Analyzed Date : 04/05/24 18:23:55						Reagent : 040324.R37; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08					
						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					

	<b>Heavy Metals</b>	<b>PASSED</b>
--	---------------------	---------------

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL		Metal	LOD	Units	Result	Pass / Fail	Action Level
Analytical Batch : DA071273TYM							
Instrument Used : Incubator (25-27°C) DA-096							
Analyzed Date : N/A							
Dilution : N/A		TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
Reagent : 032624.26; 032624.31; 031824.R19		ARSENIC	0.020	ppm	ND	PASS	0.2
Consumables : N/A		CADMIUM	0.020	ppm	ND	PASS	0.2
Pipette : N/A		MERCURY	0.020	ppm	ND	PASS	0.2
		LEAD	0.020	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.		Analyzed by: 1022, 585, 1440	Weight: 0.2945g	Extraction date: 04/05/24 13:38:08		Extracted by: 4306,1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : DA071302HEA				Reviewed On : 04/08/24 07:55:36			
Instrument Used : DA-ICPMS-004				Batch Date : 04/05/24 11:19:35			
Analyzed Date : 04/05/24 16:24:20							
Dilution : 50							
Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 020524.01; 032824.R06							
Consumables : 179436; 34623011; 210508058							
Pipette : DA-061; DA-191; DA-216							

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/09/24



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Wht Rntz (H)  
White Runtz (H)  
Matrix : Derivative  
Type: Live Resin



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40404012-012

Harvest/Lot ID: 2063 9069 0000 8344

Batch# : 2063 9069 0000  
8344

Sampled : 04/04/24

Ordered : 04/04/24

Sample Size Received : 16 gram

Total Amount : 1969.00 units

Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA071305FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/05/24 19:50:41

Reviewed On : 04/07/24 20:17:35

Batch Date : 04/05/24 12:50:02

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.418	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.329g	Extraction date: 04/05/24 13:46:01	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA071276WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/05/24 13:22:54

Reviewed On : 04/08/24 08:04:25

Batch Date : 04/05/24 10:11:30

Dilution : N/A

Reagent : 022024.29

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/09/24