

..... Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix: Edible



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

12-028

#### Sample:DA40404012-028 Harvest/Lot ID: 2063 9069 0001 5107 Batch#: 2063 9069 0001 5107 Cultivation Facility: FL - Indiantown (3734) Processing Facility : FL - Indiantown (3734) Source Facility : FL - Indiantown (3734) Seed to Sale# 2063 9069 0001 6046 Batch Date: 03/29/24 Sample Size Received: 164 gram Total Amount: 693.00 units Retail Product Size: 39.0998 gram Retail Serving Size: 4.1 gram Servings: 10 Ordered: 04/04/24 Sampled: 04/04/24 Completed: 04/09/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

Type: Soft Chew

Apr 09, 2024 | Sunnyside 22205 Sw Martin Hwy


Sunnyside\* Sugar Free Chews

10 Chews (10mg THC ea

Hybrid

indiantown, FL, 34956, US





Sunnyside

Full Sp m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 04/09/24



Type: Soft Chew

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40404012-028 Harvest/Lot ID: 2063 9069 0001 5107

Batch# : 2063 9069 0001 5107 Sampled : 04/04/24 Ordered : 04/04/24 Sample Size Received : 164 gram Total Amount : 693.00 units Completed : 04/09/24 Expires: 04/09/25 Sample Method : SOP.T.20.010

Page 2 of 5



#### Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	P.P.	30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		3	PASS	ND			0.010		0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN					PASS	
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		0.010		1		ND
ACEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN		0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010		3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010		0.5	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
CARBARYL	0.010	P.P.	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		3	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		(2012) +	0.010		0.2	PASS	ND
CHLORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *					
CHLORMEQUAT CHLORIDE	0.010		3	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		3	PASS	ND
CLOFENTEZINE	0.010		0.5	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	1	PASS	ND
DIAZINON	0.010		3	PASS	ND	CYPERMETHRIN *		0.050	PPM	1	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	tion date:		Extracted	d by:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.8458g		4 14:20:33		3379	) -
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.	FL (Gainesville),	SOP.T.30.10	2.FL (Davie), S	OP.T.40.101.	FL (Gainesville	),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		1.5	PASS	ND	Analytical Batch : DA071292PES Instrument Used : DA-LCMS-003			Reviewed Or Batch Date :			
FENHEXAMID	0.010		3	PASS	ND	Analyzed Date :04/05/24 14:23:			Batch Date :	04/05/24 10:.	54:57	
FENOXYCARB	0.010		0.1	PASS	ND ND	Dilution : 250	10					
FENPYROXIMATE	0.010		2			Reagent : 040324.R37; 040324.I	R03; 040224.R43	; 032824.R0	1; 031824.R02	2; 040324.R01	1; 040423.08	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW						
FLONICAMID	0.010		2 3	PASS	ND ND	Pipette : DA-093; DA-094; DA-21						
FLUDIOXONIL	0.010 0.010		2	PASS	ND	Testing for agricultural agents is pe		Liquid Chron	natography Trip	le-Quadrupole	e Mass Spectron	netry in
HEXYTHIAZOX			2	PASS	ND	accordance with F.S. Rule 64ER20-						
	0.010 0.010		1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.8458q		on date: 14:20:33		Extracted 3379	i by:
IMIDACLOPRID KRESOXIM-METHYL	0.010		1	PASS	ND	Analysis Method : SOP.T.30.151.				SOP T 40 151		
MALATHION	0.010		2	PASS	ND	Analytical Batch : DA071295VOL			viewed On :0			
METALAXYL	0.010		3	PASS	ND	Instrument Used : DA-GCMS-001		Ba	atch Date :04/	05/24 10:38:	27	
METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :04/05/24 15:46:	36					
METHOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOMTE	0.010		0.1	PASS	ND	Reagent : 040224.R43; 040423.0 Consumables : 326250IW; 1472		U31824.R06				
MYCLOBUTANIL	0.010		3	PASS	ND	Pipette : DA-080: DA-146: DA-21						
NALED	0.010		0.5	PASS	ND	Testing for agricultural agents is pe		Gas Chromat	tography Triple	-Quadrupole N	Mass Spectrome	try in
INLE	0.010	P.P.11	0.5			accordance with F.S. Rule 64ER20-		210 cm offic		4 Luarapole I	opeca onic	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/09/24

#### PASSED

PASSED



Type: Soft Chew

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40404012-028 Harvest/Lot ID: 2063 9069 0001 5107

Batch# :2063 9069 0001 5107 Sampled : 04/04/24 Ordered : 04/04/24 Sample Size Received : 164 gram Total Amount : 693.00 units Completed : 04/09/24 Expires: 04/09/25 Sample Method : SOP.T.20.010

Page 3 of 5



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
L,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ENZENE	0.100	ppm	1	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
EPTANE	500.000	ppm	5000	PASS	ND
ETHANOL	25.000	ppm	250	PASS	ND
-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0234g	Extraction date: 04/08/24 10:32:58		<b>E</b> x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA071306SOL nstrument Used : DA-GCMS-003 Analyzed Date : 04/07/24 17:21:03			<b>I On :</b> 04/08/24 11:11:49 <b>te :</b> 04/05/24 15:24:15		
Dilution 1					

Dilution : 1 Reagent : 030923.29 Consumables : 429651; 304486

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/09/24



Type: Soft Chew

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40404012-028 Harvest/Lot ID: 2063 9069 0001 5107

Batch#:2063 9069 0001 5107 Sampled:04/04/24 Ordered:04/04/24 Sample Size Received :164 gram Total Amount : 693.00 units Completed : 04/09/24 Expires: 04/09/25 Sample Method : SOP.T.20.010

Page 4 of 5

<i>i</i> at							320							
1 st	Microbia	al 🛛			PAS	SED	್ಲಿಂ	Му	cotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
COLI SHIGE	LLA			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
SPERGILLU	S NIGER			Not Present	PASS		Analyzed by:		Weight:	Extraction da	ate:		Extracted	bv:
OTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		10	0.8458g	04/05/24 14			3379	
nalyzed by: 390, 585, 144	<b>Weight:</b> 0 1.0743g		ction date: /24 12:16:59		Extracted b 4044.3390	y:			30.101.FL (Gai , SOP.T.40.102.	nesville), SOP.T FL (Davie)	.40.101.FL	_ (Gainesv	ille),	
	d : SOP.T.40.056C, SOI h : DA071277MIC			0.209.FL	ved On : 04	/09/24	Analytical Bate Instrument Us Analyzed Date	ch : DA071 ed : N/A		Revie		)4/08/24 0 /05/24 10:		
0A-020,fisherb sotemp Heat B nalyzed Date vilution : N/A seagent : 0326	ermocycler DA-010,fisł rand Isotemp Heat Blo 3lock DA-021 : 04/05/24 18:23:59 524.26; 032624.31; 033 7569004019; 7569003	0ck DA-049	9,Fisher Scie 091523.45				040423.08 Consumables : Pipette : DA-0	: 326250IW 93; DA-094 ting utilizing h F.S. Rule 6	/ 1; DA-219 J Liquid Chromato 54ER20-39.	10224.R43; 0328		le Mass Spo	ectrometry	in
nalyzed by: 451, 585, 144	<b>Weight:</b> 0 1.0743g		ction date: /24 12:16:59		<b>Extracted b</b> 4044,3390		Hg	Неа	avy Mo	etals			PAS	SED
nalytical Bate	d : SOP.T.40.208 (Gain h : DA071278TYM ed : Incubator (25-27*C		Revi	.FL ewed On : 04/0 h Date : 04/05/			Metal			LOD	Units	Result	Pass / Fail	Action Level
nalyzed Date		.) DA-090	Date	<b>Date</b> . 04/05/	24 10.15.5	)+	TOTAL CONT	AMINANT	LOAD METAI	LS 0.080	ppm	ND	PASS	5
lution : N/A							ARSENIC			0.020	ppm	ND	PASS	1.5
	524.26; 032624.31; 031	1824.R19					CADMIUM			0.020	ppm	ND	PASS	0.5
onsumables :	N/A						MERCURY			0.020	ppm	ND	PASS	3
pette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is performed F.S. Rule 64ER20-39.	utilizing MI	PN and tradition	nal culture base	d techniques	s in	Analyzed by: 1022, 585, 144	10	Weight: 0.2902g	Extraction dat 04/05/24 13:4			xtracted   306,1022	
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	ch:DA071 ed:DA-ICF	PMS-004	Review		/08/24 07 5/24 11:1		
							Dilution : 50 Reagent : 032 032824.R06	824.R05; 0		32724.R42; 0403	124.R02; (	)40124.RC	13; 02052	4.01;

Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/09/24



Type: Soft Chew

Page 5 of 5

Sunnyside Sugar Free Chews 100mg 10pk Ctrs Blst Citrus Blast Matrix : Edible



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: renee.revna@crescolabs.com Sample : DA40404012-028 Harvest/Lot ID: 2063 9069 0001 5107 Batch# : 2063 9069 0001 Sample

PASSED

5107 Sampled : 04/04/24 Ordered : 04/04/24 Sample Size Received :164 gram Total Amount : 693.00 units Completed : 04/09/24 Expires: 04/09/25 Sample Method : SOP.T.20.010

Filth/Foreign Material
---------------------------

## Homogeneity

Amount of tests conducted : 9

Analyte Filth and Fore	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction N/A	on date:	<b>Extr</b> N/A	acted by:
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA071305FII I : Filth/Foreign	L Material Micro	oscope			7/24 20:16:36 24 12:50:02
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	I/A					
Filth and foreign n technologies in ac				spection utilizi	ng naked ey	e and microscope
$\bigcirc$	Wate	r Activ	ity		ΡΑ	SSED

Analyte Water Activity	_	. <b>OD U</b> 0.010 av	nits V	<b>Result</b> 0.547	P/F PASS	Action Level 0.85
Analyzed by: 4056, 585, 1440	Weight: 3.934g		<b>tion dat</b> /24 13:4			tracted by: 056
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 04/05/	71276WAT 028 Rotronic Hyg	Jropalm		eviewed Or atch Date :		4 08:04:30 10:11:30
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.009	25
Analyzed by	Average Weight	Extra	ction date :		Extracted By :
3335, 1665, 585, 1440	3.837g	04/05	5/24 09:31:32		3335
Analysis Method : SOP.T.30.111. Analytical Batch : DA071264HOM Instrument Used : DA-LC-004 Analyzed Date : 04/05/24 09:52:	1	Reviewe	ed On : 04/08/24 ate : 04/05/24 0		9
Dilution : 40 Reagent : 030124.13; 030924.R( Consumables : 947.109; 346230 Pipette : DA-079; DA-108; DA-07	11; CE0123; R	,			
Homogeneity testing is performed ut accordance with F.S. Rule 64ER20-39		formance L	iquid Chromatogr	aphy with	UV detection in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/09/24

#### PASSED

PASSED