



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40409007-005  
Harvest/Lot ID: 2631 4524 6644 2160  
Batch#: 2631 4524 6644 2160  
Cultivation Facility: FL - Indiantown (3734)  
Processing Facility: FL - Indiantown (3734)  
Source Facility: FL - Indiantown (3734)  
Seed to Sale#: 2063 9069 0001 6608  
Batch Date: 04/02/24  
Sample Size Received: 15.5 gram  
Total Amount: 1366.00 units  
Retail Product Size: 0.5 gram  
Retail Serving Size: 0.5 gram  
Servings: 1  
Ordered: 04/08/24  
Sampled: 04/09/24  
Completed: 04/11/24  
Sampling Method: SOP.T.20.010

Apr 11, 2024 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

Sunnyside\*

PASSED

Pages 1 of 6

### SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals  
Solvents  
PASSED



Filtration  
PASSED



Water Activity  
PASSED



Moisture  
NOT TESTED



Terpenes  
TESTED

### MISC.



### Cannabinoid

PASSED



Total THC

85.308%

Total THC/Container : 426.54 mg



Total CBD

0.198%

Total CBD/Container : 0.99 mg



Total Cannabinoids

92.304%

Total Cannabinoids/Container : 461.52 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.151	0.180	0.198	ND	0.486	4.167	0.073	0.110	0.731	ND	1.208
mg/unit	425.76	0.90	0.99	ND	2.43	20.84	0.37	0.55	3.66	ND	6.04
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.1139g

Extraction date:  
04/09/24 14:12:38

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA071421POT  
Instrument Used : DA-LC-003  
Analyzed Date : 04/09/24 14:50:22

Reviewed On : 04/10/24 08:41:06  
Batch Date : 04/09/24 13:40:21

Dilution : 400  
Reagent : 032924.R01; 060723.24; 030824.R01  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/11/24



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Sample : DA40409007-005

Harvest/Lot ID: 2631 4524 6644 2160

Batch# : 2631 4524 6644  
2160

Sample Size Received : 15.5 gram

Completed : 04/11/24

Ordered : 04/09/24

Total Amount : 1366.00 units

Expires: 04/11/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	31.69	6.338	SABINENE	0.007	ND	ND
BETA-MYRCENE	0.007	13.47	2.693	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	6.00	1.200	VALENCENE	0.007	ND	ND
LIMONENE	0.007	4.84	0.968	ALPHA-CEDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	1.80	0.360	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-PINENE	0.007	0.99	0.197	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	0.73	0.145	CIS-NEROLIDOL	0.007	ND	ND
FENCHYL ALCOHOL	0.007	0.66	0.131	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	0.64	0.127				
ALPHA-TERPINEOL	0.007	0.62	0.124	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
FARNESENE	0.001	0.45	0.089	3605, 585, 1440	0.2176g	04/09/24 16:28:48	3605
BETA-PINENE	0.007	0.42	0.083	Analysis Batch : DA071411TER			Reviewed On : 04/10/24 09:43:49
BORNEOL	0.013	0.24	0.047	Instrument Used : DA-GCMS-004			Batch Date : 04/09/24 13:10:55
TRANS-NEROLIDOL	0.007	0.22	0.043	Analysis Date : 04/09/24 16:29:16			
CAMPHENE	0.007	0.17	0.034	Dilution : 10			
ALPHA-TERPINOLENE	0.007	0.14	0.027	Reagent : 022224.01			
OCIMENE	0.007	0.13	0.026	Consumables : 947.109; 230613-634-D; CE0123			
CARYOPHYLLENE OXIDE	0.007	0.12	0.023	Pipette : DA-063			
EUCALYPTOL	0.007	0.11	0.021	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
3-CARENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
<b>Total (%)</b>			<b>6.338</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
04/11/24



# Certificate of Analysis

**PASSED**

Sunnyside

Sample : DA40409007-005

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

Harvest/Lot ID: 2631 4524 6644 2160  
Batch#: 2631 4524 6644 2160  
Sample Size Received : 15.5 gram  
Total Amount : 1366.00 units  
Completed : 04/11/24 Expires: 04/11/25  
Sampled : 04/09/24  
Ordered : 04/09/24  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2411g <b>Extraction date:</b> 04/09/24 17:53:48 <b>Extracted by:</b> 450,3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA071405PES <b>Reviewed On :</b> 04/11/24 10:18:45 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 04/09/24 12:09:02 <b>Analyzed Date :</b> 04/09/24 18:06:12 <b>Dilution :</b> 250 <b>Reagent :</b> 040224.R43; 040423.08 <b>Consumables :</b> 326250W <b>Pipette :</b> N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/11/24



# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: renee.reyna@crescolabs.com

**Sample : DA40409007-005**

 Harvest/Lot ID: 2631 4524 6644 2160  
 Batch# : 2631 4524 6644 2160  
 Sample Size Received : 15.5 gram  
 Total Amount : 1366.00 units  
 Completed : 04/11/24 Expires: 04/11/25  
 Sample Method : SOP.T.20.010  
 Sampled : 04/09/24  
 Ordered : 04/09/24

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.028g	Extraction date: 04/11/24 20:54:23	Extracted by: 850
--------------------------------	-------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 04/11/24 21:41:58
Analytical Batch : DA07148450L	Batch Date : 04/10/24 15:52:45
Instrument Used : DA-GCMS-003	
Analyzed Date : 04/10/24 16:29:54	

Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; G201-100  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**Sunnyside**

 22205 Sw Martin Hwy  
 indiantown, FL, 34956, US  
 Telephone: (772) 631-0257  
 Email: renee.reyna@crescolabs.com

**Sample : DA40409007-005**

 Harvest/Lot ID: 2631 4524 6644 2160  
 Batch#: 2631 4524 6644  
 Sample Size Received : 15.5 gram  
 Total Amount : 1366.00 units  
 Completed : 04/11/24 Expires: 04/11/25  
 Sampled : 04/09/24  
 Ordered : 04/09/24  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

 Analyzed by: 4044, 3390, 585, 1440  
 Weight: 1.027g  
 Extraction date: 04/09/24 13:06:09  
 Extracted by: 3390

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA071382MIC  
 Reviewed On : 04/11/24 16:39:21  
 Batch Date : 04/09/24 09:53:34

 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
 Analyzed Date : 04/10/24 13:01:22  
 Dilution : N/A  
 Reagent : 032624.35; 031824.R18; 091523.45  
 Consumables : 7569004024  
 Pipette : N/A

 Analyzed by: 3390, 585, 1440  
 Weight: 1.027g  
 Extraction date: 04/09/24 13:06:09  
 Extracted by: 3390

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA071403TYM  
 Instrument Used : N/A  
 Analyzed Date : N/A  
 Reviewed On : 04/11/24 18:03:47  
 Batch Date : 04/09/24 11:57:50

 Dilution : N/A  
 Reagent : 032624.35; 031824.R19  
 Consumables : N/A  
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

 Analyzed by: 3379, 585, 1440  
 Weight: 0.2411g  
 Extraction date: 04/09/24 17:53:48  
 Extracted by: 450,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

 Analytical Batch : DA071407MYC  
 Instrument Used : N/A  
 Analyzed Date : 04/09/24 18:05:17  
 Reviewed On : 04/10/24 12:19:31  
 Batch Date : 04/09/24 12:11:52

 Dilution : 250  
 Reagent : 040224.R43; 040423.08  
 Consumables : 326250IW  
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 1440  
 Weight: 0.2146g  
 Extraction date: 04/09/24 16:02:05  
 Extracted by: 1022

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA071385HEA  
 Instrument Used : DA-ICPMS-004  
 Analyzed Date : 04/10/24 10:09:18  
 Reviewed On : 04/10/24 11:43:16  
 Batch Date : 04/09/24 10:18:52

 Dilution : 50  
 Reagent : 032824.R05; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06  
 Consumables : 179436; 34623011; 210508058  
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

**Sunnyside**

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: renee.reyna@crescolabs.com

**Sample : DA40409007-005**

Harvest/Lot ID: 2631 4524 6644 2160  
Batch# : 2631 4524 6644 2160  
Sample Size Received : 15.5 gram  
Total Amount : 1366.00 units  
Sampled : 04/09/24  
Completed : 04/11/24 Expires: 04/11/25  
Ordered : 04/09/24  
Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign Material** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090  
Analytical Batch : DA071430FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 04/10/24 03:06:43  
Reviewed On : 04/11/24 10:07:53  
Batch Date : 04/10/24 03:04:12

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.623	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
4444, 585, 1440	0.795g	04/10/24 15:46:37	4444

Analysis Method : SOP.T.40.019  
Analytical Batch : DA071420WAT  
Instrument Used : DA256 Rotronic HygroPalm  
Analyzed Date : 04/10/24 15:33:28  
Reviewed On : 04/10/24 18:32:56  
Batch Date : 04/09/24 13:15:40

Dilution : N/A  
Reagent : 022024.29  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

